

UNIVOL L
Calibra-on Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

BARGE MMI 2805
HULL # 05-2528

PORT SLOP TK
INNAGE TABLE
MANUAL GAUGING
GALLONS

GAUGE HEIGHT 5'-4 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.
0	6	220	442	6	888	0	1,328	6	1,773
1/8	5	224	447	1/8	891	1/8	1,333	1/8	1,778
1/4	9	229	451	1/4	895	1/4	1,338	1/4	1,783
3/8	14	233	456	3/8	900	3/8	1,342	3/8	1,787
1/2	18	238	461	1/2	904	1/2	1,347	1/2	1,792
5/8	23	243	465	5/8	909	5/8	1,352	5/8	1,796
3/4	27	247	470	3/4	913	3/4	1,356	3/4	1,801
7/8	32	252	474	7/8	918	7/8	1,361	7/8	1,805
1	37	257	479	1	922	1	1,366	1	1,810
1/8	41	261	484	1/8	927	1/8	1,370	1/8	1,815
1/4	46	266	488	1/4	931	1/4	1,375	1/4	1,819
3/8	50	271	493	3/8	936	3/8	1,379	3/8	1,824
1/2	55	275	498	1/2	940	1/2	1,384	1/2	1,828
5/8	59	280	502	5/8	945	5/8	1,388	5/8	1,833
3/4	64	284	507	3/4	949	3/4	1,393	3/4	1,837
7/8	69	289	512	7/8	954	7/8	1,398	7/8	1,842
2	73	294	516	2	958	2	1,403	2	1,847
1/8	78	298	521	1/8	963	1/8	1,407	1/8	1,851
1/4	82	303	525	1/4	967	1/4	1,412	1/4	1,856
3/8	87	308	530	3/8	972	3/8	1,417	3/8	1,860
1/2	91	312	535	1/2	977	1/2	1,421	1/2	1,865
5/8	96	317	539	5/8	981	5/8	1,426	5/8	1,869
3/4	101	322	544	3/4	986	3/4	1,430	3/4	1,874
7/8	105	326	549	7/8	990	7/8	1,435	7/8	1,879
3	110	331	553	3	995	3	1,440	3	1,883
1/8	114	335	558	1/8	998	1/8	1,444	1/8	1,888
1/4	119	340	563	1/4	1,004	1/4	1,449	1/4	1,892
3/8	124	345	567	3/8	1,008	3/8	1,454	3/8	1,897
1/2	128	349	572	1/2	1,013	1/2	1,458	1/2	1,901
5/8	133	354	576	5/8	1,018	5/8	1,463	5/8	1,906
3/4	137	359	581	3/4	1,022	3/4	1,468	3/4	1,911
7/8	142	363	586	7/8	1,027	7/8	1,472	7/8	1,915
4	146	368	590	4	1,032	4	1,477	4	1,920
1/8	151	372	595	1/8	1,036	1/8	1,481	1/8	1,924
1/4	156	377	600	1/4	1,041	1/4	1,486	1/4	1,929
3/8	160	382	604	3/8	1,046	3/8	1,491	3/8	1,933
1/2	165	386	609	1/2	1,050	1/2	1,495	1/2	1,938
5/8	169	391	614	5/8	1,055	5/8	1,500	5/8	1,943
3/4	174	396	618	3/4	1,059	3/4	1,505	3/4	1,947
7/8	178	400	623	7/8	1,064	7/8	1,509	7/8	1,952
5	183	405	627	5	1,069	5	1,514	5	1,956
1/8	188	410	632	1/8	1,073	1/8	1,518	1/8	1,961
1/4	192	414	637	1/4	1,078	1/4	1,523	1/4	1,966
3/8	197	419	641	3/8	1,083	3/8	1,528	3/8	1,970
1/2	201	423	646	1/2	1,087	1/2	1,532	1/2	1,975
5/8	206	428	651	5/8	1,092	5/8	1,537	5/8	1,980
3/4	210	433	655	3/4	1,097	3/4	1,542	3/4	1,985
7/8	215	437	660	7/8	1,101	7/8	1,546	7/8	1,990

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.
O Endowed

BARGE MMI 2805
HULL # 05-2528

STAR SLOP TK
INNAGE TABLE
MANUAL GAUGING
GALLONS

GAUGE HEIGHT 5'-5"

0 FT.		1 FT.		1 FT.		2 FT.		2 FT.		3 FT.		3 FT.		4 FT.		
IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	
0	0	221	0	444	6	668	0	891	6	1,112	0	1,335	6	1,559	0	1,783
1/8	5	225	1/8	449	1/8	673	1/8	895	1/8	1,116	1/8	1,340	1/8	1,564	1/8	1,787
1/4	9	230	1/4	454	1/4	677	1/4	900	1/4	1,121	1/4	1,345	1/4	1,568	1/4	1,792
3/8	14	235	3/8	458	3/8	682	3/8	904	3/8	1,126	3/8	1,349	3/8	1,573	3/8	1,796
1/2	18	239	1/2	463	1/2	687	1/2	909	1/2	1,130	1/2	1,354	1/2	1,578	1/2	1,801
5/8	23	244	5/8	468	5/8	691	5/8	913	5/8	1,135	5/8	1,359	5/8	1,582	5/8	1,806
3/4	28	249	3/4	472	3/4	696	3/4	918	3/4	1,140	3/4	1,363	3/4	1,587	3/4	1,810
7/8	32	253	7/8	477	7/8	701	7/8	923	7/8	1,144	7/8	1,368	7/8	1,592	7/8	1,815
1	37	258	1	482	7	705	1	927	7	1,149	1	1,373	7	1,598	1	1,819
1/8	41	263	1/8	486	1/8	710	1/8	932	1/8	1,154	1/8	1,377	1/8	1,601	1/8	1,824
1/4	46	267	1/4	491	1/4	715	1/4	936	1/4	1,158	1/4	1,382	1/4	1,606	1/4	1,829
3/8	51	272	3/8	496	3/8	719	3/8	941	3/8	1,163	3/8	1,387	3/8	1,610	3/8	1,833
1/2	55	277	1/2	500	1/2	724	1/2	945	1/2	1,168	1/2	1,391	1/2	1,615	1/2	1,838
5/8	60	281	5/8	505	5/8	729	5/8	950	5/8	1,172	5/8	1,396	5/8	1,620	5/8	1,842
3/4	64	286	3/4	510	3/4	733	3/4	954	3/4	1,177	3/4	1,401	3/4	1,624	3/4	1,847
7/8	69	291	7/8	514	7/8	738	7/8	959	7/8	1,182	7/8	1,405	7/8	1,629	7/8	1,852
2	74	295	2	519	8	743	2	963	8	1,186	2	1,410	8	1,634	2	1,856
1/8	78	300	1/8	523	1/8	747	1/8	968	1/8	1,191	1/8	1,415	1/8	1,638	1/8	1,861
1/4	83	305	1/4	528	1/4	752	1/4	973	1/4	1,196	1/4	1,419	1/4	1,643	1/4	1,865
3/8	87	309	3/8	533	3/8	757	3/8	977	3/8	1,200	3/8	1,424	3/8	1,647	3/8	1,870
1/2	92	314	1/2	537	1/2	761	1/2	982	1/2	1,205	1/2	1,429	1/2	1,652	1/2	1,875
5/8	97	319	5/8	542	5/8	766	5/8	986	5/8	1,210	5/8	1,433	5/8	1,657	5/8	1,879
3/4	101	323	3/4	547	3/4	771	3/4	991	3/4	1,214	3/4	1,438	3/4	1,661	3/4	1,884
7/8	106	328	7/8	551	7/8	775	7/8	995	7/8	1,219	7/8	1,443	7/8	1,666	7/8	1,888
3	110	333	3	556	9	780	3	1,000	9	1,224	3	1,447	9	1,671	3	1,893
1/8	115	337	1/8	561	1/8	785	1/8	1,004	1/8	1,228	1/8	1,452	1/8	1,675	1/8	1,898
1/4	120	342	1/4	565	1/4	789	1/4	1,009	1/4	1,233	1/4	1,457	1/4	1,680	1/4	1,902
3/8	124	346	3/8	570	3/8	794	3/8	1,014	3/8	1,237	3/8	1,461	3/8	1,685	3/8	1,907
1/2	129	351	1/2	575	1/2	799	1/2	1,018	1/2	1,242	1/2	1,466	1/2	1,689	1/2	1,911
5/8	133	356	5/8	579	5/8	803	5/8	1,023	5/8	1,247	5/8	1,470	5/8	1,694	5/8	1,916
3/4	138	360	3/4	584	3/4	808	3/4	1,028	3/4	1,251	3/4	1,475	3/4	1,699	3/4	1,921
7/8	143	365	7/8	589	7/8	812	7/8	1,032	7/8	1,256	7/8	1,480	7/8	1,703	7/8	1,925
4	147	370	4	593	10	817	4	1,037	10	1,261	4	1,484	10	1,708	4	1,930
1/8	152	374	1/8	598	1/8	822	1/8	1,042	1/8	1,265	1/8	1,489	1/8	1,713	1/8	1,934
1/4	156	379	1/4	603	1/4	826	1/4	1,046	1/4	1,270	1/4	1,494	1/4	1,717	1/4	1,939
3/8	161	384	3/8	607	3/8	831	3/8	1,051	3/8	1,275	3/8	1,498	3/8	1,722	3/8	1,944
1/2	166	388	1/2	612	1/2	836	1/2	1,056	1/2	1,279	1/2	1,503	1/2	1,727	1/2	1,948
5/8	170	393	5/8	617	5/8	840	5/8	1,060	5/8	1,284	5/8	1,508	5/8	1,731	5/8	1,953
3/4	175	398	3/4	621	3/4	845	3/4	1,065	3/4	1,289	3/4	1,512	3/4	1,736	3/4	1,957
7/8	179	402	7/8	626	7/8	850	7/8	1,070	7/8	1,293	7/8	1,517	7/8	1,741	7/8	1,962
5	184	407	5	631	11	854	5	1,074	11	1,298	5	1,522	11	1,745	5	1,967
1/8	189	412	1/8	635	1/8	859	1/8	1,079	1/8	1,303	1/8	1,526	1/8	1,750	1/8	1,971
1/4	193	416	1/4	640	1/4	864	1/4	1,084	1/4	1,307	1/4	1,531	1/4	1,755	1/4	1,976
3/8	198	421	3/8	645	3/8	868	3/8	1,088	3/8	1,312	3/8	1,536	3/8	1,759	3/8	1,981
1/2	202	426	1/2	649	1/2	873	1/2	1,093	1/2	1,317	1/2	1,540	1/2	1,764	1/2	1,985
5/8	207	430	5/8	654	5/8	877	5/8	1,098	5/8	1,321	5/8	1,545	5/8	1,769	5/8	1,989
3/4	212	435	3/4	659	3/4	882	3/4	1,102	3/4	1,326	3/4	1,550	3/4	1,773	3/4	1,993
7/8	216	440	7/8	663	7/8	886	7/8	1,107	7/8	1,331	7/8	1,554	7/8	1,778	7/8	1,997

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

C. Endrean

BARGE MMI 2805

HULL # 05-2528

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

1 PORT

INNAGE TABLE

MANUAL GAUGING

BARRELS

GAUGE HEIGHT 16'-6"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	2.95	6	111.47	0	244.95	6	391.24	0	545.64	6	700.27	0	854.84	6	1,009.45	0	1,164.11	6	1,318.77
1/8	4.10	1/8	114.15	1/8	247.88	1/8	394.44	1/8	548.86	1/8	703.49	1/8	859.06	1/8	1,012.67	1/8	1,167.33	1/8	1,321.98
1/4	5.25	1/4	116.83	1/4	250.81	1/4	397.64	1/4	552.08	1/4	706.71	1/4	862.28	1/4	1,019.11	1/4	1,173.77	1/4	1,328.43
3/8	6.40	3/8	119.51	3/8	253.74	3/8	400.83	3/8	555.30	3/8	709.83	3/8	865.50	3/8	1,022.33	3/8	1,177.99	3/8	1,331.66
1/2	7.55	1/2	122.20	1/2	256.67	1/2	404.03	1/2	558.53	1/2	713.16	1/2	867.72	1/2	1,025.66	1/2	1,180.22	1/2	1,334.88
5/8	8.70	5/8	124.88	5/8	259.60	5/8	407.22	5/8	561.75	5/8	716.38	5/8	870.94	5/8	1,028.78	5/8	1,183.44	5/8	1,338.10
3/4	9.85	3/4	127.56	3/4	262.53	3/4	410.42	3/4	564.97	3/4	719.60	3/4	874.16	3/4	1,032.00	3/4	1,186.66	3/4	1,341.32
7/8	11.00	7/8	130.24	7/8	265.46	7/8	413.62	7/8	568.19	7/8	722.82	7/8	877.38	7/8	1,035.22	7/8	1,189.88	7/8	1,344.54
1	12.15	1	132.93	1	268.40	1	416.81	1	571.41	1	726.04	1	880.60	1	1,038.44	1	1,193.11	1	1,347.77
1/8	14.25	1/8	135.65	1/8	271.37	1/8	420.03	1/8	574.64	1/8	729.26	1/8	883.82	1/8	1,041.67	1/8	1,196.33	1/8	1,350.99
1/4	16.35	1/4	138.37	1/4	274.35	1/4	423.24	1/4	577.86	1/4	732.48	1/4	887.04	1/4	1,044.89	1/4	1,199.55	1/4	1,354.21
3/8	18.45	3/8	141.09	3/8	277.33	3/8	426.46	3/8	581.08	3/8	735.70	3/8	890.26	3/8	1,048.11	3/8	1,202.77	3/8	1,357.43
1/2	20.55	1/2	143.81	1/2	280.31	1/2	429.67	1/2	584.30	1/2	738.92	1/2	893.48	1/2	1,051.33	1/2	1,205.99	1/2	1,360.65
5/8	22.65	5/8	146.53	5/8	283.29	5/8	432.89	5/8	587.52	5/8	742.14	5/8	896.70	5/8	1,054.56	5/8	1,209.22	5/8	1,363.88
3/4	24.75	3/4	149.25	3/4	286.26	3/4	436.11	3/4	590.75	3/4	745.36	3/4	899.92	3/4	1,057.78	3/4	1,212.44	3/4	1,367.10
7/8	26.85	7/8	151.97	7/8	289.24	7/8	439.32	7/8	593.97	7/8	748.58	7/8	903.14	7/8	1,061.00	7/8	1,215.66	7/8	1,370.32
2	28.95	2	154.69	2	292.22	2	442.54	2	597.19	2	751.80	2	906.38	2	1,064.22	2	1,218.88	2	1,373.54
1/8	31.45	1/8	157.45	1/8	295.24	1/8	445.76	1/8	600.41	1/8	755.02	1/8	909.58	1/8	1,067.44	1/8	1,222.10	1/8	1,376.76
1/4	33.94	1/4	160.20	1/4	298.27	1/4	448.98	1/4	603.63	1/4	758.24	1/4	912.80	1/4	1,070.67	1/4	1,225.33	1/4	1,379.98
3/8	36.43	3/8	162.96	3/8	301.28	3/8	452.20	3/8	606.88	3/8	761.46	3/8	916.02	3/8	1,073.89	3/8	1,228.55	3/8	1,383.21
1/2	38.93	1/2	165.72	1/2	304.32	1/2	455.42	1/2	610.08	1/2	764.68	1/2	919.24	1/2	1,077.11	1/2	1,231.77	1/2	1,386.43
5/8	41.42	5/8	168.48	5/8	307.34	5/8	458.64	5/8	613.30	5/8	767.90	5/8	922.46	5/8	1,080.33	5/8	1,234.99	5/8	1,389.65
3/4	43.91	3/4	171.24	3/4	310.37	3/4	461.86	3/4	616.52	3/4	771.12	3/4	925.68	3/4	1,083.55	3/4	1,238.21	3/4	1,392.88
7/8	46.41	7/8	174.00	7/8	313.39	7/8	465.09	7/8	619.74	7/8	774.34	7/8	928.90	7/8	1,086.78	7/8	1,241.44	7/8	1,396.10
3	48.90	3	176.76	3	316.42	3	468.31	3	622.96	3	777.56	3	932.12	3	1,089.55	3	1,244.66	3	1,399.32
1/8	51.47	1/8	179.55	1/8	319.49	1/8	471.53	1/8	626.19	1/8	780.78	1/8	935.35	1/8	1,092.77	1/8	1,247.88	1/8	1,402.54
1/4	54.04	1/4	182.35	1/4	322.56	1/4	474.75	1/4	629.41	1/4	784.00	1/4	938.57	1/4	1,095.99	1/4	1,251.10	1/4	1,405.76
3/8	56.61	3/8	185.15	3/8	325.63	3/8	477.97	3/8	632.63	3/8	787.22	3/8	941.79	3/8	1,099.21	3/8	1,254.33	3/8	1,408.99
1/2	59.18	1/2	187.95	1/2	328.71	1/2	481.19	1/2	635.85	1/2	790.44	1/2	945.01	1/2	1,102.43	1/2	1,257.55	1/2	1,412.21
5/8	61.75	5/8	190.75	5/8	331.78	5/8	484.42	5/8	639.07	5/8	793.66	5/8	948.23	5/8	1,105.65	5/8	1,260.77	5/8	1,415.43
3/4	64.32	3/4	193.55	3/4	334.85	3/4	487.64	3/4	642.29	3/4	796.88	3/4	951.45	3/4	1,108.87	3/4	1,263.99	3/4	1,418.65
7/8	66.89	7/8	196.34	7/8	337.92	7/8	490.86	7/8	645.51	7/8	800.10	7/8	954.67	7/8	1,112.55	7/8	1,267.21	7/8	1,421.87
4	69.46	4	199.14	4	340.99	4	494.08	4	648.74	4	803.32	4	957.89	4	1,115.77	4	1,270.44	4	1,425.10
1/8	72.06	1/8	201.98	1/8	344.11	1/8	497.31	1/8	651.96	1/8	806.54	1/8	961.12	1/8	1,118.99	1/8	1,273.66	1/8	1,428.32
1/4	74.67	1/4	204.82	1/4	347.23	1/4	500.53	1/4	655.18	1/4	809.76	1/4	964.34	1/4	1,122.22	1/4	1,276.88	1/4	1,431.54
3/8	77.28	3/8	207.66	3/8	350.35	3/8	503.75	3/8	658.40	3/8	812.98	3/8	967.56	3/8	1,125.44	3/8	1,280.10	3/8	1,434.76
1/2	79.88	1/2	210.50	1/2	353.47	1/2	506.97	1/2	661.62	1/2	816.20	1/2	970.78	1/2	1,128.66	1/2	1,283.32	1/2	1,437.98
5/8	82.49	5/8	213.34	5/8	356.59	5/8	510.19	5/8	664.84	5/8	819.42	5/8	974.00	5/8	1,131.89	5/8	1,286.55	5/8	1,441.21
3/4	85.10	3/4	216.18	3/4	359.71	3/4	513.42	3/4	668.06	3/4	822.64	3/4	977.23	3/4	1,135.11	3/4	1,289.77	3/4	1,444.43
7/8	87.70	7/8	219.02	7/8	362.82	7/8	516.64	7/8	671.28	7/8	825.86	7/8	980.45	7/8	1,138.33	7/8	1,292.99	7/8	1,447.65
5	90.31	5	221.86	5	365.94	5	519.86	5	674.50	5	829.08	5	983.67	5	1,141.55	5	1,296.21	5	1,450.87
1/8	92.96	1/8	224.75	1/8	369.11	1/8	523.08	1/8	677.73	1/8	832.30	1/8	986.89	1/8	1,144.77	1/8	1,299.43	1/8	1,454.10
1/4	95.60	1/4	227.64	1/4	372.27	1/4	526.30	1/4	680.95	1/4	835.52	1/4	990.11	1/4	1,148.00	1/4	1,302.66	1/4	1,457.32
3/8	98.24	3/8	230.52	3/8	375.43	3/8	529.53	3/8	684.17	3/8	838.74	3/8	993.34	3/8	1,151.22	3/8	1,305.88	3/8	1,460.54
1/2	100.89	1/2	233.41	1/2	378.59	1/2	532.75	1/2	687.39	1/2	841.96	1/2	996.56	1/2	1,154.44	1/2	1,309.10	1/2	1,463.76
5/8	103.53	5/8	236.29	5/8	381.76	5/8	535.97	5/8	690.81	5/8	845.18	5/8	999.78	5/8	1,157.66	5/8	1,312.32	5/8	1,466.98
3/4	106.18	3/4	239.18	3/4	384.92	3/4	539.19	3/4	693.83	3/4	848.40	3/4	1,003.00	3/4	1,160.89	3/4	1,315.55	3/4	1,470.21
7/8	108.82	7/8	242.06	7/8	388.08	7/8	542.41	7/8	697.05	7/8	851.62	7/8	1,006.22	7/8	1,164.11	7/8	1,318.77	7/8	1,473.43

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.
O. Endrean

BARGE MMI 2805
HULL # 05-2528

1 PORT
INNAGE TABLE
MANUAL GAUGING
BARRELS

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 16'-6"

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	1,473.43	6	1,628.09	0	1,782.75	6	1,937.40	0	2,092.06	6	2,246.71	0	2,401.37	6	2,556.03	0	2,710.68	6	2,865.34
1/8	1,478.65	1/8	1,631.31	1/8	1,785.97	1/8	1,940.62	1/8	2,095.28	1/8	2,249.94	1/8	2,404.59	1/8	2,559.25	1/8	2,713.90	1/8	2,868.56
1/4	1,479.87	1/4	1,634.53	1/4	1,789.19	1/4	1,943.85	1/4	2,098.50	1/4	2,253.16	1/4	2,407.81	1/4	2,562.47	1/4	2,717.13	1/4	2,871.78
3/8	1,483.09	3/8	1,637.78	3/8	1,792.41	3/8	1,947.07	3/8	2,101.72	3/8	2,256.38	3/8	2,411.04	3/8	2,565.69	3/8	2,720.35	3/8	2,875.00
1/2	1,486.32	1/2	1,640.98	1/2	1,795.63	1/2	1,950.29	1/2	2,104.95	1/2	2,259.60	1/2	2,414.26	1/2	2,568.91	1/2	2,723.57	1/2	2,878.23
5/8	1,489.54	5/8	1,644.20	5/8	1,798.86	5/8	1,953.51	5/8	2,108.17	5/8	2,262.82	5/8	2,417.48	5/8	2,572.13	5/8	2,726.79	5/8	2,881.45
3/4	1,492.76	3/4	1,647.42	3/4	1,802.08	3/4	1,956.73	3/4	2,111.39	3/4	2,266.05	3/4	2,420.70	3/4	2,575.38	3/4	2,730.01	3/4	2,884.67
7/8	1,495.98	7/8	1,650.64	7/8	1,805.30	7/8	1,959.96	7/8	2,114.61	7/8	2,269.27	7/8	2,423.92	7/8	2,578.50	7/8	2,733.24	7/8	2,887.89
1	1,499.20	1	1,653.87	1	1,808.52	1	1,963.18	1	2,117.83	1	2,272.49	1	2,427.15	1	2,581.80	1	2,736.46	1	2,891.11
1/8	1,502.43	1/8	1,657.09	1/8	1,811.74	1/8	1,966.40	1/8	2,121.06	1/8	2,275.71	1/8	2,430.37	1/8	2,585.02	1/8	2,739.68	1/8	2,894.34
1/4	1,505.65	1/4	1,660.31	1/4	1,814.97	1/4	1,969.62	1/4	2,124.28	1/4	2,278.93	1/4	2,433.59	1/4	2,588.25	1/4	2,742.90	1/4	2,897.56
3/8	1,508.87	3/8	1,663.53	3/8	1,818.19	3/8	1,972.84	3/8	2,127.50	3/8	2,282.16	3/8	2,436.81	3/8	2,591.47	3/8	2,746.12	3/8	2,900.78
1/2	1,512.09	1/2	1,666.75	1/2	1,821.41	1/2	1,976.07	1/2	2,130.72	1/2	2,285.38	1/2	2,440.03	1/2	2,594.69	1/2	2,749.35	1/2	2,904.00
5/8	1,515.32	5/8	1,669.98	5/8	1,824.63	5/8	1,979.29	5/8	2,133.94	5/8	2,288.60	5/8	2,443.26	5/8	2,597.91	5/8	2,752.57	5/8	2,907.22
3/4	1,518.54	3/4	1,673.20	3/4	1,827.85	3/4	1,982.51	3/4	2,137.17	3/4	2,291.82	3/4	2,446.48	3/4	2,601.13	3/4	2,755.79	3/4	2,910.45
7/8	1,521.76	7/8	1,676.42	7/8	1,831.08	7/8	1,985.73	7/8	2,140.39	7/8	2,295.04	7/8	2,449.70	7/8	2,604.36	7/8	2,759.01	7/8	2,913.67
2	1,524.98	2	1,679.64	2	1,834.30	2	1,988.95	2	2,143.61	2	2,298.27	2	2,452.92	2	2,607.58	2	2,762.23	2	2,916.89
1/8	1,528.20	1/8	1,682.86	1/8	1,837.52	1/8	1,992.18	1/8	2,146.83	1/8	2,301.49	1/8	2,456.14	1/8	2,610.80	1/8	2,765.46	1/8	2,920.11
1/4	1,531.43	1/4	1,686.09	1/4	1,840.74	1/4	1,995.40	1/4	2,150.05	1/4	2,304.71	1/4	2,459.37	1/4	2,614.02	1/4	2,768.68	1/4	2,923.33
3/8	1,534.65	3/8	1,689.31	3/8	1,843.96	3/8	1,998.62	3/8	2,153.28	3/8	2,307.93	3/8	2,462.59	3/8	2,617.24	3/8	2,771.90	3/8	2,926.55
1/2	1,537.87	1/2	1,692.53	1/2	1,847.19	1/2	2,001.84	1/2	2,156.50	1/2	2,311.15	1/2	2,465.81	1/2	2,620.47	1/2	2,775.12	1/2	2,929.78
5/8	1,541.09	5/8	1,695.75	5/8	1,850.41	5/8	2,005.06	5/8	2,159.72	5/8	2,314.38	5/8	2,469.03	5/8	2,623.69	5/8	2,778.34	5/8	2,933.00
3/4	1,544.31	3/4	1,698.97	3/4	1,853.63	3/4	2,008.29	3/4	2,162.94	3/4	2,317.60	3/4	2,472.26	3/4	2,626.91	3/4	2,781.57	3/4	2,936.22
7/8	1,547.54	7/8	1,702.20	7/8	1,856.85	7/8	2,011.51	7/8	2,166.16	7/8	2,320.82	7/8	2,475.48	7/8	2,630.13	7/8	2,784.79	7/8	2,939.44
3	1,550.76	3	1,705.42	3	1,860.07	3	2,014.73	3	2,169.39	3	2,324.04	3	2,478.70	3	2,633.35	3	2,788.01	3	2,942.68
1/8	1,553.98	1/8	1,708.64	1/8	1,863.30	1/8	2,017.95	1/8	2,172.61	1/8	2,327.26	1/8	2,481.92	1/8	2,636.58	1/8	2,791.23	1/8	2,945.88
1/4	1,557.20	1/4	1,711.86	1/4	1,866.52	1/4	2,021.17	1/4	2,175.83	1/4	2,330.49	1/4	2,485.14	1/4	2,639.80	1/4	2,794.45	1/4	2,949.09
3/8	1,560.42	3/8	1,715.08	3/8	1,869.74	3/8	2,024.40	3/8	2,179.05	3/8	2,333.71	3/8	2,488.36	3/8	2,643.02	3/8	2,797.68	3/8	2,952.31
1/2	1,563.65	1/2	1,718.31	1/2	1,872.96	1/2	2,027.62	1/2	2,182.27	1/2	2,336.93	1/2	2,491.59	1/2	2,646.24	1/2	2,800.90	1/2	2,955.53
5/8	1,566.87	5/8	1,721.53	5/8	1,876.18	5/8	2,030.84	5/8	2,185.50	5/8	2,340.15	5/8	2,494.81	5/8	2,649.46	5/8	2,804.12	5/8	2,958.75
3/4	1,570.09	3/4	1,724.75	3/4	1,879.41	3/4	2,034.06	3/4	2,188.72	3/4	2,343.37	3/4	2,498.03	3/4	2,652.69	3/4	2,807.34	3/4	2,961.96
7/8	1,573.31	7/8	1,727.97	7/8	1,882.63	7/8	2,037.28	7/8	2,191.94	7/8	2,346.60	7/8	2,501.25	7/8	2,655.81	7/8	2,810.58	7/8	2,965.18
4	1,576.54	4	1,731.19	4	1,885.85	4	2,040.51	4	2,195.16	4	2,349.82	4	2,504.47	4	2,659.13	4	2,813.79	4	2,968.40
1/8	1,579.76	1/8	1,734.42	1/8	1,889.07	1/8	2,043.73	1/8	2,198.38	1/8	2,353.04	1/8	2,507.70	1/8	2,662.35	1/8	2,817.01	1/8	2,971.61
1/4	1,582.98	1/4	1,737.64	1/4	1,892.29	1/4	2,046.95	1/4	2,201.61	1/4	2,356.26	1/4	2,510.92	1/4	2,665.57	1/4	2,820.23	1/4	2,974.83
3/8	1,586.20	3/8	1,740.86	3/8	1,895.52	3/8	2,050.17	3/8	2,204.83	3/8	2,359.48	3/8	2,514.14	3/8	2,668.80	3/8	2,823.45	3/8	2,978.04
1/2	1,589.42	1/2	1,744.08	1/2	1,898.74	1/2	2,053.39	1/2	2,208.05	1/2	2,362.71	1/2	2,517.36	1/2	2,672.02	1/2	2,826.67	1/2	2,981.26
5/8	1,592.65	5/8	1,747.30	5/8	1,901.96	5/8	2,056.62	5/8	2,211.27	5/8	2,365.93	5/8	2,520.58	5/8	2,675.24	5/8	2,829.90	5/8	2,984.47
3/4	1,595.87	3/4	1,750.53	3/4	1,905.18	3/4	2,059.84	3/4	2,214.49	3/4	2,369.15	3/4	2,523.81	3/4	2,678.46	3/4	2,833.12	3/4	2,987.69
7/8	1,599.09	7/8	1,753.75	7/8	1,908.40	7/8	2,063.08	7/8	2,217.72	7/8	2,372.37	7/8	2,527.03	7/8	2,681.88	7/8	2,836.34	7/8	2,990.90
5	1,602.31	5	1,756.97	5	1,911.63	5	2,066.28	5	2,220.94	5	2,375.59	5	2,530.25	5	2,684.91	5	2,839.56	5	2,994.12
1/8	1,605.53	1/8	1,760.19	1/8	1,914.85	1/8	2,069.50	1/8	2,224.16	1/8	2,378.82	1/8	2,533.47	1/8	2,688.13	1/8	2,842.78	1/8	2,997.33
1/4	1,608.76	1/4	1,763.41	1/4	1,918.07	1/4	2,072.73	1/4	2,227.38	1/4	2,382.04	1/4	2,536.69	1/4	2,691.36	1/4	2,846.01	1/4	3,000.55
3/8	1,611.98	3/8	1,766.64	3/8	1,921.29	3/8	2,075.95	3/8	2,230.80	3/8	2,385.26	3/8	2,539.92	3/8	2,694.57	3/8	2,849.23	3/8	3,003.78
1/2	1,615.20	1/2	1,769.86	1/2	1,924.51	1/2	2,079.17	1/2	2,233.83	1/2	2,388.48	1/2	2,543.14	1/2	2,697.79	1/2	2,852.45	1/2	3,006.98
5/8	1,618.42	5/8	1,773.08	5/8	1,927.74	5/8	2,082.39	5/8	2,237.05	5/8	2,391.70	5/8	2,546.36	5/8	2,701.02	5/8	2,855.67	5/8	3,010.19
3/4	1,621.64	3/4	1,776.30	3/4	1,930.96	3/4	2,085.81	3/4	2,240.27	3/4	2,394.93	3/4	2,549.58	3/4	2,704.24	3/4	2,858.89	3/4	3,013.41
7/8	1,624.87	7/8	1,779.52	7/8	1,934.18	7/8	2,088.84	7/8	2,243.49	7/8	2,398.15	7/8	2,552.80	7/8	2,707.46	7/8	2,862.12	7/8	3,016.82

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

Endrow

BARGE MMI 2805 HULL # 05-2528

1 PORT
 INPAGE TABLE
 MANUAL GAUGING
 BARRELS

GAUGE HEIGHT 16'-6"

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.
0	3,019.84	6	3,174.16	0	3,328.48	6	3,482.81	0	3,637.13	6	3,791.44	0	3,945.76	6	4,099.98	0	4,253.33
1/8	3,023.05	1/8	3,177.38	1/8	3,331.70	1/8	3,486.02	1/8	3,640.35	1/8	3,794.65	1/8	3,948.96	1/8	4,103.18	1/8	4,257.54
1/4	3,026.27	1/4	3,180.59	1/4	3,334.92	1/4	3,489.24	1/4	3,643.56	1/4	3,797.87	1/4	3,952.18	1/4	4,106.38	1/4	4,260.75
3/8	3,029.48	3/8	3,183.81	3/8	3,338.13	3/8	3,492.45	3/8	3,646.78	3/8	3,801.08	3/8	3,955.39	3/8	4,109.58	3/8	4,263.97
1/2	3,032.70	1/2	3,187.02	1/2	3,341.35	1/2	3,495.67	1/2	3,649.99	1/2	3,804.30	1/2	3,958.60	1/2	4,112.79	1/2	4,267.18
5/8	3,035.91	5/8	3,190.24	5/8	3,344.56	5/8	3,498.88	5/8	3,653.21	5/8	3,807.51	5/8	3,961.82	5/8	4,115.99	5/8	4,270.39
3/4	3,039.13	3/4	3,193.45	3/4	3,347.78	3/4	3,502.10	3/4	3,656.42	3/4	3,810.73	3/4	3,965.03	3/4	4,119.19	3/4	4,273.60
7/8	3,042.34	7/8	3,196.67	7/8	3,350.99	7/8	3,505.31	7/8	3,659.64	7/8	3,813.94	7/8	3,968.25	7/8	4,122.40	7/8	4,276.81
1	3,045.56	1	3,199.89	1	3,354.21	1	3,508.53	1	3,662.85	1	3,817.16	1	3,971.46	1	4,125.60	1	4,279.82
1/8	3,048.78	1/8	3,203.10	1/8	3,357.42	1/8	3,511.74	1/8	3,666.07	1/8	3,820.37	1/8	3,974.68	1/8	4,128.79	1/8	4,282.83
1/4	3,051.99	1/4	3,206.32	1/4	3,360.64	1/4	3,514.96	1/4	3,669.28	1/4	3,823.59	1/4	3,977.89	1/4	4,131.98	1/4	4,285.84
3/8	3,055.21	3/8	3,209.53	3/8	3,363.85	3/8	3,518.17	3/8	3,672.50	3/8	3,826.80	3/8	3,981.11	3/8	4,135.18	3/8	4,288.85
1/2	3,058.42	1/2	3,212.75	1/2	3,367.07	1/2	3,521.39	1/2	3,675.71	1/2	3,830.02	1/2	3,984.32	1/2	4,138.37	1/2	4,291.86
5/8	3,061.64	5/8	3,215.96	5/8	3,370.28	5/8	3,524.60	5/8	3,678.93	5/8	3,833.23	5/8	3,987.54	5/8	4,141.56	5/8	4,294.87
3/4	3,064.85	3/4	3,219.18	3/4	3,373.50	3/4	3,527.82	3/4	3,682.14	3/4	3,836.45	3/4	3,990.75	3/4	4,144.75	3/4	4,297.88
7/8	3,068.07	7/8	3,222.39	7/8	3,376.71	7/8	3,531.03	7/8	3,685.35	7/8	3,839.66	7/8	3,993.97	7/8	4,147.95	7/8	4,300.89
2	3,071.28	2	3,225.61	2	3,379.93	2	3,534.25	2	3,688.57	2	3,842.88	2	3,997.18	2	4,151.14	2	4,303.90
1/8	3,074.50	1/8	3,228.82	1/8	3,383.14	1/8	3,537.46	1/8	3,691.78	1/8	3,846.09	1/8	3,999.40	1/8	4,154.28	1/8	4,306.91
1/4	3,077.71	1/4	3,232.04	1/4	3,386.36	1/4	3,540.68	1/4	3,695.00	1/4	3,849.30	1/4	4,003.61	1/4	4,157.42	1/4	4,309.92
3/8	3,080.93	3/8	3,235.26	3/8	3,389.57	3/8	3,543.89	3/8	3,698.21	3/8	3,852.52	3/8	4,006.82	3/8	4,160.58	3/8	4,312.93
1/2	3,084.14	1/2	3,238.47	1/2	3,392.79	1/2	3,547.11	1/2	3,701.43	1/2	3,855.73	1/2	4,010.04	1/2	4,163.70	1/2	4,315.94
5/8	3,087.36	5/8	3,241.68	5/8	3,396.00	5/8	3,550.32	5/8	3,704.64	5/8	3,858.95	5/8	4,013.25	5/8	4,166.84	5/8	4,318.95
3/4	3,090.57	3/4	3,244.90	3/4	3,399.22	3/4	3,553.54	3/4	3,707.86	3/4	3,862.16	3/4	4,016.47	3/4	4,169.99	3/4	4,321.96
7/8	3,093.79	7/8	3,248.11	7/8	3,402.43	7/8	3,556.75	7/8	3,711.07	7/8	3,865.38	7/8	4,019.68	7/8	4,173.13	7/8	4,324.97
3	3,097.00	3	3,251.33	3	3,405.64	3	3,559.97	3	3,714.29	3	3,868.59	3	4,022.90	3	4,176.27	3	4,327.98
1/8	3,100.22	1/8	3,254.54	1/8	3,408.86	1/8	3,563.18	1/8	3,717.50	1/8	3,871.81	1/8	4,026.11	1/8	4,179.17	1/8	4,330.99
1/4	3,103.43	1/4	3,257.76	1/4	3,412.08	1/4	3,566.40	1/4	3,720.72	1/4	3,875.02	1/4	4,029.32	1/4	4,182.08	1/4	4,334.00
3/8	3,106.65	3/8	3,260.97	3/8	3,415.29	3/8	3,569.61	3/8	3,723.93	3/8	3,878.24	3/8	4,032.54	3/8	4,184.99	3/8	4,337.01
1/2	3,109.86	1/2	3,264.19	1/2	3,418.51	1/2	3,572.83	1/2	3,727.15	1/2	3,881.45	1/2	4,035.75	1/2	4,187.89	1/2	4,340.02
5/8	3,113.08	5/8	3,267.40	5/8	3,421.72	5/8	3,576.05	5/8	3,730.36	5/8	3,884.67	5/8	4,038.97	5/8	4,190.80	5/8	4,343.03
3/4	3,116.29	3/4	3,270.62	3/4	3,424.94	3/4	3,579.26	3/4	3,733.58	3/4	3,887.88	3/4	4,042.18	3/4	4,193.71	3/4	4,346.04
7/8	3,119.51	7/8	3,273.83	7/8	3,428.15	7/8	3,582.48	7/8	3,736.79	7/8	3,891.10	7/8	4,045.39	7/8	4,196.61	7/8	4,349.05
4	3,122.72	4	3,277.05	4	3,431.37	4	3,585.69	4	3,740.00	4	3,894.31	4	4,048.61	4	4,199.52	4	4,352.06
1/8	3,125.94	1/8	3,280.26	1/8	3,434.58	1/8	3,588.91	1/8	3,743.22	1/8	3,897.53	1/8	4,051.82	1/8	4,201.93	1/8	4,355.07
1/4	3,129.15	1/4	3,283.48	1/4	3,437.80	1/4	3,592.12	1/4	3,746.43	1/4	3,900.74	1/4	4,055.03	1/4	4,204.35	1/4	4,358.08
3/8	3,132.37	3/8	3,286.69	3/8	3,441.01	3/8	3,595.34	3/8	3,749.65	3/8	3,903.95	3/8	4,058.25	3/8	4,207.68	3/8	4,361.09
1/2	3,135.58	1/2	3,289.91	1/2	3,444.23	1/2	3,598.55	1/2	3,752.86	1/2	3,907.17	1/2	4,061.46	1/2	4,209.17	1/2	4,364.10
5/8	3,138.80	5/8	3,293.12	5/8	3,447.44	5/8	3,601.77	5/8	3,756.08	5/8	3,910.38	5/8	4,064.67	5/8	4,211.59	5/8	4,367.11
3/4	3,142.01	3/4	3,296.34	3/4	3,450.66	3/4	3,604.98	3/4	3,759.29	3/4	3,913.60	3/4	4,067.88	3/4	4,214.00	3/4	4,370.12
7/8	3,145.23	7/8	3,299.55	7/8	3,453.87	7/8	3,608.20	7/8	3,762.51	7/8	3,916.81	7/8	4,071.09	7/8	4,216.41	7/8	4,373.13
5	3,148.44	5	3,302.77	5	3,457.09	5	3,611.41	5	3,765.72	5	3,920.03	5	4,074.31	5	4,218.83	5	4,376.14
1/8	3,151.66	1/8	3,305.98	1/8	3,460.30	1/8	3,614.63	1/8	3,768.94	1/8	3,923.24	1/8	4,077.52	1/8	4,220.84	1/8	4,379.15
1/4	3,154.87	1/4	3,309.20	1/4	3,463.52	1/4	3,617.84	1/4	3,772.15	1/4	3,926.46	1/4	4,080.73	1/4	4,222.45	1/4	4,382.16
3/8	3,158.09	3/8	3,312.41	3/8	3,466.73	3/8	3,621.06	3/8	3,775.37	3/8	3,929.67	3/8	4,083.93	3/8	4,224.27	3/8	4,385.17
1/2	3,161.30	1/2	3,315.63	1/2	3,469.95	1/2	3,624.28	1/2	3,778.58	1/2	3,932.89	1/2	4,087.14	1/2	4,226.08	1/2	4,388.18
5/8	3,164.52	5/8	3,318.84	5/8	3,473.16	5/8	3,627.49	5/8	3,781.80	5/8	3,936.10	5/8	4,090.35	5/8	4,228.89	5/8	4,391.19
3/4	3,167.73	3/4	3,322.06	3/4	3,476.38	3/4	3,630.70	3/4	3,785.01	3/4	3,939.32	3/4	4,093.58	3/4	4,231.52	3/4	4,394.20
7/8	3,170.95	7/8	3,325.27	7/8	3,479.59	7/8	3,633.92	7/8	3,788.23	7/8	3,942.53	7/8	4,096.77	7/8	4,234.53	7/8	4,397.21

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
 L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JF 01/15/07
 STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.
O Endreac

BARGE MMI 2805
HULL # 05-2528

1 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	1.25	6	77.28	0	208.98	8	354.84	0	509.01	6	563.95	0	818.71	6	973.53	0	1,128.50	6	1,283.47
1/8	1.55	1/8	79.94	1/8	212.89	1/8	358.01	1/8	512.24	1/8	567.17	1/8	821.94	1/8	976.76	1/8	1,131.73	1/8	1,286.70
1/4	1.86	1/4	82.61	1/4	215.80	1/4	361.18	1/4	515.47	1/4	570.40	1/4	825.16	1/4	979.99	1/4	1,134.96	1/4	1,289.93
3/8	2.16	3/8	85.28	3/8	218.71	3/8	364.34	3/8	518.70	3/8	573.62	3/8	828.38	3/8	983.21	3/8	1,138.19	3/8	1,293.16
1/2	2.46	1/2	87.95	1/2	221.61	1/2	367.51	1/2	521.93	1/2	576.85	1/2	831.61	1/2	986.44	1/2	1,141.42	1/2	1,296.39
5/8	2.77	5/8	90.62	5/8	224.52	5/8	370.68	5/8	525.15	5/8	580.07	5/8	834.83	5/8	989.67	5/8	1,144.64	5/8	1,299.62
3/4	3.07	3/4	93.29	3/4	227.43	3/4	373.85	3/4	528.38	3/4	583.08	3/4	838.08	3/4	992.90	3/4	1,147.87	3/4	1,302.85
7/8	3.38	7/8	95.96	7/8	230.34	7/8	377.02	7/8	531.61	7/8	586.52	7/8	841.28	7/8	996.13	7/8	1,151.10	7/8	1,306.07
1	3.68	1	98.63	1	233.24	1	380.19	1	534.84	1	589.75	1	844.50	1	999.36	1	1,154.33	1	1,309.30
1/8	4.45	1/8	101.33	1/8	236.19	1/8	383.39	1/8	538.07	1/8	592.97	1/8	847.73	1/8	1,002.59	1/8	1,157.56	1/8	1,312.53
1/4	5.22	1/4	104.04	1/4	239.15	1/4	386.59	1/4	541.30	1/4	596.20	1/4	850.95	1/4	1,005.81	1/4	1,160.79	1/4	1,315.76
3/8	5.99	3/8	106.75	3/8	242.10	3/8	389.79	3/8	544.53	3/8	599.42	3/8	854.18	3/8	1,008.04	3/8	1,164.02	3/8	1,318.99
1/2	6.78	1/2	109.45	1/2	245.05	1/2	392.99	1/2	547.75	1/2	602.65	1/2	857.40	1/2	1,012.27	1/2	1,167.24	1/2	1,322.22
5/8	7.53	5/8	112.16	5/8	248.00	5/8	396.19	5/8	550.98	5/8	605.87	5/8	860.62	5/8	1,015.50	5/8	1,170.47	5/8	1,325.45
3/4	8.30	3/4	114.87	3/4	250.95	3/4	399.39	3/4	554.21	3/4	609.09	3/4	863.85	3/4	1,018.73	3/4	1,173.70	3/4	1,328.67
7/8	9.07	7/8	117.57	7/8	253.90	7/8	402.59	7/8	557.44	7/8	612.32	7/8	867.07	7/8	1,021.86	7/8	1,176.93	7/8	1,331.90
2	9.84	2	120.28	2	256.86	2	405.79	2	560.67	2	615.54	2	870.30	2	1,025.19	2	1,180.16	2	1,335.13
1/8	11.23	1/8	123.02	1/8	259.85	1/8	409.01	1/8	563.90	1/8	618.77	1/8	873.52	1/8	1,028.42	1/8	1,183.39	1/8	1,338.36
1/4	12.63	1/4	125.77	1/4	262.85	1/4	412.22	1/4	567.13	1/4	621.99	1/4	876.74	1/4	1,031.64	1/4	1,186.62	1/4	1,341.59
3/8	14.03	3/8	128.51	3/8	265.84	3/8	415.44	3/8	570.35	3/8	625.22	3/8	879.97	3/8	1,034.87	3/8	1,189.85	3/8	1,344.82
1/2	15.42	1/2	131.25	1/2	268.84	1/2	418.66	1/2	573.58	1/2	628.44	1/2	883.19	1/2	1,038.10	1/2	1,193.07	1/2	1,348.05
5/8	16.82	5/8	134.00	5/8	271.83	5/8	421.88	5/8	576.81	5/8	631.66	5/8	886.42	5/8	1,041.33	5/8	1,196.30	5/8	1,351.28
3/4	18.21	3/4	136.74	3/4	274.83	3/4	425.10	3/4	580.04	3/4	634.89	3/4	889.64	3/4	1,044.56	3/4	1,199.53	3/4	1,354.50
7/8	19.61	7/8	139.49	7/8	277.83	7/8	428.32	7/8	583.27	7/8	638.11	7/8	892.86	7/8	1,047.79	7/8	1,202.76	7/8	1,357.73
3	21.00	3	142.23	3	280.82	3	431.54	3	586.50	3	641.34	3	896.08	3	1,051.02	3	1,205.99	3	1,360.96
1/8	23.01	1/8	145.01	1/8	283.86	1/8	434.77	1/8	589.72	1/8	644.56	1/8	899.31	1/8	1,054.24	1/8	1,209.22	1/8	1,364.18
1/4	25.01	1/4	147.79	1/4	286.90	1/4	437.99	1/4	592.95	1/4	647.78	1/4	902.54	1/4	1,057.47	1/4	1,212.45	1/4	1,367.42
3/8	27.01	3/8	150.58	3/8	289.94	3/8	441.22	3/8	596.18	3/8	651.01	3/8	905.76	3/8	1,060.70	3/8	1,215.67	3/8	1,370.65
1/2	29.02	1/2	153.36	1/2	292.98	1/2	444.45	1/2	599.41	1/2	654.23	1/2	908.99	1/2	1,063.93	1/2	1,218.90	1/2	1,373.88
5/8	31.02	5/8	156.14	5/8	296.02	5/8	447.68	5/8	602.64	5/8	657.46	5/8	912.22	5/8	1,067.16	5/8	1,222.13	5/8	1,377.10
3/4	33.03	3/4	158.92	3/4	299.06	3/4	450.90	3/4	605.88	3/4	660.68	3/4	915.44	3/4	1,070.38	3/4	1,225.36	3/4	1,380.33
7/8	35.03	7/8	161.71	7/8	302.10	7/8	454.13	7/8	609.09	7/8	663.90	7/8	918.67	7/8	1,073.62	7/8	1,228.59	7/8	1,383.56
4	37.03	4	164.49	4	305.14	4	457.36	4	612.32	4	667.13	4	921.89	4	1,076.84	4	1,231.82	4	1,386.79
1/8	39.48	1/8	167.31	1/8	308.23	1/8	460.58	1/8	615.55	1/8	670.35	1/8	925.12	1/8	1,080.07	1/8	1,235.05	1/8	1,390.02
1/4	41.88	1/4	170.13	1/4	311.31	1/4	463.81	1/4	618.77	1/4	673.58	1/4	928.34	1/4	1,083.30	1/4	1,238.27	1/4	1,393.25
3/8	44.30	3/8	172.95	3/8	314.39	3/8	467.04	3/8	622.00	3/8	676.80	3/8	931.57	3/8	1,086.53	3/8	1,241.50	3/8	1,396.48
1/2	46.72	1/2	175.78	1/2	317.48	1/2	470.27	1/2	625.23	1/2	680.02	1/2	934.80	1/2	1,089.76	1/2	1,244.73	1/2	1,399.70
5/8	49.14	5/8	178.60	5/8	320.56	5/8	473.50	5/8	628.46	5/8	683.25	5/8	938.02	5/8	1,092.99	5/8	1,247.96	5/8	1,402.93
3/4	51.57	3/4	181.42	3/4	323.65	3/4	476.73	3/4	631.68	3/4	686.47	3/4	941.25	3/4	1,096.22	3/4	1,251.19	3/4	1,406.16
7/8	53.99	7/8	184.24	7/8	326.73	7/8	479.96	7/8	634.91	7/8	689.70	7/8	944.48	7/8	1,099.44	7/8	1,254.42	7/8	1,409.39
5	56.41	5	187.07	5	329.81	5	483.18	5	638.14	5	692.92	5	947.70	5	1,102.67	5	1,257.65	5	1,412.62
1/8	59.02	1/8	189.93	1/8	332.94	1/8	486.41	1/8	641.37	1/8	696.14	1/8	950.93	1/8	1,105.90	1/8	1,260.87	1/8	1,415.85
1/4	61.63	1/4	192.80	1/4	336.07	1/4	489.64	1/4	644.59	1/4	699.37	1/4	954.16	1/4	1,109.13	1/4	1,264.10	1/4	1,419.08
3/8	64.23	3/8	195.66	3/8	339.20	3/8	492.87	3/8	647.82	3/8	702.59	3/8	957.39	3/8	1,112.36	3/8	1,267.33	3/8	1,422.30
1/2	66.84	1/2	198.52	1/2	342.33	1/2	496.10	1/2	651.04	1/2	705.82	1/2	960.62	1/2	1,115.59	1/2	1,270.58	1/2	1,425.53
5/8	69.45	5/8	201.39	5/8	345.45	5/8	499.33	5/8	654.27	5/8	709.04	5/8	963.84	5/8	1,118.82	5/8	1,273.79	5/8	1,428.76
3/4	72.06	3/4	204.25	3/4	348.58	3/4	502.56	3/4	657.50	3/4	712.26	3/4	967.07	3/4	1,122.04	3/4	1,277.02	3/4	1,431.99
7/8	74.67	7/8	207.12	7/8	351.71	7/8	505.78	7/8	660.72	7/8	715.49	7/8	970.30	7/8	1,125.27	7/8	1,280.25	7/8	1,435.22

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.

L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

Enchaw

BARGE MMI 2805
HULL # 05-2528

1 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8"

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	1,439.45	6	1,593.42	0	1,748.39	6	1,903.37	0	2,058.34	6	2,213.31	0	2,368.28	6	2,523.26	0	2,678.23	6	2,833.20
1/8	1,441.68	1/8	1,596.65	1/8	1,751.62	1/8	1,906.59	1/8	2,061.57	1/8	2,216.54	1/8	2,371.51	1/8	2,526.49	1/8	2,681.46	1/8	2,836.43
1/4	1,444.90	1/4	1,599.88	1/4	1,754.85	1/4	1,909.82	1/4	2,064.80	1/4	2,219.77	1/4	2,374.74	1/4	2,529.71	1/4	2,684.69	1/4	2,839.66
3/8	1,448.13	3/8	1,603.11	3/8	1,758.08	3/8	1,913.05	3/8	2,068.02	3/8	2,223.00	3/8	2,377.97	3/8	2,532.94	3/8	2,687.92	3/8	2,842.89
1/2	1,451.36	1/2	1,606.33	1/2	1,761.31	1/2	1,916.28	1/2	2,071.25	1/2	2,226.23	1/2	2,381.20	1/2	2,536.17	1/2	2,691.14	1/2	2,846.12
5/8	1,454.59	5/8	1,609.56	5/8	1,764.54	5/8	1,919.51	5/8	2,074.48	5/8	2,229.45	5/8	2,384.43	5/8	2,539.40	5/8	2,694.37	5/8	2,849.35
3/4	1,457.82	3/4	1,612.79	3/4	1,767.78	3/4	1,922.74	3/4	2,077.71	3/4	2,232.68	3/4	2,387.66	3/4	2,542.63	3/4	2,697.60	3/4	2,852.57
7/8	1,461.05	7/8	1,616.02	7/8	1,770.99	7/8	1,925.97	7/8	2,080.94	7/8	2,235.91	7/8	2,390.88	7/8	2,545.86	7/8	2,700.83	7/8	2,855.80
1	1,464.28	1	1,619.25	1	1,774.22	1	1,929.19	1	2,084.17	1	2,239.14	1	2,394.11	1	2,549.09	1	2,704.06	1	2,859.03
1/8	1,467.50	1/8	1,622.48	1/8	1,777.45	1/8	1,932.42	1/8	2,087.40	1/8	2,242.37	1/8	2,397.34	1/8	2,552.31	1/8	2,707.29	1/8	2,862.26
1/4	1,470.73	1/4	1,625.71	1/4	1,780.68	1/4	1,935.65	1/4	2,090.62	1/4	2,245.60	1/4	2,400.57	1/4	2,555.54	1/4	2,710.52	1/4	2,865.49
3/8	1,473.96	3/8	1,628.93	3/8	1,783.91	3/8	1,938.88	3/8	2,093.65	3/8	2,248.83	3/8	2,403.80	3/8	2,558.77	3/8	2,713.74	3/8	2,868.72
1/2	1,477.19	1/2	1,632.16	1/2	1,787.14	1/2	1,942.11	1/2	2,097.08	1/2	2,252.05	1/2	2,407.03	1/2	2,562.00	1/2	2,716.97	1/2	2,871.95
5/8	1,480.42	5/8	1,635.39	5/8	1,790.36	5/8	1,945.34	5/8	2,100.31	5/8	2,255.28	5/8	2,410.26	5/8	2,565.23	5/8	2,720.20	5/8	2,875.17
3/4	1,483.65	3/4	1,638.62	3/4	1,793.59	3/4	1,948.57	3/4	2,103.54	3/4	2,258.51	3/4	2,413.48	3/4	2,568.46	3/4	2,723.43	3/4	2,878.40
7/8	1,486.88	7/8	1,641.85	7/8	1,796.82	7/8	1,951.79	7/8	2,106.77	7/8	2,261.74	7/8	2,416.71	7/8	2,571.69	7/8	2,726.66	7/8	2,881.63
2	1,490.10	2	1,645.08	2	1,800.05	2	1,955.02	2	2,110.00	2	2,264.97	2	2,419.94	2	2,574.91	2	2,729.89	2	2,884.86
1/8	1,493.33	1/8	1,648.31	1/8	1,803.28	1/8	1,958.25	1/8	2,113.22	1/8	2,268.20	1/8	2,423.17	1/8	2,578.14	1/8	2,733.12	1/8	2,888.09
1/4	1,496.56	1/4	1,651.53	1/4	1,806.51	1/4	1,961.48	1/4	2,116.45	1/4	2,271.43	1/4	2,426.40	1/4	2,581.37	1/4	2,736.34	1/4	2,891.31
3/8	1,499.79	3/8	1,654.76	3/8	1,809.74	3/8	1,964.71	3/8	2,119.68	3/8	2,274.65	3/8	2,429.63	3/8	2,584.60	3/8	2,739.57	3/8	2,894.54
1/2	1,503.02	1/2	1,657.99	1/2	1,812.96	1/2	1,967.94	1/2	2,122.91	1/2	2,277.88	1/2	2,432.86	1/2	2,587.83	1/2	2,742.80	1/2	2,897.78
5/8	1,506.25	5/8	1,661.22	5/8	1,816.19	5/8	1,971.17	5/8	2,126.14	5/8	2,281.11	5/8	2,436.08	5/8	2,591.06	5/8	2,746.03	5/8	2,900.99
3/4	1,509.48	3/4	1,664.45	3/4	1,819.42	3/4	1,974.39	3/4	2,129.37	3/4	2,284.34	3/4	2,439.31	3/4	2,594.29	3/4	2,749.26	3/4	2,904.21
7/8	1,512.71	7/8	1,667.68	7/8	1,822.65	7/8	1,977.62	7/8	2,132.60	7/8	2,287.57	7/8	2,442.54	7/8	2,597.51	7/8	2,752.49	7/8	2,907.44
3	1,515.93	3	1,670.91	3	1,825.89	3	1,980.85	3	2,135.82	3	2,290.80	3	2,445.77	3	2,600.74	3	2,755.72	3	2,910.66
1/8	1,519.16	1/8	1,674.14	1/8	1,829.11	1/8	1,984.08	1/8	2,139.05	1/8	2,294.03	1/8	2,449.00	1/8	2,603.97	1/8	2,758.94	1/8	2,913.89
1/4	1,522.39	1/4	1,677.36	1/4	1,832.34	1/4	1,987.31	1/4	2,142.28	1/4	2,297.25	1/4	2,452.23	1/4	2,607.20	1/4	2,762.17	1/4	2,917.11
3/8	1,525.62	3/8	1,680.59	3/8	1,835.57	3/8	1,990.54	3/8	2,145.51	3/8	2,300.48	3/8	2,455.48	3/8	2,610.43	3/8	2,765.40	3/8	2,920.34
1/2	1,528.85	1/2	1,683.82	1/2	1,838.79	1/2	1,993.77	1/2	2,148.74	1/2	2,303.71	1/2	2,458.68	1/2	2,613.66	1/2	2,768.63	1/2	2,923.56
5/8	1,532.08	5/8	1,687.05	5/8	1,842.02	5/8	1,997.00	5/8	2,151.97	5/8	2,306.94	5/8	2,461.91	5/8	2,616.89	5/8	2,771.86	5/8	2,926.78
3/4	1,535.31	3/4	1,690.28	3/4	1,845.25	3/4	2,000.22	3/4	2,155.20	3/4	2,310.17	3/4	2,465.14	3/4	2,620.11	3/4	2,775.09	3/4	2,930.01
7/8	1,538.53	7/8	1,693.51	7/8	1,848.48	7/8	2,003.45	7/8	2,158.43	7/8	2,313.40	7/8	2,468.37	7/8	2,623.34	7/8	2,778.32	7/8	2,933.23
4	1,541.76	4	1,696.74	4	1,851.71	4	2,006.68	4	2,161.65	4	2,316.63	4	2,471.60	4	2,626.57	4	2,781.54	4	2,936.46
1/8	1,544.99	1/8	1,699.96	1/8	1,854.94	1/8	2,009.91	1/8	2,164.88	1/8	2,319.86	1/8	2,474.83	1/8	2,629.80	1/8	2,784.77	1/8	2,939.68
1/4	1,548.22	1/4	1,703.19	1/4	1,858.17	1/4	2,013.14	1/4	2,168.11	1/4	2,323.08	1/4	2,478.06	1/4	2,633.03	1/4	2,788.00	1/4	2,942.90
3/8	1,551.45	3/8	1,706.42	3/8	1,861.39	3/8	2,016.37	3/8	2,171.34	3/8	2,326.31	3/8	2,481.29	3/8	2,636.26	3/8	2,791.23	3/8	2,948.12
1/2	1,554.68	1/2	1,709.65	1/2	1,864.62	1/2	2,019.60	1/2	2,174.57	1/2	2,329.54	1/2	2,484.51	1/2	2,639.49	1/2	2,794.46	1/2	2,949.34
5/8	1,557.91	5/8	1,712.88	5/8	1,867.85	5/8	2,022.82	5/8	2,177.80	5/8	2,332.77	5/8	2,487.74	5/8	2,642.72	5/8	2,797.69	5/8	2,952.58
3/4	1,561.13	3/4	1,716.11	3/4	1,871.08	3/4	2,026.05	3/4	2,181.03	3/4	2,336.00	3/4	2,490.97	3/4	2,645.94	3/4	2,800.92	3/4	2,955.78
7/8	1,564.36	7/8	1,719.34	7/8	1,874.31	7/8	2,029.28	7/8	2,184.25	7/8	2,339.23	7/8	2,494.20	7/8	2,649.17	7/8	2,804.15	7/8	2,959.01
5	1,567.59	5	1,722.56	5	1,877.54	5	2,032.51	5	2,187.48	5	2,342.46	5	2,497.43	5	2,652.40	5	2,807.37	5	2,962.23
1/8	1,570.82	1/8	1,725.79	1/8	1,880.77	1/8	2,035.74	1/8	2,190.71	1/8	2,345.88	1/8	2,500.66	1/8	2,655.63	1/8	2,810.60	1/8	2,965.45
1/4	1,574.05	1/4	1,729.02	1/4	1,883.99	1/4	2,038.97	1/4	2,193.94	1/4	2,348.91	1/4	2,503.89	1/4	2,658.86	1/4	2,813.83	1/4	2,968.67
3/8	1,577.28	3/8	1,732.25	3/8	1,887.22	3/8	2,042.20	3/8	2,197.17	3/8	2,352.14	3/8	2,507.11	3/8	2,662.09	3/8	2,817.06	3/8	2,971.89
1/2	1,580.51	1/2	1,735.48	1/2	1,890.45	1/2	2,045.42	1/2	2,200.40	1/2	2,355.37	1/2	2,510.34	1/2	2,665.32	1/2	2,820.29	1/2	2,975.11
5/8	1,583.73	5/8	1,738.71	5/8	1,893.68	5/8	2,048.65	5/8	2,203.63	5/8	2,358.60	5/8	2,513.57	5/8	2,668.54	5/8	2,823.52	5/8	2,978.34
3/4	1,586.96	3/4	1,741.94	3/4	1,896.91	3/4	2,051.88	3/4	2,206.85	3/4	2,361.83	3/4	2,516.80	3/4	2,671.77	3/4	2,826.75	3/4	2,981.56
7/8	1,590.19	7/8	1,745.16	7/8	1,900.14	7/8	2,055.11	7/8	2,210.08	7/8	2,365.06	7/8	2,520.03	7/8	2,675.00	7/8	2,829.97	7/8	2,984.78

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF
STRAPPED BY: JAB & DH
01/16/07
01/10/07

SAYBOLT LP.
C Endrean

BARGE MMI 2805
HULL # 05-2528

1 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8"

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.
0	2.988.00	6	3.142.64	0	3.297.27	6	3.451.91	0	3.606.55	6	3.761.17	0	3.915.79	6	4.070.34	0	4.204.26
1/8	2.991.22	1/8	3.145.86	1/8	3.300.50	1/8	3.455.13	1/8	3.609.77	1/8	3.764.39	1/8	3.919.01	1/8	4.073.55	1/8	4.205.49
1/4	2.994.44	1/4	3.149.08	1/4	3.303.72	1/4	3.458.35	1/4	3.612.99	1/4	3.767.61	1/4	3.922.23	1/4	4.076.78	1/4	4.208.72
3/8	2.997.67	3/8	3.152.30	3/8	3.306.94	3/8	3.461.57	3/8	3.616.21	3/8	3.770.83	3/8	3.925.45	3/8	4.079.98	3/8	4.211.64
1/2	3.000.89	1/2	3.155.52	1/2	3.310.16	1/2	3.464.80	1/2	3.619.43	1/2	3.774.05	1/2	3.928.67	1/2	4.083.17	1/2	4.214.86
5/8	3.004.11	5/8	3.158.75	5/8	3.313.38	5/8	3.468.02	5/8	3.622.65	5/8	3.777.27	5/8	3.931.89	5/8	4.086.38	5/8	4.218.08
3/4	3.007.33	3/4	3.161.97	3/4	3.316.60	3/4	3.471.24	3/4	3.625.88	3/4	3.780.50	3/4	3.935.11	3/4	4.089.59	3/4	4.221.30
7/8	3.010.55	7/8	3.165.19	7/8	3.319.83	7/8	3.474.46	7/8	3.629.10	7/8	3.783.72	7/8	3.938.33	7/8	4.092.80	7/8	4.224.52
1	3.013.77	1	3.168.41	1	3.323.05	1	3.477.68	1	3.632.32	1	3.786.94	1	3.941.56	1	4.096.01	1	4.227.74
1/8	3.017.00	1/8	3.171.63	1/8	3.326.27	1/8	3.480.90	1/8	3.635.54	1/8	3.790.16	1/8	3.944.78	1/8	4.099.21	1/8	4.230.96
1/4	3.020.22	1/4	3.174.85	1/4	3.329.49	1/4	3.484.13	1/4	3.638.76	1/4	3.793.38	1/4	3.948.00	1/4	4.102.41	1/4	4.234.18
3/8	3.023.44	3/8	3.178.08	3/8	3.332.71	3/8	3.487.35	3/8	3.641.98	3/8	3.796.60	3/8	3.951.22	3/8	4.105.61	3/8	4.237.40
1/2	3.026.66	1/2	3.181.30	1/2	3.335.93	1/2	3.490.57	1/2	3.645.20	1/2	3.799.82	1/2	3.954.44	1/2	4.108.81	1/2	4.240.62
5/8	3.029.88	5/8	3.184.52	5/8	3.339.16	5/8	3.493.79	5/8	3.648.43	5/8	3.803.04	5/8	3.957.66	5/8	4.112.01	5/8	4.243.84
3/4	3.033.10	3/4	3.187.74	3/4	3.342.38	3/4	3.497.01	3/4	3.651.65	3/4	3.806.27	3/4	3.960.88	3/4	4.115.21	3/4	4.247.06
7/8	3.036.32	7/8	3.190.96	7/8	3.345.60	7/8	3.500.23	7/8	3.654.87	7/8	3.809.49	7/8	3.964.10	7/8	4.118.40	7/8	4.250.28
2	3.039.55	2	3.194.18	2	3.348.82	2	3.503.46	2	3.658.09	2	3.812.71	2	3.967.33	2	4.121.60	2	4.253.50
1/8	3.042.77	1/8	3.197.40	1/8	3.352.04	1/8	3.506.68	1/8	3.661.31	1/8	3.815.93	1/8	3.970.55	1/8	4.124.75	1/8	4.256.72
1/4	3.045.99	1/4	3.200.63	1/4	3.355.26	1/4	3.509.90	1/4	3.664.53	1/4	3.819.15	1/4	3.973.77	1/4	4.127.90	1/4	4.259.94
3/8	3.049.21	3/8	3.203.85	3/8	3.358.48	3/8	3.513.12	3/8	3.667.75	3/8	3.822.37	3/8	3.976.99	3/8	4.131.05	3/8	4.263.16
1/2	3.052.43	1/2	3.207.07	1/2	3.361.71	1/2	3.516.34	1/2	3.670.98	1/2	3.825.59	1/2	3.980.21	1/2	4.134.20	1/2	4.266.38
5/8	3.055.65	5/8	3.210.29	5/8	3.364.93	5/8	3.519.56	5/8	3.674.20	5/8	3.828.81	5/8	3.983.43	5/8	4.137.35	5/8	4.269.60
3/4	3.058.88	3/4	3.213.51	3/4	3.368.15	3/4	3.522.78	3/4	3.677.42	3/4	3.832.04	3/4	3.986.65	3/4	4.140.50	3/4	4.272.82
7/8	3.062.10	7/8	3.216.73	7/8	3.371.37	7/8	3.526.01	7/8	3.680.64	7/8	3.835.26	7/8	3.989.87	7/8	4.143.65	7/8	4.276.04
3	3.065.32	3	3.219.96	3	3.374.59	3	3.529.23	3	3.683.86	3	3.838.48	3	3.993.10	3	4.146.80	3	4.279.26
1/8	3.068.54	1/8	3.223.18	1/8	3.377.81	1/8	3.532.45	1/8	3.687.08	1/8	3.841.70	1/8	3.996.32	1/8	4.149.72	1/8	4.282.48
1/4	3.071.76	1/4	3.226.40	1/4	3.381.04	1/4	3.535.67	1/4	3.690.30	1/4	3.844.92	1/4	3.999.54	1/4	4.152.64	1/4	4.285.70
3/8	3.074.98	3/8	3.229.62	3/8	3.384.26	3/8	3.538.89	3/8	3.693.52	3/8	3.848.14	3/8	4.002.76	3/8	4.155.56	3/8	4.288.92
1/2	3.078.21	1/2	3.232.84	1/2	3.387.48	1/2	3.542.11	1/2	3.696.74	1/2	3.851.36	1/2	4.005.98	1/2	4.158.48	1/2	4.292.14
5/8	3.081.43	5/8	3.236.06	5/8	3.390.70	5/8	3.545.34	5/8	3.699.97	5/8	3.854.58	5/8	4.009.20	5/8	4.161.40	5/8	4.295.36
3/4	3.084.65	3/4	3.239.29	3/4	3.393.92	3/4	3.548.56	3/4	3.703.19	3/4	3.857.80	3/4	4.012.42	3/4	4.164.32	3/4	4.298.58
7/8	3.087.87	7/8	3.242.51	7/8	3.397.14	7/8	3.551.78	7/8	3.706.41	7/8	3.861.03	7/8	4.015.64	7/8	4.167.24	7/8	4.301.80
4	3.091.09	4	3.245.73	4	3.400.36	4	3.555.00	4	3.709.63	4	3.864.25	4	4.018.86	4	4.170.16	4	4.305.02
1/8	3.094.31	1/8	3.248.95	1/8	3.403.59	1/8	3.558.22	1/8	3.712.85	1/8	3.867.47	1/8	4.022.08	1/8	4.172.59	1/8	4.308.24
1/4	3.097.54	1/4	3.252.17	1/4	3.406.81	1/4	3.561.44	1/4	3.716.07	1/4	3.870.69	1/4	4.025.30	1/4	4.175.03	1/4	4.311.46
3/8	3.100.76	3/8	3.255.39	3/8	3.410.03	3/8	3.564.67	3/8	3.719.29	3/8	3.873.91	3/8	4.028.52	3/8	4.177.46	3/8	4.314.68
1/2	3.103.98	1/2	3.258.62	1/2	3.413.25	1/2	3.567.89	1/2	3.722.51	1/2	3.877.13	1/2	4.031.74	1/2	4.178.89	1/2	4.317.90
5/8	3.107.20	5/8	3.261.84	5/8	3.416.47	5/8	3.571.11	5/8	3.725.74	5/8	3.880.35	5/8	4.034.96	5/8	4.182.32	5/8	4.321.12
3/4	3.110.42	3/4	3.265.06	3/4	3.419.69	3/4	3.574.33	3/4	3.728.96	3/4	3.883.57	3/4	4.038.17	3/4	4.184.76	3/4	4.324.34
7/8	3.113.64	7/8	3.268.28	7/8	3.422.92	7/8	3.577.55	7/8	3.732.18	7/8	3.886.80	7/8	4.041.39	7/8	4.187.19	7/8	4.327.56
5	3.116.86	5	3.271.50	5	3.426.14	5	3.580.77	5	3.735.40	5	3.890.02	5	4.044.61	5	4.189.62	5	4.330.78
1/8	3.120.09	1/8	3.274.72	1/8	3.429.36	1/8	3.584.00	1/8	3.738.62	1/8	3.893.24	1/8	4.047.83	1/8	4.191.45	1/8	4.334.00
1/4	3.123.31	1/4	3.277.94	1/4	3.432.58	1/4	3.587.22	1/4	3.741.84	1/4	3.896.46	1/4	4.051.04	1/4	4.193.28	1/4	4.337.22
3/8	3.126.53	3/8	3.281.17	3/8	3.435.80	3/8	3.590.44	3/8	3.745.08	3/8	3.899.68	3/8	4.054.26	3/8	4.195.11	3/8	4.340.44
1/2	3.129.75	1/2	3.284.39	1/2	3.439.02	1/2	3.593.66	1/2	3.748.28	1/2	3.902.90	1/2	4.057.47	1/2	4.198.94	1/2	4.343.66
5/8	3.132.97	5/8	3.287.61	5/8	3.442.24	5/8	3.596.88	5/8	3.751.51	5/8	3.906.12	5/8	4.060.69	5/8	4.198.77	5/8	4.346.88
3/4	3.136.19	3/4	3.290.83	3/4	3.445.47	3/4	3.600.10	3/4	3.754.73	3/4	3.909.34	3/4	4.063.91	3/4	4.200.60	3/4	4.350.10
7/8	3.139.42	7/8	3.294.05	7/8	3.448.69	7/8	3.603.32	7/8	3.757.95	7/8	3.912.57	7/8	4.067.12	7/8	4.202.43	7/8	4.353.32

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endrao

BARGE MMI 2805

HULL # 05-2528

2 PORT
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 3/4"

IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	7.39	6	159.83	0	339.24	6	518.70	0	698.16	8	877.59	0	1,058.98	6	1,415.82	6	1,595.28
1/8	9.11	1/8	163.57	1/8	342.98	1/8	522.44	1/8	701.89	1/8	881.33	1/8	1,060.70	1/8	1,419.56	1/8	1,599.02
1/4	10.83	1/4	167.30	1/4	346.72	1/4	526.18	1/4	705.63	1/4	885.07	1/4	1,064.43	1/4	1,423.30	1/4	1,602.76
3/8	12.54	3/8	171.03	3/8	350.48	3/8	529.91	3/8	709.37	3/8	888.81	3/8	1,068.17	3/8	1,427.04	3/8	1,606.50
1/2	14.26	1/2	174.77	1/2	354.20	1/2	533.65	1/2	713.11	1/2	892.54	1/2	1,071.91	1/2	1,430.78	1/2	1,610.23
5/8	15.97	5/8	178.50	5/8	357.93	5/8	537.39	5/8	716.85	5/8	896.28	5/8	1,075.64	5/8	1,434.52	5/8	1,613.97
3/4	17.69	3/4	182.24	3/4	361.67	3/4	541.13	3/4	720.59	3/4	900.75	3/4	1,079.38	3/4	1,438.25	3/4	1,617.71
7/8	19.40	7/8	185.97	7/8	365.41	7/8	544.87	7/8	724.33	7/8	903.72	7/8	1,083.12	7/8	1,441.99	7/8	1,621.45
1	21.12	1	189.70	1	369.15	1	548.61	1	728.07	1	907.49	1	1,086.85	1	1,445.73	1	1,625.19
1/8	23.85	1/8	193.44	1/8	372.89	1/8	552.35	1/8	731.80	1/8	911.23	1/8	1,090.59	1/8	1,449.47	1/8	1,628.93
1/4	26.59	1/4	197.18	1/4	376.63	1/4	556.09	1/4	735.54	1/4	914.97	1/4	1,094.33	1/4	1,453.21	1/4	1,632.67
3/8	29.33	3/8	200.92	3/8	380.37	3/8	559.82	3/8	739.28	3/8	918.70	3/8	1,098.07	3/8	1,456.95	3/8	1,636.41
1/2	32.06	1/2	204.65	1/2	384.10	1/2	563.56	1/2	743.02	1/2	922.44	1/2	1,101.80	1/2	1,460.69	1/2	1,640.14
5/8	34.80	5/8	208.39	5/8	387.84	5/8	567.30	5/8	746.76	5/8	926.18	5/8	1,105.54	5/8	1,464.43	5/8	1,643.88
3/4	37.54	3/4	212.13	3/4	391.58	3/4	571.04	3/4	750.50	3/4	929.91	3/4	1,109.28	3/4	1,468.16	3/4	1,647.62
7/8	40.27	7/8	215.87	7/8	395.32	7/8	574.78	7/8	754.24	7/8	933.65	7/8	1,113.01	7/8	1,471.90	7/8	1,651.36
2	43.01	2	219.60	2	399.06	2	578.52	2	757.97	2	937.39	2	1,116.75	2	1,475.64	2	1,655.10
1/8	45.74	1/8	223.34	1/8	402.80	1/8	582.26	1/8	761.71	1/8	941.12	1/8	1,120.49	1/8	1,479.38	1/8	1,658.84
1/4	48.48	1/4	227.08	1/4	406.54	1/4	585.99	1/4	765.45	1/4	944.86	1/4	1,124.22	1/4	1,483.12	1/4	1,662.58
3/8	51.21	3/8	230.82	3/8	410.28	3/8	589.73	3/8	769.19	3/8	948.60	3/8	1,127.96	3/8	1,486.86	3/8	1,666.32
1/2	53.95	1/2	234.56	1/2	414.01	1/2	593.47	1/2	772.93	1/2	952.33	1/2	1,131.70	1/2	1,490.60	1/2	1,670.05
5/8	56.68	5/8	238.30	5/8	417.75	5/8	597.21	5/8	776.67	5/8	956.07	5/8	1,135.43	5/8	1,494.33	5/8	1,673.79
3/4	59.41	3/4	242.03	3/4	421.49	3/4	600.95	3/4	780.41	3/4	959.81	3/4	1,139.17	3/4	1,498.07	3/4	1,677.53
7/8	62.15	7/8	245.77	7/8	425.23	7/8	604.68	7/8	784.15	7/8	963.54	7/8	1,142.91	7/8	1,501.81	7/8	1,681.27
3	64.88	3	249.51	3	428.97	3	608.43	3	787.89	3	967.28	3	1,146.64	3	1,505.55	3	1,685.01
1/8	67.61	1/8	253.25	1/8	432.71	1/8	612.17	1/8	791.62	1/8	971.02	1/8	1,150.38	1/8	1,509.29	1/8	1,688.75
1/4	70.34	1/4	256.99	1/4	436.45	1/4	615.90	1/4	795.36	1/4	974.75	1/4	1,154.12	1/4	1,513.03	1/4	1,692.49
3/8	73.07	3/8	260.73	3/8	440.19	3/8	619.64	3/8	799.10	3/8	978.49	3/8	1,157.86	3/8	1,516.77	3/8	1,696.22
1/2	75.80	1/2	264.47	1/2	443.92	1/2	623.38	1/2	802.84	1/2	982.23	1/2	1,161.59	1/2	1,520.51	1/2	1,699.96
5/8	78.53	5/8	268.21	5/8	447.66	5/8	627.12	5/8	806.58	5/8	985.96	5/8	1,165.33	5/8	1,524.24	5/8	1,703.70
3/4	81.26	3/4	271.94	3/4	451.40	3/4	630.86	3/4	810.31	3/4	989.70	3/4	1,169.07	3/4	1,527.98	3/4	1,707.44
7/8	84.00	7/8	275.68	7/8	455.14	7/8	634.60	7/8	814.05	7/8	993.44	7/8	1,172.81	7/8	1,531.72	7/8	1,711.18
4	86.73	4	279.42	4	458.88	4	638.34	4	817.79	4	997.17	4	1,176.55	4	1,535.46	4	1,714.92
1/8	89.46	1/8	283.16	1/8	462.62	1/8	642.08	1/8	821.53	1/8	1,000.91	1/8	1,180.28	1/8	1,539.20	1/8	1,718.66
1/4	92.19	1/4	286.90	1/4	466.36	1/4	645.81	1/4	825.28	1/4	1,004.65	1/4	1,184.02	1/4	1,542.94	1/4	1,722.40
3/8	94.92	3/8	290.64	3/8	470.10	3/8	649.55	3/8	829.00	3/8	1,008.38	3/8	1,187.76	3/8	1,546.68	3/8	1,726.13
1/2	97.65	1/2	294.38	1/2	473.83	1/2	653.29	1/2	832.74	1/2	1,012.12	1/2	1,191.50	1/2	1,550.42	1/2	1,729.87
5/8	100.38	5/8	298.11	5/8	477.57	5/8	657.03	5/8	836.48	5/8	1,015.86	5/8	1,195.24	5/8	1,554.15	5/8	1,733.61
3/4	103.11	3/4	301.85	3/4	481.31	3/4	660.77	3/4	840.22	3/4	1,019.59	3/4	1,199.98	3/4	1,557.89	3/4	1,737.35
7/8	105.84	7/8	305.59	7/8	485.05	7/8	664.51	7/8	843.95	7/8	1,023.33	7/8	1,202.72	7/8	1,561.63	7/8	1,741.09
5	108.57	5	309.33	5	488.79	5	668.25	5	847.69	5	1,027.07	5	1,206.45	5	1,565.37	5	1,744.83
1/8	111.30	1/8	313.07	1/8	492.53	1/8	671.98	1/8	851.43	1/8	1,030.80	1/8	1,210.19	1/8	1,569.11	1/8	1,748.57
1/4	114.03	1/4	316.81	1/4	496.27	1/4	675.72	1/4	855.17	1/4	1,034.54	1/4	1,213.93	1/4	1,572.85	1/4	1,752.31
3/8	116.76	3/8	320.55	3/8	500.00	3/8	679.46	3/8	858.90	3/8	1,038.28	3/8	1,217.67	3/8	1,576.59	3/8	1,756.04
1/2	119.49	1/2	324.29	1/2	503.74	1/2	683.20	1/2	862.64	1/2	1,042.01	1/2	1,221.41	1/2	1,580.32	1/2	1,759.78
5/8	122.22	5/8	328.02	5/8	507.48	5/8	686.94	5/8	866.38	5/8	1,045.75	5/8	1,225.15	5/8	1,584.06	5/8	1,763.52
3/4	124.95	3/4	331.76	3/4	511.22	3/4	690.68	3/4	870.12	3/4	1,049.49	3/4	1,228.89	3/4	1,587.80	3/4	1,767.26
7/8	127.68	7/8	335.50	7/8	514.96	7/8	694.42	7/8	873.86	7/8	1,053.22	7/8	1,232.63	7/8	1,591.54	7/8	1,771.00

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.
O Endral

BARGE MMI 2805
HULL # 05-2528

2 PORT
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 3/4"

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	1,774.74	6	1,954.19	0	2,133.85	6	2,313.11	0	2,492.57	6	2,672.03	0	2,851.49	6	3,030.94	0	3,210.40	6	3,389.86
1/8	1,778.48	1/8	1,957.93	1/8	2,137.39	1/8	2,316.85	1/8	2,496.31	1/8	2,675.77	1/8	2,855.22	1/8	3,034.68	1/8	3,214.14	1/8	3,393.60
1/4	1,782.21	1/4	1,961.67	1/4	2,141.13	1/4	2,320.59	1/4	2,500.05	1/4	2,679.51	1/4	2,858.96	1/4	3,038.42	1/4	3,217.88	1/4	3,397.34
3/8	1,785.95	3/8	1,965.41	3/8	2,144.87	3/8	2,324.33	3/8	2,503.79	3/8	2,683.24	3/8	2,862.69	3/8	3,041.15	3/8	3,220.61	3/8	3,399.07
1/2	1,789.69	1/2	1,969.15	1/2	2,148.61	1/2	2,328.07	1/2	2,507.52	1/2	2,686.98	1/2	2,866.44	1/2	3,045.90	1/2	3,225.36	1/2	3,404.81
5/8	1,793.43	5/8	1,972.89	5/8	2,152.35	5/8	2,331.81	5/8	2,511.26	5/8	2,690.72	5/8	2,870.18	5/8	3,049.64	5/8	3,229.09	5/8	3,408.55
3/4	1,797.17	3/4	1,976.63	3/4	2,156.09	3/4	2,335.54	3/4	2,515.00	3/4	2,694.46	3/4	2,873.92	3/4	3,053.38	3/4	3,232.82	3/4	3,412.29
7/8	1,800.91	7/8	1,980.37	7/8	2,159.83	7/8	2,339.28	7/8	2,518.74	7/8	2,698.20	7/8	2,877.66	7/8	3,057.11	7/8	3,236.57	7/8	3,416.03
1	1,804.65	1	1,984.10	1	2,163.56	1	2,343.02	1	2,522.48	1	2,701.94	1	2,881.39	1	3,060.85	1	3,240.31	1	3,419.77
1/8	1,808.39	1/8	1,987.84	1/8	2,167.30	1/8	2,346.76	1/8	2,526.22	1/8	2,705.86	1/8	2,885.13	1/8	3,064.59	1/8	3,244.05	1/8	3,423.51
1/4	1,812.12	1/4	1,991.58	1/4	2,171.04	1/4	2,350.50	1/4	2,529.96	1/4	2,709.41	1/4	2,888.87	1/4	3,068.33	1/4	3,247.79	1/4	3,427.25
3/8	1,815.86	3/8	1,995.32	3/8	2,174.78	3/8	2,354.24	3/8	2,533.70	3/8	2,713.15	3/8	2,892.61	3/8	3,072.07	3/8	3,251.53	3/8	3,430.98
1/2	1,819.60	1/2	1,999.06	1/2	2,178.52	1/2	2,357.98	1/2	2,537.43	1/2	2,716.89	1/2	2,896.35	1/2	3,075.81	1/2	3,255.26	1/2	3,434.72
5/8	1,823.34	5/8	2,002.80	5/8	2,182.26	5/8	2,361.72	5/8	2,541.17	5/8	2,720.63	5/8	2,900.09	5/8	3,079.55	5/8	3,259.00	5/8	3,438.46
3/4	1,827.08	3/4	2,006.54	3/4	2,186.00	3/4	2,365.45	3/4	2,544.91	3/4	2,724.37	3/4	2,903.83	3/4	3,083.28	3/4	3,262.74	3/4	3,442.20
7/8	1,830.82	7/8	2,010.28	7/8	2,189.74	7/8	2,369.19	7/8	2,548.65	7/8	2,728.11	7/8	2,907.57	7/8	3,087.02	7/8	3,266.48	7/8	3,445.94
2	1,834.56	2	2,014.01	2	2,193.47	2	2,372.93	2	2,552.39	2	2,731.85	2	2,911.30	2	3,090.76	2	3,270.22	2	3,449.68
1/8	1,838.30	1/8	2,017.75	1/8	2,197.21	1/8	2,376.67	1/8	2,556.13	1/8	2,735.59	1/8	2,915.04	1/8	3,094.50	1/8	3,273.96	1/8	3,453.41
1/4	1,842.03	1/4	2,021.49	1/4	2,200.95	1/4	2,380.41	1/4	2,559.87	1/4	2,739.32	1/4	2,918.78	1/4	3,098.24	1/4	3,277.70	1/4	3,457.15
3/8	1,845.77	3/8	2,025.23	3/8	2,204.69	3/8	2,384.15	3/8	2,563.61	3/8	2,743.06	3/8	2,922.52	3/8	3,101.98	3/8	3,281.44	3/8	3,460.89
1/2	1,849.51	1/2	2,028.97	1/2	2,208.43	1/2	2,387.89	1/2	2,567.34	1/2	2,746.80	1/2	2,926.26	1/2	3,105.72	1/2	3,285.17	1/2	3,464.62
5/8	1,853.25	5/8	2,032.71	5/8	2,212.17	5/8	2,391.63	5/8	2,571.08	5/8	2,750.54	5/8	2,930.00	5/8	3,109.46	5/8	3,288.91	5/8	3,468.36
3/4	1,856.99	3/4	2,036.45	3/4	2,215.91	3/4	2,395.36	3/4	2,574.82	3/4	2,754.28	3/4	2,933.74	3/4	3,113.19	3/4	3,292.65	3/4	3,472.09
7/8	1,860.73	7/8	2,040.19	7/8	2,219.65	7/8	2,399.10	7/8	2,578.56	7/8	2,758.02	7/8	2,937.48	7/8	3,116.93	7/8	3,296.39	7/8	3,475.83
3	1,864.47	3	2,043.93	3	2,223.38	3	2,402.84	3	2,582.30	3	2,761.76	3	2,941.21	3	3,120.67	3	3,300.13	3	3,479.57
1/8	1,868.20	1/8	2,047.68	1/8	2,227.12	1/8	2,406.58	1/8	2,586.04	1/8	2,765.50	1/8	2,944.95	1/8	3,124.41	1/8	3,303.87	1/8	3,483.30
1/4	1,871.94	1/4	2,051.40	1/4	2,230.86	1/4	2,410.32	1/4	2,589.78	1/4	2,769.23	1/4	2,948.69	1/4	3,128.15	1/4	3,307.61	1/4	3,487.03
3/8	1,875.68	3/8	2,055.14	3/8	2,234.60	3/8	2,414.06	3/8	2,593.52	3/8	2,772.97	3/8	2,952.43	3/8	3,131.89	3/8	3,311.35	3/8	3,490.77
1/2	1,879.42	1/2	2,058.88	1/2	2,238.34	1/2	2,417.80	1/2	2,597.25	1/2	2,776.71	1/2	2,956.17	1/2	3,135.63	1/2	3,315.08	1/2	3,494.50
5/8	1,883.16	5/8	2,062.62	5/8	2,242.08	5/8	2,421.53	5/8	2,600.99	5/8	2,780.45	5/8	2,959.91	5/8	3,139.37	5/8	3,318.82	5/8	3,498.23
3/4	1,886.90	3/4	2,066.36	3/4	2,245.82	3/4	2,425.27	3/4	2,604.73	3/4	2,784.19	3/4	2,963.65	3/4	3,143.10	3/4	3,322.56	3/4	3,501.98
7/8	1,890.64	7/8	2,070.10	7/8	2,249.55	7/8	2,429.01	7/8	2,608.47	7/8	2,787.93	7/8	2,967.38	7/8	3,146.84	7/8	3,326.30	7/8	3,505.70
4	1,894.38	4	2,073.84	4	2,253.29	4	2,432.75	4	2,612.21	4	2,791.67	4	2,971.12	4	3,150.58	4	3,330.04	4	3,509.43
1/8	1,898.11	1/8	2,077.57	1/8	2,257.03	1/8	2,436.49	1/8	2,615.95	1/8	2,795.40	1/8	2,974.86	1/8	3,154.32	1/8	3,333.78	1/8	3,513.16
1/4	1,901.85	1/4	2,081.31	1/4	2,260.77	1/4	2,440.23	1/4	2,619.69	1/4	2,799.14	1/4	2,978.80	1/4	3,158.06	1/4	3,337.52	1/4	3,516.89
3/8	1,905.59	3/8	2,085.05	3/8	2,264.51	3/8	2,443.97	3/8	2,623.42	3/8	2,802.88	3/8	2,982.34	3/8	3,161.80	3/8	3,341.25	3/8	3,520.62
1/2	1,909.33	1/2	2,088.79	1/2	2,268.25	1/2	2,447.71	1/2	2,627.16	1/2	2,806.62	1/2	2,986.08	1/2	3,165.54	1/2	3,344.99	1/2	3,524.35
5/8	1,913.07	5/8	2,092.53	5/8	2,271.99	5/8	2,451.44	5/8	2,630.90	5/8	2,810.36	5/8	2,989.82	5/8	3,169.27	5/8	3,348.73	5/8	3,528.08
3/4	1,916.81	3/4	2,096.27	3/4	2,275.73	3/4	2,455.18	3/4	2,634.64	3/4	2,814.10	3/4	2,993.56	3/4	3,173.01	3/4	3,352.47	3/4	3,531.81
7/8	1,920.55	7/8	2,100.01	7/8	2,279.46	7/8	2,458.92	7/8	2,638.38	7/8	2,817.84	7/8	2,997.29	7/8	3,176.75	7/8	3,356.21	7/8	3,535.54
5	1,924.29	5	2,103.75	5	2,283.20	5	2,462.68	5	2,642.12	5	2,821.58	5	3,001.03	5	3,180.49	5	3,359.95	5	3,539.27
1/8	1,928.02	1/8	2,107.48	1/8	2,286.94	1/8	2,466.40	1/8	2,645.86	1/8	2,825.31	1/8	3,004.77	1/8	3,184.23	1/8	3,363.69	1/8	3,543.01
1/4	1,931.76	1/4	2,111.22	1/4	2,290.68	1/4	2,470.14	1/4	2,649.80	1/4	2,829.05	1/4	3,008.51	1/4	3,187.97	1/4	3,367.43	1/4	3,546.74
3/8	1,935.50	3/8	2,114.96	3/8	2,294.42	3/8	2,473.88	3/8	2,653.33	3/8	2,832.79	3/8	3,012.25	3/8	3,191.71	3/8	3,371.16	3/8	3,550.47
1/2	1,939.24	1/2	2,118.70	1/2	2,298.16	1/2	2,477.62	1/2	2,657.07	1/2	2,836.53	1/2	3,015.99	1/2	3,195.45	1/2	3,374.90	1/2	3,554.20
5/8	1,942.98	5/8	2,122.44	5/8	2,301.90	5/8	2,481.35	5/8	2,660.81	5/8	2,840.27	5/8	3,019.73	5/8	3,199.18	5/8	3,378.64	5/8	3,557.93
3/4	1,946.72	3/4	2,126.18	3/4	2,305.64	3/4	2,485.09	3/4	2,664.55	3/4	2,844.01	3/4	3,023.47	3/4	3,202.92	3/4	3,382.38	3/4	3,561.66
7/8	1,950.46	7/8	2,129.92	7/8	2,309.37	7/8	2,488.83	7/8	2,668.29	7/8	2,847.75	7/8	3,027.20	7/8	3,206.66	7/8	3,386.12	7/8	3,565.39

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-6" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

Endnote

BARGE MMI 2805
HULL # 05-2528

2 PORT
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 3/4"

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.
0	3,569.12	5	3,748.19	0	3,927.25	5	4,106.32	0	4,285.39	5	4,464.44	0	4,643.48	5	4,822.44	0	4,976.63
1/8	3,572.85	1/8	3,751.92	1/8	3,930.98	1/8	4,110.05	1/8	4,289.12	1/8	4,468.17	1/8	4,647.21	1/8	4,826.16	1/8	4,978.01
1/4	3,576.58	1/4	3,755.65	1/4	3,934.71	1/4	4,113.78	1/4	4,292.85	1/4	4,471.90	1/4	4,650.94	1/4	4,829.87	1/4	4,979.39
3/8	3,580.31	3/8	3,759.38	3/8	3,938.44	3/8	4,117.51	3/8	4,296.58	3/8	4,475.63	3/8	4,654.67	3/8	4,833.59	3/8	4,980.77
1/2	3,584.04	1/2	3,763.11	1/2	3,942.18	1/2	4,121.24	1/2	4,300.31	1/2	4,479.36	1/2	4,658.40	1/2	4,837.31	1/2	4,982.15
5/8	3,587.77	5/8	3,766.84	5/8	3,945.91	5/8	4,124.97	5/8	4,304.04	5/8	4,483.09	5/8	4,662.13	5/8	4,841.02	5/8	4,983.54
3/4	3,591.50	3/4	3,770.57	3/4	3,949.64	3/4	4,128.70	3/4	4,307.77	3/4	4,486.82	3/4	4,665.86	3/4	4,844.74	3/4	4,984.92
7/8	3,595.23	7/8	3,774.30	7/8	3,953.37	7/8	4,132.43	7/8	4,311.50	7/8	4,490.55	7/8	4,669.59	7/8	4,848.45	7/8	4,986.30
1	3,598.96	1	3,778.03	1	3,957.10	1	4,136.17	1	4,315.23	1	4,494.28	1	4,673.32	1	4,852.17	1	4,989.03
1/8	3,602.70	1/8	3,781.78	1/8	3,960.83	1/8	4,139.90	1/8	4,318.96	1/8	4,498.01	1/8	4,677.05	1/8	4,855.87	1/8	4,992.76
1/4	3,606.43	1/4	3,785.49	1/4	3,964.56	1/4	4,143.63	1/4	4,322.69	1/4	4,501.74	1/4	4,680.78	1/4	4,859.58	1/4	4,996.49
3/8	3,610.16	3/8	3,789.23	3/8	3,968.29	3/8	4,147.36	3/8	4,326.42	3/8	4,505.47	3/8	4,684.51	3/8	4,863.28	3/8	4,999.39
1/2	3,613.89	1/2	3,792.96	1/2	3,972.02	1/2	4,151.09	1/2	4,330.15	1/2	4,509.20	1/2	4,688.24	1/2	4,866.98	1/2	4,999.39
5/8	3,617.62	5/8	3,796.69	5/8	3,975.75	5/8	4,154.82	5/8	4,333.88	5/8	4,512.93	5/8	4,691.97	5/8	4,870.69	5/8	4,999.39
3/4	3,621.35	3/4	3,800.42	3/4	3,979.48	3/4	4,158.55	3/4	4,337.61	3/4	4,516.66	3/4	4,695.70	3/4	4,874.39	3/4	4,999.39
7/8	3,625.08	7/8	3,804.15	7/8	3,983.21	7/8	4,162.28	7/8	4,341.34	7/8	4,520.39	7/8	4,699.43	7/8	4,878.09	7/8	4,999.39
2	3,628.81	2	3,807.88	2	3,986.94	2	4,166.01	2	4,345.07	2	4,524.12	2	4,703.16	2	4,881.80	2	4,999.39
1/8	3,632.54	1/8	3,811.61	1/8	3,990.67	1/8	4,169.74	1/8	4,348.80	1/8	4,527.85	1/8	4,706.89	1/8	4,885.44	1/8	4,999.39
1/4	3,636.27	1/4	3,815.34	1/4	3,994.40	1/4	4,173.47	1/4	4,352.53	1/4	4,531.58	1/4	4,710.62	1/4	4,889.08	1/4	4,999.39
3/8	3,640.00	3/8	3,819.07	3/8	3,998.13	3/8	4,177.20	3/8	4,356.26	3/8	4,535.31	3/8	4,714.35	3/8	4,892.72	3/8	4,999.39
1/2	3,643.73	1/2	3,822.80	1/2	4,001.86	1/2	4,180.93	1/2	4,359.99	1/2	4,539.04	1/2	4,718.08	1/2	4,896.38	1/2	4,999.39
5/8	3,647.46	5/8	3,826.53	5/8	4,005.59	5/8	4,184.66	5/8	4,363.72	5/8	4,542.77	5/8	4,721.81	5/8	4,900.01	5/8	4,999.39
3/4	3,651.19	3/4	3,830.26	3/4	4,009.32	3/4	4,188.39	3/4	4,367.45	3/4	4,546.50	3/4	4,725.54	3/4	4,903.65	3/4	4,999.39
7/8	3,654.92	7/8	3,833.99	7/8	4,013.05	7/8	4,192.12	7/8	4,371.18	7/8	4,550.23	7/8	4,729.27	7/8	4,907.29	7/8	4,999.39
3	3,658.65	3	3,837.72	3	4,016.79	3	4,195.85	3	4,374.91	3	4,553.96	3	4,733.00	3	4,910.93	3	4,999.39
1/8	3,662.38	1/8	3,841.45	1/8	4,020.52	1/8	4,199.59	1/8	4,378.64	1/8	4,557.69	1/8	4,736.73	1/8	4,914.29	1/8	4,999.39
1/4	3,666.12	1/4	3,845.18	1/4	4,024.25	1/4	4,203.32	1/4	4,382.37	1/4	4,561.42	1/4	4,740.46	1/4	4,917.65	1/4	4,999.39
3/8	3,669.85	3/8	3,848.91	3/8	4,027.98	3/8	4,207.05	3/8	4,386.10	3/8	4,565.15	3/8	4,744.19	3/8	4,921.00	3/8	4,999.39
1/2	3,673.58	1/2	3,852.65	1/2	4,031.71	1/2	4,210.78	1/2	4,389.83	1/2	4,568.98	1/2	4,747.92	1/2	4,924.36	1/2	4,999.39
5/8	3,677.31	5/8	3,856.38	5/8	4,035.44	5/8	4,214.51	5/8	4,393.56	5/8	4,572.61	5/8	4,751.85	5/8	4,927.72	5/8	4,999.39
3/4	3,681.04	3/4	3,860.11	3/4	4,039.17	3/4	4,218.24	3/4	4,397.29	3/4	4,576.34	3/4	4,755.38	3/4	4,931.08	3/4	4,999.39
7/8	3,684.77	7/8	3,863.84	7/8	4,042.90	7/8	4,221.97	7/8	4,401.02	7/8	4,580.07	7/8	4,759.11	7/8	4,934.44	7/8	4,999.39
4	3,688.50	4	3,867.57	4	4,046.63	4	4,225.70	4	4,404.75	4	4,583.80	4	4,762.84	4	4,937.80	4	4,999.39
1/8	3,692.23	1/8	3,871.30	1/8	4,050.36	1/8	4,229.43	1/8	4,408.48	1/8	4,587.53	1/8	4,766.56	1/8	4,940.57	1/8	4,999.39
1/4	3,695.96	1/4	3,875.03	1/4	4,054.09	1/4	4,233.16	1/4	4,412.21	1/4	4,591.26	1/4	4,770.29	1/4	4,943.35	1/4	4,999.39
3/8	3,699.69	3/8	3,878.76	3/8	4,057.82	3/8	4,236.89	3/8	4,415.94	3/8	4,594.99	3/8	4,774.02	3/8	4,946.12	3/8	4,999.39
1/2	3,703.42	1/2	3,882.49	1/2	4,061.55	1/2	4,240.62	1/2	4,419.67	1/2	4,598.72	1/2	4,777.75	1/2	4,948.90	1/2	4,999.39
5/8	3,707.15	5/8	3,886.22	5/8	4,065.28	5/8	4,244.35	5/8	4,423.40	5/8	4,602.45	5/8	4,781.47	5/8	4,951.67	5/8	4,999.39
3/4	3,710.88	3/4	3,889.95	3/4	4,069.01	3/4	4,248.08	3/4	4,427.13	3/4	4,606.18	3/4	4,785.20	3/4	4,954.45	3/4	4,999.39
7/8	3,714.61	7/8	3,893.68	7/8	4,072.75	7/8	4,251.81	7/8	4,430.86	7/8	4,609.91	7/8	4,788.93	7/8	4,957.22	7/8	4,999.39
5	3,718.34	5	3,897.41	5	4,076.48	5	4,255.54	5	4,434.59	5	4,613.84	5	4,792.66	5	4,960.00	5	4,999.39
1/8	3,722.07	1/8	3,901.14	1/8	4,080.21	1/8	4,259.28	1/8	4,438.32	1/8	4,617.37	1/8	4,796.38	1/8	4,962.08	1/8	4,999.39
1/4	3,725.80	1/4	3,904.87	1/4	4,083.94	1/4	4,263.01	1/4	4,442.05	1/4	4,621.10	1/4	4,800.10	1/4	4,964.16	1/4	4,999.39
3/8	3,729.54	3/8	3,908.60	3/8	4,087.67	3/8	4,266.74	3/8	4,445.79	3/8	4,624.83	3/8	4,803.83	3/8	4,968.23	3/8	4,999.39
1/2	3,733.27	1/2	3,912.33	1/2	4,091.40	1/2	4,270.47	1/2	4,449.52	1/2	4,628.56	1/2	4,807.55	1/2	4,968.31	1/2	4,999.39
5/8	3,737.00	5/8	3,916.06	5/8	4,095.13	5/8	4,274.20	5/8	4,453.25	5/8	4,632.29	5/8	4,811.27	5/8	4,970.39	5/8	4,999.39
3/4	3,740.73	3/4	3,919.79	3/4	4,098.86	3/4	4,277.93	3/4	4,456.98	3/4	4,636.02	3/4	4,815.00	3/4	4,972.47	3/4	4,999.39
7/8	3,744.46	7/8	3,923.52	7/8	4,102.59	7/8	4,281.66	7/8	4,460.71	7/8	4,639.75	7/8	4,818.72	7/8	4,974.55	7/8	4,999.39

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-6" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O Endru

BARGE MMI 2805
HULL # 05-2528

2 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 1/8"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	7.00	6	158.45	0	337.87	6	517.34	0	698.80	6	878.12	0	1,054.70	6	1,233.43	0	1,412.89	6	1,592.36
1/8	8.67	1/8	162.19	1/8	341.61	1/8	521.08	1/8	700.54	1/8	879.84	1/8	1,058.42	1/8	1,237.17	1/8	1,416.63	1/8	1,596.10
1/4	10.33	1/4	165.92	1/4	345.35	1/4	524.82	1/4	704.28	1/4	883.58	1/4	1,062.14	1/4	1,240.91	1/4	1,420.37	1/4	1,599.84
3/8	12.00	3/8	169.68	3/8	349.09	3/8	528.55	3/8	708.02	3/8	887.28	3/8	1,065.88	3/8	1,244.64	3/8	1,424.11	3/8	1,603.58
1/2	13.67	1/2	173.39	1/2	352.83	1/2	532.29	1/2	711.78	1/2	891.00	1/2	1,069.58	1/2	1,248.38	1/2	1,427.85	1/2	1,607.32
5/8	15.33	5/8	177.13	5/8	356.57	5/8	536.03	5/8	715.50	5/8	894.72	5/8	1,073.30	5/8	1,252.12	5/8	1,431.59	5/8	1,611.06
3/4	17.00	3/4	180.86	3/4	360.30	3/4	539.77	3/4	719.24	3/4	898.44	3/4	1,077.02	3/4	1,255.86	3/4	1,435.33	3/4	1,614.80
7/8	18.66	7/8	184.59	7/8	364.04	7/8	543.51	7/8	722.98	7/8	902.16	7/8	1,080.74	7/8	1,259.60	7/8	1,439.07	7/8	1,618.53
1	20.33	1	188.33	1	367.78	1	547.25	1	726.72	1	905.89	1	1,084.46	1	1,263.34	1	1,442.81	1	1,622.27
1/8	23.02	1/8	192.08	1/8	371.52	1/8	550.99	1/8	730.46	1/8	909.61	1/8	1,088.18	1/8	1,267.08	1/8	1,446.54	1/8	1,626.01
1/4	25.71	1/4	195.80	1/4	375.26	1/4	554.73	1/4	734.19	1/4	913.33	1/4	1,091.90	1/4	1,270.82	1/4	1,450.28	1/4	1,629.75
3/8	28.40	3/8	199.54	3/8	379.00	3/8	558.47	3/8	737.93	3/8	917.05	3/8	1,095.62	3/8	1,274.56	3/8	1,454.02	3/8	1,633.49
1/2	31.08	1/2	203.28	1/2	382.74	1/2	562.20	1/2	741.67	1/2	920.77	1/2	1,099.34	1/2	1,278.29	1/2	1,457.76	1/2	1,637.23
5/8	33.78	5/8	207.01	5/8	386.48	5/8	565.94	5/8	745.41	5/8	924.49	5/8	1,103.08	5/8	1,282.03	5/8	1,461.50	5/8	1,640.97
3/4	36.47	3/4	210.75	3/4	390.22	3/4	569.68	3/4	749.15	3/4	928.21	3/4	1,106.78	3/4	1,285.77	3/4	1,465.24	3/4	1,644.71
7/8	39.16	7/8	214.49	7/8	393.95	7/8	573.42	7/8	752.88	7/8	931.93	7/8	1,110.50	7/8	1,289.51	7/8	1,468.98	7/8	1,648.45
2	41.85	2	218.23	2	397.69	2	577.16	2	756.62	2	935.85	2	1,114.22	2	1,293.25	2	1,472.72	2	1,652.18
1/8	45.29	1/8	221.97	1/8	401.43	1/8	580.90	1/8	760.36	1/8	939.37	1/8	1,117.94	1/8	1,296.99	1/8	1,476.46	1/8	1,655.92
1/4	48.72	1/4	225.70	1/4	405.17	1/4	584.64	1/4	764.10	1/4	943.09	1/4	1,121.66	1/4	1,300.73	1/4	1,480.19	1/4	1,659.66
3/8	52.16	3/8	229.44	3/8	408.91	3/8	588.38	3/8	767.84	3/8	946.81	3/8	1,125.38	3/8	1,304.47	3/8	1,483.93	3/8	1,663.40
1/2	55.59	1/2	233.18	1/2	412.65	1/2	592.12	1/2	771.57	1/2	950.53	1/2	1,129.10	1/2	1,308.21	1/2	1,487.67	1/2	1,667.14
5/8	59.02	5/8	236.92	5/8	416.39	5/8	595.85	5/8	775.31	5/8	954.25	5/8	1,132.82	5/8	1,311.94	5/8	1,491.41	5/8	1,670.88
3/4	62.46	3/4	240.66	3/4	420.13	3/4	599.59	3/4	779.05	3/4	957.97	3/4	1,136.54	3/4	1,315.68	3/4	1,495.15	3/4	1,674.62
7/8	65.89	7/8	244.40	7/8	423.87	7/8	603.33	7/8	782.78	7/8	961.69	7/8	1,140.28	7/8	1,319.42	7/8	1,498.89	7/8	1,678.36
3	69.33	3	248.14	3	427.60	3	607.07	3	786.52	3	965.41	3	1,143.98	3	1,323.16	3	1,502.63	3	1,682.10
1/8	73.02	1/8	251.88	1/8	431.34	1/8	610.81	1/8	790.26	1/8	969.13	1/8	1,147.71	1/8	1,326.90	1/8	1,506.37	1/8	1,685.83
1/4	76.72	1/4	255.61	1/4	435.08	1/4	614.55	1/4	794.00	1/4	972.85	1/4	1,151.43	1/4	1,330.64	1/4	1,510.11	1/4	1,689.57
3/8	80.41	3/8	259.35	3/8	438.82	3/8	618.29	3/8	797.74	3/8	976.57	3/8	1,155.15	3/8	1,334.38	3/8	1,513.84	3/8	1,693.31
1/2	84.11	1/2	263.09	1/2	442.56	1/2	622.03	1/2	801.47	1/2	980.29	1/2	1,158.87	1/2	1,338.12	1/2	1,517.58	1/2	1,697.05
5/8	87.80	5/8	266.83	5/8	446.30	5/8	625.77	5/8	805.21	5/8	984.01	5/8	1,162.59	5/8	1,341.86	5/8	1,521.32	5/8	1,700.79
3/4	91.50	3/4	270.57	3/4	450.04	3/4	629.50	3/4	808.95	3/4	987.73	3/4	1,166.31	3/4	1,345.59	3/4	1,525.06	3/4	1,704.53
7/8	95.19	7/8	274.31	7/8	453.78	7/8	633.24	7/8	812.69	7/8	991.45	7/8	1,170.04	7/8	1,349.33	7/8	1,528.80	7/8	1,708.27
4	98.89	4	278.05	4	457.52	4	636.98	4	816.42	4	995.17	4	1,173.76	4	1,353.07	4	1,532.54	4	1,712.01
1/8	102.60	1/8	281.79	1/8	461.25	1/8	640.72	1/8	820.16	1/8	998.89	1/8	1,177.48	1/8	1,356.81	1/8	1,536.28	1/8	1,715.75
1/4	106.32	1/4	285.53	1/4	464.99	1/4	644.46	1/4	823.89	1/4	1,002.61	1/4	1,181.21	1/4	1,360.55	1/4	1,540.02	1/4	1,719.48
3/8	110.04	3/8	289.26	3/8	468.73	3/8	648.20	3/8	827.63	3/8	1,006.33	3/8	1,184.93	3/8	1,364.29	3/8	1,543.76	3/8	1,723.22
1/2	113.76	1/2	293.00	1/2	472.47	1/2	651.94	1/2	831.36	1/2	1,010.05	1/2	1,188.66	1/2	1,368.03	1/2	1,547.49	1/2	1,726.96
5/8	117.48	5/8	296.74	5/8	476.21	5/8	655.68	5/8	835.10	5/8	1,013.78	5/8	1,192.38	5/8	1,371.77	5/8	1,551.23	5/8	1,730.70
3/4	121.19	3/4	300.48	3/4	479.95	3/4	659.42	3/4	838.83	3/4	1,017.50	3/4	1,196.11	3/4	1,375.51	3/4	1,554.97	3/4	1,734.44
7/8	124.91	7/8	304.22	7/8	483.69	7/8	663.15	7/8	842.57	7/8	1,021.22	7/8	1,199.83	7/8	1,379.24	7/8	1,558.71	7/8	1,738.18
5	128.63	5	307.96	5	487.43	5	666.89	5	846.30	5	1,024.94	5	1,203.56	5	1,382.98	5	1,562.45	5	1,741.92
1/8	132.36	1/8	311.70	1/8	491.17	1/8	670.63	1/8	850.03	1/8	1,028.66	1/8	1,207.29	1/8	1,386.72	1/8	1,566.19	1/8	1,745.66
1/4	136.08	1/4	315.44	1/4	494.90	1/4	674.37	1/4	853.76	1/4	1,032.38	1/4	1,211.02	1/4	1,390.46	1/4	1,569.93	1/4	1,749.40
3/8	139.81	3/8	319.18	3/8	498.64	3/8	678.11	3/8	857.48	3/8	1,036.10	3/8	1,214.76	3/8	1,394.20	3/8	1,573.67	3/8	1,753.13
1/2	143.54	1/2	322.91	1/2	502.38	1/2	681.85	1/2	861.21	1/2	1,039.82	1/2	1,218.49	1/2	1,397.94	1/2	1,577.41	1/2	1,756.87
5/8	147.27	5/8	326.65	5/8	506.12	5/8	685.59	5/8	864.94	5/8	1,043.54	5/8	1,222.23	5/8	1,401.68	5/8	1,581.15	5/8	1,760.61
3/4	151.00	3/4	330.39	3/4	509.86	3/4	689.33	3/4	868.66	3/4	1,047.26	3/4	1,225.96	3/4	1,405.42	3/4	1,584.88	3/4	1,764.35
7/8	154.73	7/8	334.13	7/8	513.60	7/8	693.07	7/8	872.39	7/8	1,050.98	7/8	1,229.69	7/8	1,409.16	7/8	1,588.62	7/8	1,768.09

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 232.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endreos

BARGE MMI 2805
HULL # 05-2528

2 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 1/8"

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	1,771.83	6	1,951.30	0	2,130.76	6	2,310.22	0	2,489.89	6	2,669.15	0	2,848.61	6	3,029.07	0	3,207.54	6	3,387.00
1/8	1,775.57	1/8	1,955.04	1/8	2,134.50	1/8	2,313.96	1/8	2,493.43	1/8	2,672.89	1/8	2,852.35	1/8	3,031.81	1/8	3,211.28	1/8	3,390.74
1/4	1,779.31	1/4	1,958.77	1/4	2,138.24	1/4	2,317.70	1/4	2,497.16	1/4	2,676.63	1/4	2,856.09	1/4	3,035.55	1/4	3,215.01	1/4	3,394.48
3/8	1,783.05	3/8	1,962.51	3/8	2,141.98	3/8	2,321.44	3/8	2,500.90	3/8	2,680.37	3/8	2,859.83	3/8	3,039.29	3/8	3,218.75	3/8	3,398.22
1/2	1,786.78	1/2	1,966.25	1/2	2,145.72	1/2	2,325.18	1/2	2,504.64	1/2	2,684.10	1/2	2,863.57	1/2	3,043.03	1/2	3,222.49	1/2	3,401.95
5/8	1,790.52	5/8	1,969.99	5/8	2,149.46	5/8	2,328.92	5/8	2,508.38	5/8	2,687.84	5/8	2,867.31	5/8	3,047.77	5/8	3,226.23	5/8	3,405.69
3/4	1,794.26	3/4	1,973.73	3/4	2,153.20	3/4	2,332.66	3/4	2,512.12	3/4	2,691.58	3/4	2,871.04	3/4	3,050.51	3/4	3,229.97	3/4	3,409.43
7/8	1,798.00	7/8	1,977.47	7/8	2,156.93	7/8	2,336.40	7/8	2,515.86	7/8	2,695.32	7/8	2,874.78	7/8	3,054.25	7/8	3,233.71	7/8	3,413.17
1	1,801.74	1	1,981.21	1	2,160.67	1	2,340.14	1	2,519.60	1	2,699.08	1	2,878.52	1	3,057.98	1	3,237.45	1	3,416.91
1/8	1,805.48	1/8	1,984.95	1/8	2,164.41	1/8	2,343.87	1/8	2,523.34	1/8	2,702.80	1/8	2,882.26	1/8	3,061.72	1/8	3,241.19	1/8	3,420.85
1/4	1,809.22	1/4	1,988.69	1/4	2,168.15	1/4	2,347.61	1/4	2,527.08	1/4	2,706.54	1/4	2,886.00	1/4	3,065.48	1/4	3,244.92	1/4	3,424.39
3/8	1,812.96	3/8	1,992.42	3/8	2,171.89	3/8	2,351.35	3/8	2,530.81	3/8	2,710.28	3/8	2,889.74	3/8	3,069.20	3/8	3,248.68	3/8	3,428.13
1/2	1,816.70	1/2	1,996.16	1/2	2,175.83	1/2	2,355.09	1/2	2,534.55	1/2	2,714.02	1/2	2,893.48	1/2	3,072.94	1/2	3,252.40	1/2	3,431.86
5/8	1,820.43	5/8	1,999.90	5/8	2,179.37	5/8	2,358.83	5/8	2,538.29	5/8	2,717.75	5/8	2,897.22	5/8	3,076.88	5/8	3,256.14	5/8	3,435.60
3/4	1,824.17	3/4	2,003.64	3/4	2,183.11	3/4	2,362.57	3/4	2,542.03	3/4	2,721.49	3/4	2,900.96	3/4	3,080.42	3/4	3,259.88	3/4	3,439.34
7/8	1,827.91	7/8	2,007.38	7/8	2,186.84	7/8	2,366.31	7/8	2,545.77	7/8	2,725.23	7/8	2,904.69	7/8	3,084.16	7/8	3,263.62	7/8	3,443.08
2	1,831.65	2	2,011.12	2	2,190.58	2	2,370.05	2	2,549.51	2	2,728.97	2	2,908.43	2	3,087.90	2	3,267.36	2	3,446.82
1/8	1,835.39	1/8	2,014.86	1/8	2,194.32	1/8	2,373.78	1/8	2,553.25	1/8	2,732.71	1/8	2,912.17	1/8	3,091.63	1/8	3,271.10	1/8	3,450.56
1/4	1,839.13	1/4	2,018.60	1/4	2,198.06	1/4	2,377.52	1/4	2,556.99	1/4	2,736.45	1/4	2,915.91	1/4	3,095.37	1/4	3,274.84	1/4	3,454.30
3/8	1,842.87	3/8	2,022.34	3/8	2,201.80	3/8	2,381.26	3/8	2,560.72	3/8	2,740.19	3/8	2,919.65	3/8	3,099.11	3/8	3,278.57	3/8	3,458.04
1/2	1,846.61	1/2	2,026.08	1/2	2,205.54	1/2	2,385.00	1/2	2,564.46	1/2	2,743.93	1/2	2,923.39	1/2	3,102.85	1/2	3,282.31	1/2	3,461.78
5/8	1,850.35	5/8	2,029.81	5/8	2,209.28	5/8	2,388.74	5/8	2,568.20	5/8	2,747.86	5/8	2,927.13	5/8	3,106.59	5/8	3,286.05	5/8	3,465.52
3/4	1,854.08	3/4	2,033.55	3/4	2,213.02	3/4	2,392.48	3/4	2,571.94	3/4	2,751.40	3/4	2,930.87	3/4	3,110.33	3/4	3,289.79	3/4	3,469.25
7/8	1,857.82	7/8	2,037.29	7/8	2,216.75	7/8	2,396.22	7/8	2,575.68	7/8	2,755.14	7/8	2,934.60	7/8	3,114.07	7/8	3,293.53	7/8	3,472.99
3	1,861.56	3	2,041.03	3	2,220.49	3	2,399.96	3	2,579.42	3	2,758.88	3	2,938.34	3	3,117.81	3	3,297.27	3	3,476.73
1/8	1,865.30	1/8	2,044.77	1/8	2,224.23	1/8	2,403.69	1/8	2,583.16	1/8	2,762.62	1/8	2,942.08	1/8	3,121.54	1/8	3,301.01	1/8	3,480.47
1/4	1,869.04	1/4	2,048.51	1/4	2,227.97	1/4	2,407.43	1/4	2,586.90	1/4	2,766.36	1/4	2,945.82	1/4	3,125.28	1/4	3,304.75	1/4	3,484.20
3/8	1,872.78	3/8	2,052.25	3/8	2,231.71	3/8	2,411.17	3/8	2,590.83	3/8	2,770.10	3/8	2,949.56	3/8	3,129.02	3/8	3,308.48	3/8	3,487.94
1/2	1,876.52	1/2	2,055.99	1/2	2,235.45	1/2	2,414.91	1/2	2,594.37	1/2	2,773.84	1/2	2,953.30	1/2	3,132.76	1/2	3,312.22	1/2	3,491.67
5/8	1,880.26	5/8	2,059.73	5/8	2,239.19	5/8	2,418.65	5/8	2,598.11	5/8	2,777.57	5/8	2,957.04	5/8	3,136.50	5/8	3,315.96	5/8	3,495.40
3/4	1,884.00	3/4	2,063.46	3/4	2,242.93	3/4	2,422.39	3/4	2,601.85	3/4	2,781.31	3/4	2,960.78	3/4	3,140.24	3/4	3,319.70	3/4	3,499.14
7/8	1,887.73	7/8	2,067.20	7/8	2,246.67	7/8	2,426.13	7/8	2,605.59	7/8	2,785.05	7/8	2,964.51	7/8	3,143.98	7/8	3,323.44	7/8	3,502.87
4	1,891.47	4	2,070.94	4	2,250.40	4	2,429.87	4	2,609.33	4	2,788.79	4	2,968.25	4	3,147.72	4	3,327.18	4	3,506.61
1/8	1,895.21	1/8	2,074.68	1/8	2,254.14	1/8	2,433.61	1/8	2,613.07	1/8	2,792.53	1/8	2,971.99	1/8	3,151.45	1/8	3,330.92	1/8	3,510.34
1/4	1,898.95	1/4	2,078.42	1/4	2,257.88	1/4	2,437.34	1/4	2,616.81	1/4	2,796.27	1/4	2,975.73	1/4	3,155.19	1/4	3,334.66	1/4	3,514.07
3/8	1,902.69	3/8	2,082.16	3/8	2,261.62	3/8	2,441.08	3/8	2,620.55	3/8	2,800.01	3/8	2,978.47	3/8	3,158.93	3/8	3,338.39	3/8	3,517.80
1/2	1,906.43	1/2	2,085.90	1/2	2,265.36	1/2	2,444.82	1/2	2,624.28	1/2	2,803.75	1/2	2,983.21	1/2	3,162.67	1/2	3,342.13	1/2	3,521.53
5/8	1,910.17	5/8	2,089.64	5/8	2,269.10	5/8	2,448.56	5/8	2,628.02	5/8	2,807.49	5/8	2,986.95	5/8	3,166.41	5/8	3,345.87	5/8	3,525.27
3/4	1,913.91	3/4	2,093.37	3/4	2,272.84	3/4	2,452.30	3/4	2,631.76	3/4	2,811.22	3/4	2,990.68	3/4	3,170.15	3/4	3,349.61	3/4	3,529.00
7/8	1,917.65	7/8	2,097.11	7/8	2,276.58	7/8	2,456.04	7/8	2,635.50	7/8	2,814.96	7/8	2,994.43	7/8	3,173.89	7/8	3,353.35	7/8	3,532.73
5	1,921.38	5	2,100.85	5	2,280.31	5	2,459.78	5	2,639.24	5	2,818.70	5	2,998.16	5	3,177.63	5	3,357.09	5	3,536.46
1/8	1,925.12	1/8	2,104.59	1/8	2,284.05	1/8	2,463.52	1/8	2,643.99	1/8	2,822.44	1/8	3,001.90	1/8	3,181.37	1/8	3,360.83	1/8	3,540.19
1/4	1,928.86	1/4	2,108.33	1/4	2,287.79	1/4	2,467.25	1/4	2,648.72	1/4	2,826.18	1/4	3,005.64	1/4	3,185.10	1/4	3,364.57	1/4	3,543.93
3/8	1,932.60	3/8	2,112.07	3/8	2,291.53	3/8	2,470.99	3/8	2,650.46	3/8	2,828.92	3/8	3,009.38	3/8	3,188.84	3/8	3,368.31	3/8	3,547.68
1/2	1,936.34	1/2	2,115.81	1/2	2,295.27	1/2	2,474.73	1/2	2,654.19	1/2	2,833.66	1/2	3,013.12	1/2	3,192.58	1/2	3,372.04	1/2	3,551.39
5/8	1,940.08	5/8	2,119.55	5/8	2,299.01	5/8	2,478.47	5/8	2,657.93	5/8	2,837.40	5/8	3,016.86	5/8	3,196.32	5/8	3,375.78	5/8	3,555.12
3/4	1,943.82	3/4	2,123.28	3/4	2,302.75	3/4	2,482.21	3/4	2,661.67	3/4	2,841.13	3/4	3,020.60	3/4	3,200.06	3/4	3,379.52	3/4	3,558.85
7/8	1,947.56	7/8	2,127.02	7/8	2,306.49	7/8	2,486.95	7/8	2,665.41	7/8	2,844.87	7/8	3,024.34	7/8	3,203.80	7/8	3,383.26	7/8	3,562.59

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O Endrean

BARGE MMI 2805
HULL # 05-2528

2 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 1/8"

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.
0	3,566.32	6	3,745.45	0	3,924.58	6	4,103.71	0	4,282.84	6	4,461.96	0	4,641.07	6	4,820.11	0	4,975.07
1/8	3,570.05	1/8	3,749.18	1/8	3,928.31	1/8	4,107.44	1/8	4,286.58	1/8	4,465.89	1/8	4,644.81	1/8	4,823.83	1/8	4,978.48
1/4	3,573.78	1/4	3,752.91	1/4	3,932.05	1/4	4,111.18	1/4	4,290.31	1/4	4,469.42	1/4	4,648.54	1/4	4,827.54	1/4	4,977.90
3/8	3,577.51	3/8	3,756.64	3/8	3,935.78	3/8	4,114.91	3/8	4,294.04	3/8	4,473.16	3/8	4,652.27	3/8	4,831.26	3/8	4,979.32
1/2	3,581.25	1/2	3,760.38	1/2	3,939.51	1/2	4,118.64	1/2	4,297.77	1/2	4,476.89	1/2	4,656.00	1/2	4,834.98	1/2	4,980.73
5/8	3,584.98	5/8	3,764.11	5/8	3,943.24	5/8	4,122.37	5/8	4,301.50	5/8	4,480.62	5/8	4,659.73	5/8	4,838.70	5/8	4,982.15
3/4	3,588.71	3/4	3,767.84	3/4	3,946.97	3/4	4,126.10	3/4	4,305.24	3/4	4,484.35	3/4	4,663.46	3/4	4,842.42	3/4	4,983.56
7/8	3,592.44	7/8	3,771.57	7/8	3,950.71	7/8	4,129.84	7/8	4,308.97	7/8	4,488.08	7/8	4,667.19	7/8	4,846.13	7/8	4,984.98
1	3,596.17	1	3,775.30	1	3,954.44	1	4,133.57	1	4,312.70	1	4,491.81	1	4,670.93	1	4,849.85	1	4,988.39
1/8	3,599.90	1/8	3,779.04	1/8	3,958.17	1/8	4,137.30	1/8	4,316.43	1/8	4,495.55	1/8	4,674.66	1/8	4,853.58	1/8	4,992.21
1/4	3,603.64	1/4	3,782.77	1/4	3,961.90	1/4	4,141.03	1/4	4,320.16	1/4	4,499.28	1/4	4,678.39	1/4	4,857.26	1/4	4,998.04
3/8	3,607.37	3/8	3,786.50	3/8	3,965.63	3/8	4,144.76	3/8	4,323.90	3/8	4,503.01	3/8	4,682.12	3/8	4,860.97	3/8	4,998.86
1/2	3,611.10	1/2	3,790.23	1/2	3,969.37	1/2	4,148.50	1/2	4,327.63	1/2	4,506.74	1/2	4,685.85	1/2	4,864.67	1/2	4,999.68
5/8	3,614.83	5/8	3,793.96	5/8	3,973.10	5/8	4,152.23	5/8	4,331.36	5/8	4,510.47	5/8	4,689.58	5/8	4,868.38	5/8	4,999.68
3/4	3,618.56	3/4	3,797.70	3/4	3,976.83	3/4	4,155.96	3/4	4,335.09	3/4	4,514.20	3/4	4,693.31	3/4	4,872.08	3/4	4,999.68
7/8	3,622.30	7/8	3,801.43	7/8	3,980.56	7/8	4,159.69	7/8	4,338.82	7/8	4,517.93	7/8	4,697.05	7/8	4,875.79	7/8	4,999.68
2	3,626.03	2	3,805.16	2	3,984.29	2	4,163.42	2	4,342.55	2	4,521.67	2	4,700.78	2	4,879.50	2	4,999.68
1/8	3,629.76	1/8	3,808.89	1/8	3,988.02	1/8	4,167.16	1/8	4,346.29	1/8	4,525.40	1/8	4,704.51	1/8	4,883.14	1/8	4,999.68
1/4	3,633.49	1/4	3,812.62	1/4	3,991.75	1/4	4,170.89	1/4	4,350.02	1/4	4,529.13	1/4	4,708.24	1/4	4,886.79	1/4	4,999.68
3/8	3,637.22	3/8	3,816.36	3/8	3,995.49	3/8	4,174.62	3/8	4,353.75	3/8	4,532.86	3/8	4,711.97	3/8	4,890.44	3/8	4,999.68
1/2	3,640.96	1/2	3,820.09	1/2	3,999.22	1/2	4,178.35	1/2	4,357.48	1/2	4,536.59	1/2	4,715.70	1/2	4,894.08	1/2	4,999.68
5/8	3,644.69	5/8	3,823.82	5/8	4,002.95	5/8	4,182.08	5/8	4,361.21	5/8	4,540.32	5/8	4,719.44	5/8	4,897.73	5/8	4,999.68
3/4	3,648.42	3/4	3,827.55	3/4	4,006.68	3/4	4,185.81	3/4	4,364.94	3/4	4,544.05	3/4	4,723.17	3/4	4,901.38	3/4	4,999.68
7/8	3,652.15	7/8	3,831.28	7/8	4,010.42	7/8	4,189.55	7/8	4,368.67	7/8	4,547.79	7/8	4,726.90	7/8	4,905.03	7/8	4,999.68
3	3,655.88	3	3,835.01	3	4,014.15	3	4,193.28	3	4,372.41	3	4,551.52	3	4,730.63	3	4,908.67	3	4,999.68
1/8	3,659.62	1/8	3,838.75	1/8	4,017.88	1/8	4,197.01	1/8	4,376.14	1/8	4,555.25	1/8	4,734.36	1/8	4,912.05	1/8	4,999.68
1/4	3,663.35	1/4	3,842.48	1/4	4,021.61	1/4	4,200.74	1/4	4,379.87	1/4	4,559.98	1/4	4,738.09	1/4	4,915.43	1/4	4,999.68
3/8	3,667.08	3/8	3,846.21	3/8	4,025.34	3/8	4,204.47	3/8	4,383.60	3/8	4,564.71	3/8	4,741.82	3/8	4,918.81	3/8	4,999.68
1/2	3,670.81	1/2	3,849.94	1/2	4,029.07	1/2	4,208.21	1/2	4,387.33	1/2	4,568.44	1/2	4,745.55	1/2	4,922.19	1/2	4,999.68
5/8	3,674.54	5/8	3,853.67	5/8	4,032.81	5/8	4,211.94	5/8	4,391.06	5/8	4,570.18	5/8	4,749.29	5/8	4,925.56	5/8	4,999.68
3/4	3,678.27	3/4	3,857.41	3/4	4,036.54	3/4	4,215.67	3/4	4,394.79	3/4	4,573.91	3/4	4,753.02	3/4	4,928.94	3/4	4,999.68
7/8	3,682.01	7/8	3,861.14	7/8	4,040.27	7/8	4,219.40	7/8	4,398.53	7/8	4,577.64	7/8	4,756.75	7/8	4,932.32	7/8	4,999.68
4	3,685.74	4	3,864.87	4	4,044.00	4	4,223.13	4	4,402.26	4	4,581.37	4	4,760.48	4	4,935.70	4	4,999.68
1/8	3,689.47	1/8	3,868.60	1/8	4,047.73	1/8	4,226.87	1/8	4,405.99	1/8	4,585.10	1/8	4,764.21	1/8	4,938.51	1/8	4,999.68
1/4	3,693.20	1/4	3,872.33	1/4	4,051.47	1/4	4,230.60	1/4	4,409.72	1/4	4,588.83	1/4	4,767.94	1/4	4,941.32	1/4	4,999.68
3/8	3,696.93	3/8	3,876.07	3/8	4,055.20	3/8	4,234.33	3/8	4,413.45	3/8	4,592.56	3/8	4,771.66	3/8	4,944.13	3/8	4,999.68
1/2	3,700.67	1/2	3,879.80	1/2	4,058.93	1/2	4,238.06	1/2	4,417.18	1/2	4,596.30	1/2	4,775.39	1/2	4,948.94	1/2	4,999.68
5/8	3,704.40	5/8	3,883.53	5/8	4,062.66	5/8	4,241.79	5/8	4,420.92	5/8	4,600.03	5/8	4,779.12	5/8	4,952.55	5/8	4,999.68
3/4	3,708.13	3/4	3,887.26	3/4	4,066.39	3/4	4,245.53	3/4	4,424.65	3/4	4,603.78	3/4	4,782.85	3/4	4,956.72	3/4	4,999.68
7/8	3,711.86	7/8	3,891.00	7/8	4,070.13	7/8	4,249.26	7/8	4,428.38	7/8	4,607.49	7/8	4,786.58	7/8	4,955.36	7/8	4,999.68
5	3,715.59	5	3,894.73	5	4,073.86	5	4,252.99	5	4,432.11	5	4,611.22	5	4,790.31	5	4,958.17	5	4,999.68
1/8	3,719.33	1/8	3,898.46	1/8	4,077.59	1/8	4,256.72	1/8	4,435.84	1/8	4,614.95	1/8	4,794.03	1/8	4,960.28	1/8	4,999.68
1/4	3,723.06	1/4	3,902.19	1/4	4,081.32	1/4	4,260.45	1/4	4,439.57	1/4	4,618.68	1/4	4,797.76	1/4	4,962.40	1/4	4,999.68
3/8	3,726.79	3/8	3,905.92	3/8	4,085.05	3/8	4,264.18	3/8	4,443.30	3/8	4,622.42	3/8	4,801.48	3/8	4,964.51	3/8	4,999.68
1/2	3,730.52	1/2	3,909.65	1/2	4,088.79	1/2	4,267.92	1/2	4,447.04	1/2	4,626.15	1/2	4,805.21	1/2	4,966.62	1/2	4,999.68
5/8	3,734.25	5/8	3,913.39	5/8	4,092.52	5/8	4,271.65	5/8	4,450.77	5/8	4,629.88	5/8	4,808.93	5/8	4,968.73	5/8	4,999.68
3/4	3,737.98	3/4	3,917.12	3/4	4,096.25	3/4	4,275.38	3/4	4,454.50	3/4	4,633.61	3/4	4,812.66	3/4	4,970.84	3/4	4,999.68
7/8	3,741.72	7/8	3,920.86	7/8	4,099.98	7/8	4,279.11	7/8	4,458.23	7/8	4,637.34	7/8	4,816.38	7/8	4,972.96	7/8	4,999.68

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF
STRAPPED BY: JAB & DH
01/15/07
01/10/07
SAYBOLT LP.

O Endrean

BARGE MMI 2805
HULL # 05-2528

3 PORT
INNAGE TABLE
MANUAL GAUGING
BARRELS

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 16'-5 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.
0	7.31	6	339.42	0	698.87	6	1058.21	0	1417.61	6	1597.33
1/8	9.02	1/8	343.16	1/8	702.61	1/8	1061.95	1/8	1421.35	1/8	1601.08
1/4	10.72	1/4	346.91	1/4	706.36	1/4	1065.70	1/4	1425.10	1/4	1604.82
3/8	12.43	3/8	350.65	3/8	710.10	3/8	1069.44	3/8	1428.84	3/8	1608.57
1/2	14.14	1/2	354.40	1/2	713.85	1/2	1073.18	1/2	1432.59	1/2	1612.31
5/8	15.84	5/8	358.14	5/8	717.59	5/8	1076.92	5/8	1436.33	5/8	1616.06
3/4	17.55	3/4	361.88	3/4	721.34	3/4	1080.67	3/4	1440.07	3/4	1619.80
7/8	19.25	7/8	365.63	7/8	725.08	7/8	1084.41	7/8	1443.82	7/8	1623.54
1	20.96	1	369.37	1	728.82	1	1088.15	1	1447.56	1	1627.29
1/8	23.69	1/8	373.12	1/8	732.57	1/8	1091.89	1/8	1451.31	1/8	1631.03
1/4	26.42	1/4	376.86	1/4	736.31	1/4	1095.63	1/4	1455.05	1/4	1634.78
3/8	29.15	3/8	380.61	3/8	740.06	3/8	1099.38	3/8	1458.80	3/8	1638.52
1/2	31.88	1/2	384.35	1/2	743.80	1/2	1103.12	1/2	1462.54	1/2	1642.27
5/8	34.61	5/8	388.09	5/8	747.55	5/8	1106.86	5/8	1466.28	5/8	1646.01
3/4	37.34	3/4	391.84	3/4	751.29	3/4	1110.60	3/4	1470.03	3/4	1649.75
7/8	40.07	7/8	395.58	7/8	755.04	7/8	1114.35	7/8	1473.77	7/8	1653.50
2	42.80	2	399.33	2	758.78	2	1118.09	2	1477.52	2	1657.24
1/8	45.53	1/8	403.07	1/8	762.52	1/8	1121.83	1/8	1481.26	1/8	1660.99
1/4	48.26	1/4	406.82	1/4	766.27	1/4	1125.57	1/4	1485.01	1/4	1664.73
3/8	51.00	3/8	410.56	3/8	770.01	3/8	1129.32	3/8	1488.75	3/8	1668.48
1/2	53.73	1/2	414.30	1/2	773.76	1/2	1133.06	1/2	1492.49	1/2	1672.22
5/8	56.46	5/8	418.05	5/8	777.50	5/8	1136.80	5/8	1496.24	5/8	1675.96
3/4	59.19	3/4	421.79	3/4	781.24	3/4	1140.54	3/4	1499.98	3/4	1679.71
7/8	61.92	7/8	425.54	7/8	784.99	7/8	1144.28	7/8	1503.73	7/8	1683.45
3	64.65	3	429.28	3	788.73	3	1148.03	3	1507.47	3	1687.20
1/8	67.38	1/8	433.03	1/8	792.48	1/8	1151.77	1/8	1511.22	1/8	1690.94
1/4	70.11	1/4	436.77	1/4	796.22	1/4	1155.51	1/4	1514.96	1/4	1694.69
3/8	72.84	3/8	440.51	3/8	799.96	3/8	1159.26	3/8	1518.70	3/8	1698.43
1/2	75.57	1/2	444.26	1/2	803.71	1/2	1163.00	1/2	1522.45	1/2	1702.18
5/8	78.30	5/8	448.00	5/8	807.45	5/8	1166.74	5/8	1526.19	5/8	1705.92
3/4	81.03	3/4	451.75	3/4	811.19	3/4	1170.49	3/4	1529.94	3/4	1709.66
7/8	83.76	7/8	455.49	7/8	814.94	7/8	1174.23	7/8	1533.68	7/8	1713.41
4	86.49	4	459.24	4	818.68	4	1177.97	4	1537.43	4	1717.15
1/8	89.22	1/8	462.98	1/8	822.42	1/8	1181.72	1/8	1541.17	1/8	1720.90
1/4	91.95	1/4	466.72	1/4	826.17	1/4	1185.46	1/4	1544.91	1/4	1724.64
3/8	94.68	3/8	470.47	3/8	829.91	3/8	1189.21	3/8	1548.66	3/8	1728.39
1/2	97.41	1/2	474.21	1/2	833.65	1/2	1192.95	1/2	1552.40	1/2	1732.13
5/8	100.14	5/8	477.96	5/8	837.40	5/8	1196.69	5/8	1556.15	5/8	1735.87
3/4	102.87	3/4	481.70	3/4	841.14	3/4	1200.44	3/4	1559.89	3/4	1739.62
7/8	105.60	7/8	485.45	7/8	844.88	7/8	1204.18	7/8	1563.64	7/8	1743.36
5	108.33	5	489.19	5	848.63	5	1207.93	5	1567.38	5	1747.11
1/8	111.06	1/8	492.93	1/8	852.37	1/8	1211.67	1/8	1571.12	1/8	1750.85
1/4	113.79	1/4	496.68	1/4	856.11	1/4	1215.42	1/4	1574.87	1/4	1754.60
3/8	116.52	3/8	500.42	3/8	859.86	3/8	1219.16	3/8	1578.61	3/8	1758.34
1/2	119.25	1/2	504.17	1/2	863.60	1/2	1222.90	1/2	1582.36	1/2	1762.08
5/8	121.98	5/8	507.91	5/8	867.34	5/8	1226.65	5/8	1586.10	5/8	1765.83
3/4	124.71	3/4	511.66	3/4	871.09	3/4	1230.39	3/4	1589.85	3/4	1769.57
7/8	127.44	7/8	515.40	7/8	874.83	7/8	1234.14	7/8	1593.59	7/8	1773.32

GAUGE LOCATED 85'-3" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5"

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF
STRAPPED BY: JAB & DH

SAYBOLT LP.

O Endrew

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

BARGE MMI 2805
HULL # 05-2528

3 PORT
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 1/2"

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	1,777.06	6	1,956.79	0	2,136.51	6	2,316.24	0	2,495.97	6	2,675.69	0	2,855.42	6	3,035.15	0	3,214.87	6	3,394.46
1/8	1,780.81	1/8	1,960.53	1/8	2,140.26	1/8	2,319.98	1/8	2,499.71	1/8	2,679.44	1/8	2,859.16	1/8	3,038.89	1/8	3,218.62	1/8	3,398.18
1/4	1,784.55	1/4	1,964.28	1/4	2,144.00	1/4	2,323.73	1/4	2,503.46	1/4	2,683.18	1/4	2,862.91	1/4	3,042.63	1/4	3,222.36	1/4	3,401.91
3/8	1,788.29	3/8	1,968.02	3/8	2,147.75	3/8	2,327.47	3/8	2,507.20	3/8	2,686.93	3/8	2,866.65	3/8	3,046.38	3/8	3,226.11	3/8	3,405.83
1/2	1,792.04	1/2	1,971.76	1/2	2,151.48	1/2	2,331.22	1/2	2,510.94	1/2	2,690.67	1/2	2,870.40	1/2	3,050.12	1/2	3,229.85	1/2	3,409.36
5/8	1,795.78	5/8	1,975.51	5/8	2,155.24	5/8	2,334.96	5/8	2,514.69	5/8	2,694.41	5/8	2,874.14	5/8	3,053.87	5/8	3,233.59	5/8	3,413.08
3/4	1,799.53	3/4	1,979.25	3/4	2,158.98	3/4	2,338.71	3/4	2,518.43	3/4	2,698.16	3/4	2,877.89	3/4	3,057.61	3/4	3,237.34	3/4	3,416.81
7/8	1,803.27	7/8	1,983.00	7/8	2,162.72	7/8	2,342.45	7/8	2,522.18	7/8	2,701.90	7/8	2,881.63	7/8	3,061.36	7/8	3,241.08	7/8	3,420.53
1	1,807.02	1	1,986.74	1	2,166.47	1	2,346.19	1	2,525.92	1	2,705.65	1	2,885.37	1	3,065.10	1	3,244.83	1	3,424.28
1/8	1,810.76	1/8	1,990.49	1/8	2,170.21	1/8	2,349.94	1/8	2,529.67	1/8	2,709.39	1/8	2,889.12	1/8	3,068.84	1/8	3,248.57	1/8	3,427.99
1/4	1,814.50	1/4	1,994.23	1/4	2,173.96	1/4	2,353.68	1/4	2,533.41	1/4	2,713.14	1/4	2,892.86	1/4	3,072.59	1/4	3,252.32	1/4	3,431.71
3/8	1,818.25	3/8	1,997.97	3/8	2,177.70	3/8	2,357.43	3/8	2,537.15	3/8	2,716.88	3/8	2,896.61	3/8	3,076.33	3/8	3,256.06	3/8	3,435.44
1/2	1,821.99	1/2	2,001.72	1/2	2,181.45	1/2	2,361.17	1/2	2,540.90	1/2	2,720.62	1/2	2,900.35	1/2	3,080.80	1/2	3,259.80	1/2	3,439.16
5/8	1,825.74	5/8	2,005.46	5/8	2,185.19	5/8	2,364.92	5/8	2,544.84	5/8	2,724.37	5/8	2,904.10	5/8	3,083.82	5/8	3,263.55	5/8	3,442.89
3/4	1,829.48	3/4	2,009.21	3/4	2,188.93	3/4	2,368.66	3/4	2,548.39	3/4	2,728.11	3/4	2,907.84	3/4	3,087.57	3/4	3,267.29	3/4	3,446.61
7/8	1,833.23	7/8	2,012.95	7/8	2,192.68	7/8	2,372.40	7/8	2,552.13	7/8	2,731.86	7/8	2,911.58	7/8	3,091.31	7/8	3,271.04	7/8	3,450.34
2	1,836.97	2	2,016.70	2	2,196.42	2	2,376.15	2	2,555.88	2	2,735.60	2	2,915.33	2	3,095.05	2	3,274.78	2	3,454.08
1/8	1,840.71	1/8	2,020.44	1/8	2,200.17	1/8	2,379.89	1/8	2,559.62	1/8	2,739.35	1/8	2,919.07	1/8	3,098.80	1/8	3,278.53	1/8	3,457.79
1/4	1,844.46	1/4	2,024.18	1/4	2,203.91	1/4	2,383.64	1/4	2,563.36	1/4	2,743.09	1/4	2,922.82	1/4	3,102.54	1/4	3,282.27	1/4	3,461.51
3/8	1,848.20	3/8	2,027.93	3/8	2,207.66	3/8	2,387.38	3/8	2,567.11	3/8	2,746.83	3/8	2,926.56	3/8	3,106.29	3/8	3,286.01	3/8	3,465.24
1/2	1,851.95	1/2	2,031.67	1/2	2,211.40	1/2	2,391.13	1/2	2,570.85	1/2	2,750.58	1/2	2,930.31	1/2	3,110.03	1/2	3,289.76	1/2	3,468.96
5/8	1,855.68	5/8	2,035.42	5/8	2,215.14	5/8	2,394.87	5/8	2,574.60	5/8	2,754.32	5/8	2,934.05	5/8	3,113.78	5/8	3,293.50	5/8	3,472.69
3/4	1,859.44	3/4	2,039.16	3/4	2,218.89	3/4	2,398.61	3/4	2,578.34	3/4	2,758.07	3/4	2,937.79	3/4	3,117.52	3/4	3,297.25	3/4	3,476.41
7/8	1,863.18	7/8	2,042.91	7/8	2,222.63	7/8	2,402.36	7/8	2,582.09	7/8	2,761.81	7/8	2,941.54	7/8	3,121.26	7/8	3,300.99	7/8	3,480.14
3	1,866.92	3	2,046.65	3	2,226.38	3	2,406.10	3	2,585.83	3	2,765.56	3	2,945.28	3	3,125.01	3	3,304.74	3	3,483.86
1/8	1,870.67	1/8	2,050.39	1/8	2,230.12	1/8	2,409.85	1/8	2,589.57	1/8	2,769.30	1/8	2,949.03	1/8	3,128.75	1/8	3,308.48	1/8	3,487.58
1/4	1,874.41	1/4	2,054.14	1/4	2,233.87	1/4	2,413.59	1/4	2,593.32	1/4	2,773.04	1/4	2,952.77	1/4	3,132.50	1/4	3,312.22	1/4	3,491.31
3/8	1,878.16	3/8	2,057.88	3/8	2,237.61	3/8	2,417.34	3/8	2,597.06	3/8	2,776.79	3/8	2,956.52	3/8	3,136.24	3/8	3,315.97	3/8	3,495.03
1/2	1,881.90	1/2	2,061.63	1/2	2,241.35	1/2	2,421.08	1/2	2,600.81	1/2	2,780.53	1/2	2,960.26	1/2	3,139.99	1/2	3,319.71	1/2	3,498.76
5/8	1,885.65	5/8	2,065.37	5/8	2,245.10	5/8	2,424.82	5/8	2,604.55	5/8	2,784.28	5/8	2,964.00	5/8	3,143.73	5/8	3,323.46	5/8	3,502.48
3/4	1,889.39	3/4	2,069.12	3/4	2,248.84	3/4	2,428.57	3/4	2,608.30	3/4	2,788.02	3/4	2,967.75	3/4	3,147.47	3/4	3,327.20	3/4	3,506.20
7/8	1,893.13	7/8	2,072.86	7/8	2,252.59	7/8	2,432.31	7/8	2,612.04	7/8	2,791.77	7/8	2,971.49	7/8	3,151.22	7/8	3,330.95	7/8	3,509.93
4	1,896.88	4	2,076.61	4	2,256.33	4	2,436.08	4	2,615.78	4	2,795.51	4	2,975.24	4	3,154.96	4	3,334.69	4	3,513.65
1/8	1,900.62	1/8	2,080.35	1/8	2,260.08	1/8	2,439.80	1/8	2,619.53	1/8	2,799.25	1/8	2,978.98	1/8	3,158.71	1/8	3,338.43	1/8	3,517.38
1/4	1,904.37	1/4	2,084.09	1/4	2,263.82	1/4	2,443.55	1/4	2,623.27	1/4	2,803.00	1/4	2,982.73	1/4	3,162.45	1/4	3,342.17	1/4	3,521.12
3/8	1,908.11	3/8	2,087.84	3/8	2,267.56	3/8	2,447.29	3/8	2,627.02	3/8	2,806.74	3/8	2,986.47	3/8	3,166.20	3/8	3,345.91	3/8	3,524.85
1/2	1,911.86	1/2	2,091.58	1/2	2,271.31	1/2	2,451.03	1/2	2,630.76	1/2	2,810.49	1/2	2,990.21	1/2	3,169.94	1/2	3,349.65	1/2	3,528.58
5/8	1,915.60	5/8	2,095.33	5/8	2,275.05	5/8	2,454.78	5/8	2,634.51	5/8	2,814.23	5/8	2,993.96	5/8	3,173.68	5/8	3,353.39	5/8	3,532.31
3/4	1,919.34	3/4	2,099.07	3/4	2,278.80	3/4	2,458.52	3/4	2,638.25	3/4	2,817.96	3/4	2,997.70	3/4	3,177.43	3/4	3,357.13	3/4	3,536.04
7/8	1,923.09	7/8	2,102.82	7/8	2,282.54	7/8	2,462.27	7/8	2,641.99	7/8	2,821.72	7/8	3,001.45	7/8	3,181.17	7/8	3,360.87	7/8	3,539.78
5	1,926.83	5	2,106.56	5	2,286.29	5	2,466.01	5	2,645.74	5	2,825.46	5	3,005.19	5	3,184.92	5	3,364.61	5	3,543.51
1/8	1,930.58	1/8	2,110.30	1/8	2,290.03	1/8	2,469.76	1/8	2,649.48	1/8	2,829.21	1/8	3,008.94	1/8	3,188.66	1/8	3,368.34	1/8	3,547.25
1/4	1,934.32	1/4	2,114.05	1/4	2,293.77	1/4	2,473.50	1/4	2,653.23	1/4	2,832.95	1/4	3,012.68	1/4	3,192.41	1/4	3,372.07	1/4	3,550.99
3/8	1,938.07	3/8	2,117.79	3/8	2,297.52	3/8	2,477.25	3/8	2,656.97	3/8	2,836.70	3/8	3,016.42	3/8	3,191.15	3/8	3,375.80	3/8	3,554.72
1/2	1,941.81	1/2	2,121.54	1/2	2,301.26	1/2	2,480.99	1/2	2,660.72	1/2	2,840.44	1/2	3,020.17	1/2	3,199.89	1/2	3,379.53	1/2	3,558.46
5/8	1,945.55	5/8	2,125.28	5/8	2,305.01	5/8	2,484.73	5/8	2,664.46	5/8	2,844.19	5/8	3,023.91	5/8	3,203.64	5/8	3,383.26	5/8	3,562.20
3/4	1,949.30	3/4	2,129.03	3/4	2,308.75	3/4	2,488.48	3/4	2,668.20	3/4	2,847.93	3/4	3,027.66	3/4	3,207.38	3/4	3,386.99	3/4	3,565.94
7/8	1,953.04	7/8	2,132.77	7/8	2,312.50	7/8	2,492.22	7/8	2,671.95	7/8	2,851.68	7/8	3,031.40	7/8	3,211.13	7/8	3,390.73	7/8	3,569.67

GAUGE LOCATED 85'-3" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.
O. Endreud

BARGE MMI 2805
HULL # 05-2528

3 PORT
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 1/2"

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.
0	3,573.41	6	3,723.52	0	3,866.71	6	4,009.90	0	4,153.09	6	4,296.27	0	4,439.44	6	4,582.56	0	4,705.98
1/8	3,577.04	1/8	3,726.50	1/8	3,869.69	1/8	4,012.88	1/8	4,156.08	1/8	4,299.25	1/8	4,442.43	1/8	4,585.52	1/8	4,707.09
1/4	3,580.66	1/4	3,729.48	1/4	3,872.88	1/4	4,015.87	1/4	4,159.08	1/4	4,302.23	1/4	4,445.41	1/4	4,588.49	1/4	4,708.20
3/8	3,584.28	3/8	3,732.47	3/8	3,875.66	3/8	4,018.85	3/8	4,162.04	3/8	4,305.22	3/8	4,448.39	3/8	4,591.47	3/8	4,709.31
1/2	3,587.91	1/2	3,735.45	1/2	3,878.64	1/2	4,021.83	1/2	4,165.02	1/2	4,308.20	1/2	4,451.37	1/2	4,594.44	1/2	4,710.42
5/8	3,591.53	5/8	3,738.43	5/8	3,881.63	5/8	4,024.82	5/8	4,168.01	5/8	4,311.18	5/8	4,454.36	5/8	4,597.41	5/8	4,711.53
3/4	3,595.15	3/4	3,741.42	3/4	3,884.61	3/4	4,027.80	3/4	4,170.99	3/4	4,314.17	3/4	4,457.34	3/4	4,600.38	3/4	4,712.64
7/8	3,598.78	7/8	3,744.40	7/8	3,887.59	7/8	4,030.78	7/8	4,173.97	7/8	4,317.15	7/8	4,460.32	7/8	4,603.32	7/8	4,713.75
1	3,602.40	1	3,747.38	1	3,890.57	1	4,033.78	1	4,176.98	1	4,320.13	1	4,463.31	1	4,606.32	1	4,714.86
1/8	3,605.81	1/8	3,750.37	1/8	3,893.56	1/8	4,036.75	1/8	4,179.94	1/8	4,323.11	1/8	4,466.29	1/8	4,609.29	1/8	4,715.97
1/4	3,608.82	1/4	3,753.35	1/4	3,896.54	1/4	4,039.73	1/4	4,182.92	1/4	4,326.10	1/4	4,469.27	1/4	4,612.25	1/4	4,717.08
3/8	3,612.02	3/8	3,756.33	3/8	3,899.52	3/8	4,042.71	3/8	4,185.90	3/8	4,329.08	3/8	4,472.25	3/8	4,615.21	3/8	4,718.19
1/2	3,615.23	1/2	3,759.32	1/2	3,902.51	1/2	4,045.70	1/2	4,188.89	1/2	4,332.06	1/2	4,475.24	1/2	4,618.17	1/2	4,719.30
5/8	3,618.44	5/8	3,762.30	5/8	3,905.49	5/8	4,048.68	5/8	4,191.87	5/8	4,335.05	5/8	4,478.22	5/8	4,621.13	5/8	4,720.41
3/4	3,621.64	3/4	3,765.28	3/4	3,908.47	3/4	4,051.66	3/4	4,194.85	3/4	4,338.03	3/4	4,481.20	3/4	4,624.09	3/4	4,721.52
7/8	3,624.85	7/8	3,768.27	7/8	3,911.46	7/8	4,054.65	7/8	4,197.84	7/8	4,341.01	7/8	4,484.19	7/8	4,627.06	7/8	4,722.63
2	3,628.06	2	3,771.25	2	3,914.44	2	4,057.63	2	4,200.82	2	4,343.99	2	4,487.17	2	4,630.02	2	4,723.74
1/8	3,631.04	1/8	3,774.23	1/8	3,917.42	1/8	4,060.61	1/8	4,203.80	1/8	4,346.98	1/8	4,490.15	1/8	4,632.93	1/8	4,724.85
1/4	3,634.02	1/4	3,777.22	1/4	3,920.40	1/4	4,063.60	1/4	4,206.78	1/4	4,349.96	1/4	4,493.13	1/4	4,635.84	1/4	4,725.96
3/8	3,637.01	3/8	3,780.20	3/8	3,923.39	3/8	4,066.58	3/8	4,209.77	3/8	4,352.94	3/8	4,496.12	3/8	4,638.76	3/8	4,727.07
1/2	3,639.99	1/2	3,783.18	1/2	3,926.37	1/2	4,069.56	1/2	4,212.75	1/2	4,355.92	1/2	4,499.10	1/2	4,641.67	1/2	4,728.18
5/8	3,642.97	5/8	3,786.17	5/8	3,929.35	5/8	4,072.55	5/8	4,215.73	5/8	4,358.91	5/8	4,502.08	5/8	4,644.58	5/8	4,729.29
3/4	3,645.95	3/4	3,789.15	3/4	3,932.34	3/4	4,075.53	3/4	4,218.72	3/4	4,361.89	3/4	4,505.06	3/4	4,647.49	3/4	4,730.40
7/8	3,648.94	7/8	3,792.13	7/8	3,935.32	7/8	4,078.51	7/8	4,221.70	7/8	4,364.87	7/8	4,508.05	7/8	4,650.41	7/8	4,731.51
3	3,651.92	3	3,795.12	3	3,938.30	3	4,081.50	3	4,224.68	3	4,367.86	3	4,511.03	3	4,653.32	3	4,732.62
1/8	3,654.90	1/8	3,798.10	1/8	3,941.29	1/8	4,084.48	1/8	4,227.66	1/8	4,370.84	1/8	4,514.01	1/8	4,656.01	1/8	4,733.73
1/4	3,657.89	1/4	3,801.08	1/4	3,944.27	1/4	4,087.46	1/4	4,230.65	1/4	4,373.82	1/4	4,516.99	1/4	4,658.70	1/4	4,734.84
3/8	3,660.87	3/8	3,804.06	3/8	3,947.25	3/8	4,090.45	3/8	4,233.63	3/8	4,376.80	3/8	4,519.98	3/8	4,661.39	3/8	4,735.95
1/2	3,663.85	1/2	3,807.05	1/2	3,950.24	1/2	4,093.43	1/2	4,236.61	1/2	4,379.79	1/2	4,522.96	1/2	4,664.07	1/2	4,737.06
5/8	3,666.84	5/8	3,810.03	5/8	3,953.22	5/8	4,096.41	5/8	4,239.60	5/8	4,382.77	5/8	4,525.94	5/8	4,666.76	5/8	4,738.17
3/4	3,669.82	3/4	3,813.01	3/4	3,956.20	3/4	4,099.40	3/4	4,242.58	3/4	4,385.75	3/4	4,528.92	3/4	4,669.45	3/4	4,739.28
7/8	3,672.80	7/8	3,816.00	7/8	3,959.18	7/8	4,102.38	7/8	4,245.56	7/8	4,388.74	7/8	4,531.90	7/8	4,672.14	7/8	4,740.39
4	3,675.79	4	3,818.98	4	3,962.17	4	4,105.36	4	4,248.54	4	4,391.72	4	4,534.89	4	4,674.83	4	4,741.50
1/8	3,678.77	1/8	3,821.96	1/8	3,965.15	1/8	4,108.34	1/8	4,251.53	1/8	4,394.70	1/8	4,537.87	1/8	4,677.06	1/8	4,742.61
1/4	3,681.75	1/4	3,824.95	1/4	3,968.13	1/4	4,111.33	1/4	4,254.51	1/4	4,397.68	1/4	4,540.85	1/4	4,679.26	1/4	4,743.72
3/8	3,684.74	3/8	3,827.93	3/8	3,971.12	3/8	4,114.31	3/8	4,257.49	3/8	4,400.67	3/8	4,543.83	3/8	4,681.51	3/8	4,744.83
1/2	3,687.72	1/2	3,830.91	1/2	3,974.10	1/2	4,117.29	1/2	4,260.48	1/2	4,403.65	1/2	4,546.81	1/2	4,683.73	1/2	4,745.94
5/8	3,690.70	5/8	3,833.90	5/8	3,977.08	5/8	4,120.28	5/8	4,263.46	5/8	4,406.63	5/8	4,549.79	5/8	4,685.96	5/8	4,747.05
3/4	3,693.69	3/4	3,836.88	3/4	3,980.07	3/4	4,123.26	3/4	4,266.44	3/4	4,409.62	3/4	4,552.77	3/4	4,688.18	3/4	4,748.16
7/8	3,696.67	7/8	3,839.86	7/8	3,983.05	7/8	4,126.24	7/8	4,269.42	7/8	4,412.60	7/8	4,555.75	7/8	4,690.41	7/8	4,749.27
5	3,699.65	5	3,842.85	5	3,986.03	5	4,129.23	5	4,272.41	5	4,415.56	5	4,558.73	5	4,692.63	5	4,750.38
1/8	3,702.64	1/8	3,845.83	1/8	3,989.02	1/8	4,132.21	1/8	4,275.39	1/8	4,418.56	1/8	4,561.71	1/8	4,694.30	1/8	4,751.49
1/4	3,705.62	1/4	3,848.81	1/4	3,992.00	1/4	4,135.19	1/4	4,278.37	1/4	4,421.55	1/4	4,564.69	1/4	4,695.97	1/4	4,752.60
3/8	3,708.60	3/8	3,851.80	3/8	3,994.98	3/8	4,138.18	3/8	4,281.35	3/8	4,424.53	3/8	4,567.66	3/8	4,697.84	3/8	4,753.71
1/2	3,711.59	1/2	3,854.78	1/2	3,997.97	1/2	4,141.16	1/2	4,284.34	1/2	4,427.51	1/2	4,570.64	1/2	4,699.30	1/2	4,754.82
5/8	3,714.57	5/8	3,857.76	5/8	4,000.95	5/8	4,144.14	5/8	4,287.32	5/8	4,430.49	5/8	4,573.62	5/8	4,700.97	5/8	4,755.93
3/4	3,717.55	3/4	3,860.74	3/4	4,003.93	3/4	4,147.13	3/4	4,290.30	3/4	4,433.48	3/4	4,576.60	3/4	4,702.64	3/4	4,757.04
7/8	3,720.54	7/8	3,863.73	7/8	4,006.92	7/8	4,150.11	7/8	4,293.29	7/8	4,436.46	7/8	4,579.57	7/8	4,703.75	7/8	4,758.15

GAUGE LOCATED 85'-3" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

Enduro

BARGE MMI 2805

HULL # 05-2528

3 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	6.90	6	159.02	0	337.33	6	516.69	0	696.04	6	875.30	0	1,053.86	6	1,232.57	0	1,411.92	6	1,591.27
1/8	8.55	1/8	161.75	1/8	341.07	1/8	520.42	1/8	699.78	1/8	879.02	1/8	1,057.58	1/8	1,236.31	1/8	1,415.68	1/8	1,595.01
1/4	10.20	1/4	165.49	1/4	344.80	1/4	524.16	1/4	703.52	1/4	882.74	1/4	1,061.30	1/4	1,240.04	1/4	1,419.40	1/4	1,598.75
3/8	11.86	3/8	169.22	3/8	348.54	3/8	527.90	3/8	707.25	3/8	886.47	3/8	1,065.02	3/8	1,243.78	3/8	1,423.13	3/8	1,602.48
1/2	13.51	1/2	172.95	1/2	352.28	1/2	531.63	1/2	710.99	1/2	890.19	1/2	1,068.74	1/2	1,247.57	1/2	1,426.87	1/2	1,606.22
5/8	15.16	5/8	176.68	5/8	356.01	5/8	535.37	5/8	714.72	5/8	893.91	5/8	1,072.46	5/8	1,251.25	5/8	1,430.61	5/8	1,609.96
3/4	16.81	3/4	180.41	3/4	359.75	3/4	539.11	3/4	718.46	3/4	897.63	3/4	1,076.18	3/4	1,254.99	3/4	1,434.34	3/4	1,613.69
7/8	18.47	7/8	184.15	7/8	363.49	7/8	542.84	7/8	722.20	7/8	901.35	7/8	1,079.90	7/8	1,258.73	7/8	1,438.08	7/8	1,617.43
1	20.12	1	187.88	1	367.22	1	546.58	1	725.93	1	905.07	1	1,083.62	1	1,262.46	1	1,441.81	1	1,621.17
1/8	22.80	1/8	191.61	1/8	370.96	1/8	550.32	1/8	729.67	1/8	908.79	1/8	1,087.34	1/8	1,266.20	1/8	1,445.55	1/8	1,624.90
1/4	25.47	1/4	195.35	1/4	374.70	1/4	554.05	1/4	733.41	1/4	912.51	1/4	1,091.06	1/4	1,269.94	1/4	1,449.29	1/4	1,628.64
3/8	28.15	3/8	199.08	3/8	378.43	3/8	557.79	3/8	737.14	3/8	916.23	3/8	1,094.77	3/8	1,273.67	3/8	1,453.02	3/8	1,632.38
1/2	30.83	1/2	202.82	1/2	382.17	1/2	561.53	1/2	740.88	1/2	919.85	1/2	1,098.49	1/2	1,277.41	1/2	1,456.76	1/2	1,636.11
5/8	33.51	5/8	206.55	5/8	385.91	5/8	565.26	5/8	744.52	5/8	923.87	5/8	1,102.21	5/8	1,281.15	5/8	1,460.50	5/8	1,639.85
3/4	36.18	3/4	210.29	3/4	389.64	3/4	569.00	3/4	748.35	3/4	927.39	3/4	1,105.93	3/4	1,284.88	3/4	1,464.23	3/4	1,643.59
7/8	38.86	7/8	214.03	7/8	393.38	7/8	572.74	7/8	752.09	7/8	931.11	7/8	1,109.65	7/8	1,288.62	7/8	1,467.97	7/8	1,647.32
2	41.54	2	217.76	2	397.12	2	576.47	2	755.82	2	934.83	2	1,113.37	2	1,292.35	2	1,471.71	2	1,651.06
1/8	44.22	1/8	221.50	1/8	400.85	1/8	580.21	1/8	759.56	1/8	938.55	1/8	1,117.09	1/8	1,296.09	1/8	1,475.44	1/8	1,654.80
1/4	46.89	1/4	225.23	1/4	404.58	1/4	583.95	1/4	763.30	1/4	942.27	1/4	1,120.81	1/4	1,299.83	1/4	1,479.18	1/4	1,658.53
3/8	49.57	3/8	228.97	3/8	408.33	3/8	587.68	3/8	767.03	3/8	946.99	3/8	1,124.53	3/8	1,303.56	3/8	1,482.92	3/8	1,662.27
1/2	52.24	1/2	232.71	1/2	412.06	1/2	591.42	1/2	770.77	1/2	951.71	1/2	1,128.25	1/2	1,307.30	1/2	1,486.65	1/2	1,666.00
5/8	54.91	5/8	236.44	5/8	415.80	5/8	595.16	5/8	774.51	5/8	955.43	5/8	1,131.97	5/8	1,311.04	5/8	1,490.39	5/8	1,669.74
3/4	57.58	3/4	240.18	3/4	419.54	3/4	598.89	3/4	778.24	3/4	959.15	3/4	1,135.69	3/4	1,314.77	3/4	1,494.13	3/4	1,673.48
7/8	60.25	7/8	243.92	7/8	423.27	7/8	602.63	7/8	781.98	7/8	963.87	7/8	1,139.41	7/8	1,318.51	7/8	1,497.86	7/8	1,677.21
3	62.92	3	247.65	3	427.01	3	606.37	3	785.72	3	968.59	3	1,143.13	3	1,322.25	3	1,501.60	3	1,680.95
1/8	65.59	1/8	251.39	1/8	430.75	1/8	610.10	1/8	789.45	1/8	973.31	1/8	1,146.85	1/8	1,325.98	1/8	1,505.34	1/8	1,684.69
1/4	68.26	1/4	255.13	1/4	434.48	1/4	613.84	1/4	793.19	1/4	977.03	1/4	1,150.57	1/4	1,329.72	1/4	1,509.07	1/4	1,688.42
3/8	70.93	3/8	258.88	3/8	438.22	3/8	617.58	3/8	796.92	3/8	980.75	3/8	1,154.29	3/8	1,333.46	3/8	1,512.81	3/8	1,692.16
1/2	73.60	1/2	262.60	1/2	441.96	1/2	621.31	1/2	800.66	1/2	984.47	1/2	1,158.01	1/2	1,337.19	1/2	1,516.54	1/2	1,695.90
5/8	76.27	5/8	266.34	5/8	445.69	5/8	625.05	5/8	804.39	5/8	988.19	5/8	1,161.73	5/8	1,340.93	5/8	1,520.28	5/8	1,699.63
3/4	78.94	3/4	270.07	3/4	449.43	3/4	628.79	3/4	808.13	3/4	991.91	3/4	1,165.46	3/4	1,344.67	3/4	1,524.02	3/4	1,703.37
7/8	81.61	7/8	273.81	7/8	453.17	7/8	632.52	7/8	811.87	7/8	995.63	7/8	1,169.18	7/8	1,348.40	7/8	1,527.75	7/8	1,707.11
4	84.28	4	277.55	4	456.90	4	636.26	4	815.60	4	999.35	4	1,172.90	4	1,352.14	4	1,531.49	4	1,710.84
1/8	86.95	1/8	281.28	1/8	460.64	1/8	640.00	1/8	819.34	1/8	1,003.07	1/8	1,176.62	1/8	1,355.88	1/8	1,535.23	1/8	1,714.58
1/4	89.62	1/4	285.02	1/4	464.38	1/4	643.73	1/4	823.07	1/4	1,006.79	1/4	1,180.35	1/4	1,359.61	1/4	1,538.96	1/4	1,718.31
3/8	92.29	3/8	288.76	3/8	468.11	3/8	647.47	3/8	826.80	3/8	1,010.51	3/8	1,184.08	3/8	1,363.35	3/8	1,542.70	3/8	1,722.05
1/2	94.96	1/2	292.49	1/2	471.85	1/2	651.20	1/2	830.54	1/2	1,014.23	1/2	1,187.80	1/2	1,367.08	1/2	1,546.44	1/2	1,725.78
5/8	97.63	5/8	296.23	5/8	475.59	5/8	654.94	5/8	834.27	5/8	1,017.95	5/8	1,191.53	5/8	1,370.82	5/8	1,550.17	5/8	1,729.52
3/4	100.30	3/4	299.97	3/4	479.32	3/4	658.68	3/4	838.01	3/4	1,021.67	3/4	1,195.25	3/4	1,374.56	3/4	1,553.91	3/4	1,733.25
7/8	102.97	7/8	303.70	7/8	483.08	7/8	662.41	7/8	841.74	7/8	1,025.39	7/8	1,198.98	7/8	1,378.29	7/8	1,557.65	7/8	1,736.99
5	105.64	5	307.44	5	486.80	5	666.15	5	845.47	5	1,029.11	5	1,202.71	5	1,382.03	5	1,561.38	5	1,740.72
1/8	108.31	1/8	311.18	1/8	490.53	1/8	669.89	1/8	849.20	1/8	1,032.82	1/8	1,206.44	1/8	1,385.77	1/8	1,565.12	1/8	1,744.46
1/4	110.98	1/4	314.91	1/4	494.27	1/4	673.62	1/4	852.93	1/4	1,036.54	1/4	1,210.17	1/4	1,389.50	1/4	1,568.86	1/4	1,748.19
3/8	113.65	3/8	318.65	3/8	498.01	3/8	677.36	3/8	856.66	3/8	1,040.26	3/8	1,213.91	3/8	1,393.24	3/8	1,572.59	3/8	1,751.92
1/2	116.32	1/2	322.39	1/2	501.74	1/2	681.10	1/2	860.39	1/2	1,043.98	1/2	1,217.64	1/2	1,396.98	1/2	1,576.33	1/2	1,755.65
5/8	118.99	5/8	326.12	5/8	505.48	5/8	684.83	5/8	864.11	5/8	1,047.70	5/8	1,221.37	5/8	1,400.71	5/8	1,580.07	5/8	1,759.38
3/4	121.66	3/4	329.86	3/4	509.22	3/4	688.57	3/4	867.84	3/4	1,051.42	3/4	1,225.10	3/4	1,404.45	3/4	1,583.80	3/4	1,763.11
7/8	124.33	7/8	333.59	7/8	512.95	7/8	692.31	7/8	871.57	7/8	1,055.14	7/8	1,228.84	7/8	1,408.19	7/8	1,587.54	7/8	1,766.85

GAUGE LOCATED 85'-4" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT I.P.

Endorse

BARGE MMI 2805
HULL # 05-2528

3 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8"

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	1,770.58	6	1,949.58	0	2,128.63	6	2,308.00	0	2,487.35	6	2,666.66	0	2,845.89	6	3,024.99	0	3,204.35	6	3,383.60
1/8	1,774.31	1/8	1,953.31	1/8	2,132.37	1/8	2,311.73	1/8	2,491.09	1/8	2,670.40	1/8	2,849.42	1/8	3,028.73	1/8	3,208.09	1/8	3,387.31
1/4	1,778.04	1/4	1,957.04	1/4	2,136.11	1/4	2,315.47	1/4	2,494.82	1/4	2,674.13	1/4	2,853.15	1/4	3,032.47	1/4	3,211.83	1/4	3,391.03
3/8	1,781.77	3/8	1,960.77	3/8	2,139.84	3/8	2,319.21	3/8	2,498.56	3/8	2,677.87	3/8	2,856.88	3/8	3,036.20	3/8	3,215.56	3/8	3,394.75
1/2	1,785.49	1/2	1,964.50	1/2	2,143.58	1/2	2,322.84	1/2	2,502.29	1/2	2,681.61	1/2	2,860.61	1/2	3,039.94	1/2	3,219.30	1/2	3,398.47
5/8	1,789.22	5/8	1,968.23	5/8	2,147.32	5/8	2,326.68	5/8	2,506.03	5/8	2,685.34	5/8	2,864.34	5/8	3,043.68	5/8	3,223.04	5/8	3,402.18
3/4	1,792.95	3/4	1,971.96	3/4	2,151.05	3/4	2,330.42	3/4	2,509.77	3/4	2,689.08	3/4	2,868.07	3/4	3,047.41	3/4	3,226.77	3/4	3,405.90
7/8	1,796.68	7/8	1,975.68	7/8	2,154.79	7/8	2,334.15	7/8	2,513.50	7/8	2,692.81	7/8	2,871.79	7/8	3,051.15	7/8	3,230.51	7/8	3,409.62
1	1,800.41	1	1,979.41	1	2,158.53	1	2,337.89	1	2,517.24	1	2,696.55	1	2,875.52	1	3,054.89	1	3,234.25	1	3,413.34
1/8	1,804.14	1/8	1,983.14	1/8	2,162.26	1/8	2,341.63	1/8	2,520.97	1/8	2,700.28	1/8	2,879.26	1/8	3,058.62	1/8	3,237.98	1/8	3,417.06
1/4	1,807.87	1/4	1,986.87	1/4	2,166.00	1/4	2,345.36	1/4	2,524.71	1/4	2,704.02	1/4	2,883.00	1/4	3,062.36	1/4	3,241.72	1/4	3,420.77
3/8	1,811.60	3/8	1,990.60	3/8	2,169.74	3/8	2,349.10	3/8	2,528.44	3/8	2,707.75	3/8	2,886.73	3/8	3,066.10	3/8	3,245.46	3/8	3,424.49
1/2	1,815.33	1/2	1,994.33	1/2	2,173.47	1/2	2,352.84	1/2	2,532.18	1/2	2,711.49	1/2	2,890.47	1/2	3,069.83	1/2	3,248.19	1/2	3,428.21
5/8	1,819.06	5/8	1,998.06	5/8	2,177.21	5/8	2,356.57	5/8	2,535.92	5/8	2,715.23	5/8	2,894.21	5/8	3,073.57	5/8	3,252.93	5/8	3,431.93
3/4	1,822.79	3/4	2,001.79	3/4	2,180.95	3/4	2,360.31	3/4	2,539.65	3/4	2,718.96	3/4	2,897.94	3/4	3,077.31	3/4	3,256.67	3/4	3,435.65
7/8	1,826.52	7/8	2,005.52	7/8	2,184.69	7/8	2,364.05	7/8	2,543.39	7/8	2,722.70	7/8	2,901.68	7/8	3,081.04	7/8	3,260.40	7/8	3,439.36
2	1,830.24	2	2,009.25	2	2,188.42	2	2,367.78	2	2,547.12	2	2,726.43	2	2,905.42	2	3,084.78	2	3,264.14	2	3,443.08
1/8	1,833.97	1/8	2,012.98	1/8	2,192.16	1/8	2,371.52	1/8	2,550.86	1/8	2,730.17	1/8	2,909.15	1/8	3,088.52	1/8	3,267.88	1/8	3,446.80
1/4	1,837.70	1/4	2,016.71	1/4	2,195.90	1/4	2,375.26	1/4	2,554.59	1/4	2,733.90	1/4	2,912.89	1/4	3,092.25	1/4	3,271.61	1/4	3,450.52
3/8	1,841.43	3/8	2,020.44	3/8	2,199.63	3/8	2,378.99	3/8	2,558.33	3/8	2,737.64	3/8	2,916.63	3/8	3,095.99	3/8	3,275.35	3/8	3,454.23
1/2	1,845.16	1/2	2,024.17	1/2	2,203.37	1/2	2,382.73	1/2	2,562.07	1/2	2,741.37	1/2	2,920.36	1/2	3,099.73	1/2	3,279.09	1/2	3,457.95
5/8	1,848.89	5/8	2,027.90	5/8	2,207.11	5/8	2,386.47	5/8	2,565.80	5/8	2,745.11	5/8	2,924.10	5/8	3,103.40	5/8	3,282.82	5/8	3,461.67
3/4	1,852.62	3/4	2,031.62	3/4	2,210.84	3/4	2,390.20	3/4	2,569.54	3/4	2,748.85	3/4	2,927.84	3/4	3,107.20	3/4	3,286.56	3/4	3,465.38
7/8	1,856.35	7/8	2,035.35	7/8	2,214.58	7/8	2,393.94	7/8	2,573.27	7/8	2,752.58	7/8	2,931.57	7/8	3,110.94	7/8	3,290.30	7/8	3,469.10
3	1,860.08	3	2,039.08	3	2,218.32	3	2,397.68	3	2,577.01	3	2,756.32	3	2,935.31	3	3,114.67	3	3,294.03	3	3,472.82
1/8	1,863.81	1/8	2,042.81	1/8	2,222.05	1/8	2,401.41	1/8	2,580.74	1/8	2,760.05	1/8	2,939.05	1/8	3,118.41	1/8	3,297.77	1/8	3,476.53
1/4	1,867.54	1/4	2,046.54	1/4	2,225.79	1/4	2,405.15	1/4	2,584.48	1/4	2,763.78	1/4	2,942.78	1/4	3,122.15	1/4	3,301.51	1/4	3,480.25
3/8	1,871.27	3/8	2,050.27	3/8	2,229.53	3/8	2,408.89	3/8	2,588.22	3/8	2,767.52	3/8	2,946.52	3/8	3,125.88	3/8	3,305.24	3/8	3,483.97
1/2	1,875.00	1/2	2,054.00	1/2	2,233.27	1/2	2,412.62	1/2	2,591.95	1/2	2,771.25	1/2	2,950.26	1/2	3,129.62	1/2	3,308.98	1/2	3,487.68
5/8	1,878.72	5/8	2,057.73	5/8	2,237.00	5/8	2,416.36	5/8	2,595.69	5/8	2,774.98	5/8	2,953.99	5/8	3,133.38	5/8	3,312.72	5/8	3,491.40
3/4	1,882.45	3/4	2,061.46	3/4	2,240.74	3/4	2,420.10	3/4	2,599.42	3/4	2,778.72	3/4	2,957.73	3/4	3,137.09	3/4	3,316.45	3/4	3,495.11
7/8	1,886.18	7/8	2,065.19	7/8	2,244.47	7/8	2,423.83	7/8	2,603.18	7/8	2,782.45	7/8	2,961.47	7/8	3,140.83	7/8	3,320.19	7/8	3,498.83
4	1,889.91	4	2,068.92	4	2,248.21	4	2,427.57	4	2,606.89	4	2,786.18	4	2,965.20	4	3,144.57	4	3,323.93	4	3,502.55
1/8	1,893.64	1/8	2,072.65	1/8	2,251.95	1/8	2,431.31	1/8	2,610.63	1/8	2,789.90	1/8	2,968.94	1/8	3,148.30	1/8	3,327.66	1/8	3,506.27
1/4	1,897.37	1/4	2,076.38	1/4	2,255.68	1/4	2,435.04	1/4	2,614.36	1/4	2,793.63	1/4	2,972.68	1/4	3,152.04	1/4	3,331.40	1/4	3,509.99
3/8	1,901.10	3/8	2,080.11	3/8	2,259.42	3/8	2,438.78	3/8	2,618.10	3/8	2,797.35	3/8	2,976.42	3/8	3,155.78	3/8	3,335.13	3/8	3,513.72
1/2	1,904.83	1/2	2,083.84	1/2	2,263.16	1/2	2,442.52	1/2	2,621.84	1/2	2,801.07	1/2	2,980.15	1/2	3,159.51	1/2	3,338.87	1/2	3,517.44
5/8	1,908.56	5/8	2,087.57	5/8	2,266.89	5/8	2,446.25	5/8	2,625.57	5/8	2,804.79	5/8	2,983.89	5/8	3,163.25	5/8	3,342.60	5/8	3,521.17
3/4	1,912.29	3/4	2,091.30	3/4	2,270.63	3/4	2,449.99	3/4	2,629.31	3/4	2,808.51	3/4	2,987.63	3/4	3,166.99	3/4	3,346.33	3/4	3,524.89
7/8	1,916.02	7/8	2,095.03	7/8	2,274.37	7/8	2,453.73	7/8	2,633.04	7/8	2,812.23	7/8	2,991.36	7/8	3,170.72	7/8	3,350.07	7/8	3,528.61
5	1,919.74	5	2,098.76	5	2,278.10	5	2,457.46	5	2,636.78	5	2,815.95	5	2,995.10	5	3,174.46	5	3,353.80	5	3,532.34
1/8	1,923.47	1/8	2,102.50	1/8	2,281.84	1/8	2,461.20	1/8	2,640.51	1/8	2,819.67	1/8	2,998.84	1/8	3,178.20	1/8	3,357.53	1/8	3,536.07
1/4	1,927.20	1/4	2,106.23	1/4	2,285.58	1/4	2,464.94	1/4	2,644.25	1/4	2,823.39	1/4	3,002.57	1/4	3,191.93	1/4	3,381.25	1/4	3,539.80
3/8	1,930.93	3/8	2,109.96	3/8	2,289.31	3/8	2,468.67	3/8	2,647.99	3/8	2,827.11	3/8	3,006.31	3/8	3,185.67	3/8	3,384.97	3/8	3,543.53
1/2	1,934.66	1/2	2,113.70	1/2	2,293.05	1/2	2,472.41	1/2	2,651.72	1/2	2,830.82	1/2	3,010.05	1/2	3,189.41	1/2	3,388.70	1/2	3,547.26
5/8	1,938.39	5/8	2,117.43	5/8	2,296.79	5/8	2,476.14	5/8	2,655.46	5/8	2,834.54	5/8	3,013.78	5/8	3,193.14	5/8	3,372.42	5/8	3,550.99
3/4	1,942.12	3/4	2,121.17	3/4	2,300.52	3/4	2,479.88	3/4	2,658.19	3/4	2,838.28	3/4	3,017.52	3/4	3,196.88	3/4	3,376.15	3/4	3,554.72
7/8	1,945.85	7/8	2,124.90	7/8	2,304.26	7/8	2,483.62	7/8	2,662.93	7/8	2,841.97	7/8	3,021.26	7/8	3,200.62	7/8	3,379.87	7/8	3,558.45

GAUGE LOCATED 85'-4" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endre

Calibration Dept.
1028 W. Elizabeth Ave.
Linden, NJ 07036

BARGE MMI 2805
HULL # 05-2528

3 STAR
INNAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8"

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.
0	3,582.18	6	3,712.37	0	3,855.40	6	3,998.43	0	4,141.47	6	4,284.48	0	4,427.49	6	4,570.45	0	4,694.30
1/8	3,585.81	1/8	3,715.35	1/8	3,858.38	1/8	4,001.41	1/8	4,144.45	1/8	4,287.46	1/8	4,430.47	1/8	4,573.42	1/8	4,697.34
1/4	3,589.43	1/4	3,718.33	1/4	3,861.36	1/4	4,004.38	1/4	4,147.43	1/4	4,290.44	1/4	4,433.45	1/4	4,576.38	1/4	4,699.58
3/8	3,593.06	3/8	3,721.31	3/8	3,864.34	3/8	4,007.37	3/8	4,150.41	3/8	4,293.42	3/8	4,436.43	3/8	4,579.35	3/8	4,702.71
1/2	3,596.68	1/2	3,724.29	1/2	3,867.32	1/2	4,010.35	1/2	4,153.39	1/2	4,296.40	1/2	4,439.41	1/2	4,582.32	1/2	4,705.85
5/8	3,580.31	5/8	3,727.27	5/8	3,870.30	5/8	4,013.33	5/8	4,156.37	5/8	4,299.38	5/8	4,442.39	5/8	4,585.29	5/8	4,708.98
3/4	3,583.93	3/4	3,730.25	3/4	3,873.28	3/4	4,016.31	3/4	4,159.35	3/4	4,302.36	3/4	4,445.37	3/4	4,588.28	3/4	4,711.12
7/8	3,587.56	7/8	3,733.23	7/8	3,876.26	7/8	4,019.29	7/8	4,162.33	7/8	4,305.34	7/8	4,448.35	7/8	4,591.23	7/8	4,714.25
1	3,581.19	1	3,736.21	1	3,879.24	1	4,022.27	1	4,165.30	1	4,308.32	1	4,451.33	1	4,594.20	1	4,707.39
1/8	3,594.41	1/8	3,739.19	1/8	3,882.22	1/8	4,025.25	1/8	4,168.28	1/8	4,311.30	1/8	4,454.31	1/8	4,597.15	1/8	4,710.39
1/4	3,597.64	1/4	3,742.17	1/4	3,885.25	1/4	4,028.23	1/4	4,171.26	1/4	4,314.28	1/4	4,457.29	1/4	4,600.11	1/4	4,713.39
3/8	3,600.87	3/8	3,745.15	3/8	3,888.18	3/8	4,031.21	3/8	4,174.24	3/8	4,317.26	3/8	4,460.27	3/8	4,603.07	3/8	4,716.39
1/2	3,604.10	1/2	3,748.13	1/2	3,891.16	1/2	4,034.19	1/2	4,177.22	1/2	4,320.24	1/2	4,463.25	1/2	4,606.03	1/2	4,719.39
5/8	3,607.33	5/8	3,751.11	5/8	3,894.14	5/8	4,037.17	5/8	4,180.20	5/8	4,323.21	5/8	4,466.23	5/8	4,608.99	5/8	4,722.39
3/4	3,610.56	3/4	3,754.09	3/4	3,897.12	3/4	4,040.15	3/4	4,183.18	3/4	4,326.19	3/4	4,469.21	3/4	4,611.95	3/4	4,725.39
7/8	3,613.79	7/8	3,757.07	7/8	3,900.10	7/8	4,043.13	7/8	4,186.16	7/8	4,329.17	7/8	4,472.18	7/8	4,614.91	7/8	4,728.39
2	3,617.01	2	3,760.04	2	3,903.08	2	4,046.11	2	4,189.14	2	4,332.15	2	4,475.16	2	4,617.87	2	4,731.39
1/8	3,619.99	1/8	3,763.02	1/8	3,906.06	1/8	4,049.09	1/8	4,192.12	1/8	4,335.13	1/8	4,478.14	1/8	4,620.78	1/8	4,734.39
1/4	3,622.97	1/4	3,766.00	1/4	3,909.04	1/4	4,052.07	1/4	4,195.10	1/4	4,338.11	1/4	4,481.12	1/4	4,623.69	1/4	4,737.39
3/8	3,625.95	3/8	3,768.98	3/8	3,912.02	3/8	4,055.05	3/8	4,198.08	3/8	4,341.09	3/8	4,484.10	3/8	4,626.61	3/8	4,740.39
1/2	3,628.93	1/2	3,771.96	1/2	3,915.00	1/2	4,058.03	1/2	4,201.06	1/2	4,344.07	1/2	4,487.08	1/2	4,629.52	1/2	4,743.39
5/8	3,631.91	5/8	3,774.94	5/8	3,917.98	5/8	4,061.01	5/8	4,204.04	5/8	4,347.05	5/8	4,490.06	5/8	4,632.43	5/8	4,746.39
3/4	3,634.89	3/4	3,777.92	3/4	3,920.96	3/4	4,063.99	3/4	4,207.02	3/4	4,350.03	3/4	4,493.04	3/4	4,635.34	3/4	4,749.39
7/8	3,637.87	7/8	3,780.90	7/8	3,923.94	7/8	4,066.97	7/8	4,210.00	7/8	4,353.01	7/8	4,496.02	7/8	4,638.26	7/8	4,752.39
3	3,640.85	3	3,783.88	3	3,926.92	3	4,069.95	3	4,212.98	3	4,355.99	3	4,499.00	3	4,641.17	3	4,755.39
1/8	3,643.83	1/8	3,786.86	1/8	3,929.90	1/8	4,072.93	1/8	4,215.96	1/8	4,358.97	1/8	4,501.98	1/8	4,644.17	1/8	4,758.39
1/4	3,646.81	1/4	3,789.84	1/4	3,932.88	1/4	4,075.91	1/4	4,218.94	1/4	4,361.95	1/4	4,504.96	1/4	4,647.17	1/4	4,761.39
3/8	3,649.79	3/8	3,792.82	3/8	3,935.86	3/8	4,078.89	3/8	4,221.92	3/8	4,364.93	3/8	4,507.94	3/8	4,650.17	3/8	4,764.39
1/2	3,652.77	1/2	3,795.80	1/2	3,938.84	1/2	4,081.87	1/2	4,224.89	1/2	4,367.91	1/2	4,510.92	1/2	4,653.17	1/2	4,767.39
5/8	3,655.75	5/8	3,798.78	5/8	3,941.82	5/8	4,084.85	5/8	4,227.87	5/8	4,370.89	5/8	4,513.90	5/8	4,656.17	5/8	4,770.39
3/4	3,658.73	3/4	3,801.76	3/4	3,944.80	3/4	4,087.83	3/4	4,230.85	3/4	4,373.86	3/4	4,516.88	3/4	4,659.17	3/4	4,773.39
7/8	3,661.71	7/8	3,804.74	7/8	3,947.78	7/8	4,090.81	7/8	4,233.83	7/8	4,376.84	7/8	4,519.85	7/8	4,662.17	7/8	4,776.39
4	3,664.69	4	3,807.72	4	3,950.76	4	4,093.79	4	4,236.81	4	4,379.82	4	4,522.83	4	4,665.17	4	4,779.39
1/8	3,667.67	1/8	3,810.70	1/8	3,953.74	1/8	4,096.77	1/8	4,239.79	1/8	4,382.80	1/8	4,525.81	1/8	4,668.17	1/8	4,782.39
1/4	3,670.65	1/4	3,813.68	1/4	3,956.72	1/4	4,099.75	1/4	4,242.77	1/4	4,385.78	1/4	4,528.79	1/4	4,671.17	1/4	4,785.39
3/8	3,673.63	3/8	3,816.66	3/8	3,959.70	3/8	4,102.73	3/8	4,245.75	3/8	4,388.76	3/8	4,531.77	3/8	4,674.17	3/8	4,788.39
1/2	3,676.61	1/2	3,819.64	1/2	3,962.68	1/2	4,105.71	1/2	4,248.73	1/2	4,391.74	1/2	4,534.74	1/2	4,677.17	1/2	4,791.39
5/8	3,679.59	5/8	3,822.62	5/8	3,965.66	5/8	4,108.69	5/8	4,251.71	5/8	4,394.72	5/8	4,537.72	5/8	4,680.17	5/8	4,794.39
3/4	3,682.57	3/4	3,825.60	3/4	3,968.64	3/4	4,111.67	3/4	4,254.69	3/4	4,397.70	3/4	4,540.70	3/4	4,683.17	3/4	4,797.39
7/8	3,685.55	7/8	3,828.58	7/8	3,971.62	7/8	4,114.65	7/8	4,257.67	7/8	4,400.68	7/8	4,543.68	7/8	4,686.17	7/8	4,800.39
5	3,688.53	5	3,831.56	5	3,974.60	5	4,117.63	5	4,260.65	5	4,403.66	5	4,546.65	5	4,689.17	5	4,803.39
1/8	3,691.51	1/8	3,834.54	1/8	3,977.58	1/8	4,120.61	1/8	4,263.63	1/8	4,406.64	1/8	4,549.63	1/8	4,692.17	1/8	4,806.39
1/4	3,694.49	1/4	3,837.52	1/4	3,980.56	1/4	4,123.59	1/4	4,266.61	1/4	4,409.62	1/4	4,552.60	1/4	4,695.17	1/4	4,809.39
3/8	3,697.47	3/8	3,840.50	3/8	3,983.54	3/8	4,126.57	3/8	4,269.59	3/8	4,412.60	3/8	4,555.58	3/8	4,698.17	3/8	4,812.39
1/2	3,700.45	1/2	3,843.48	1/2	3,986.51	1/2	4,129.55	1/2	4,272.56	1/2	4,415.58	1/2	4,558.55	1/2	4,701.17	1/2	4,815.39
5/8	3,703.43	5/8	3,846.48	5/8	3,989.49	5/8	4,132.53	5/8	4,275.54	5/8	4,418.56	5/8	4,561.53	5/8	4,704.17	5/8	4,818.39
3/4	3,706.41	3/4	3,849.44	3/4	3,992.47	3/4	4,135.51	3/4	4,278.52	3/4	4,421.53	3/4	4,564.50	3/4	4,707.17	3/4	4,821.39
7/8	3,709.39	7/8	3,852.42	7/8	3,995.45	7/8	4,138.49	7/8	4,281.50	7/8	4,424.51	7/8	4,567.47	7/8	4,710.17	7/8	4,824.39

GAUGE LOCATED 85'-4" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

Endread

BARGE MMI 2805
HULL # 05-2528

1 PORT
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	6	1/8	0	1/8	6	1/8	0	1/8	4,233.33	0	4,099.98	8	3,945.75	0	3,791.44	6	3,637.13		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,231.52	1/8	4,096.77	1/8	3,942.53	1/8	3,788.23	1/8	3,633.92		
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,229.70	1/4	4,093.56	1/4	3,939.32	1/4	3,785.01	1/4	3,630.70		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,227.89	3/8	4,090.35	3/8	3,936.10	3/8	3,781.80	3/8	3,627.49		
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,226.08	1/2	4,087.14	1/2	3,932.89	1/2	3,778.58	1/2	3,624.27		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,224.27	5/8	4,083.93	5/8	3,929.67	5/8	3,775.37	5/8	3,621.06		
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,222.45	3/4	4,080.73	3/4	3,926.46	3/4	3,772.15	3/4	3,617.84		
1	7	1	1	1	7	1	1	1	4,220.64	7/8	4,077.52	7/8	3,923.24	7/8	3,768.94	7/8	3,614.63		
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,218.83	1	4,074.31	1	3,920.03	1	3,765.72	1	3,611.41		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,216.41	1/8	4,071.09	1/8	3,916.81	1/8	3,762.51	1/8	3,608.20		
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,214.00	1/4	4,067.88	1/4	3,913.60	1/4	3,759.29	1/4	3,604.98		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,211.59	3/8	4,064.67	3/8	3,910.38	3/8	3,756.08	3/8	3,601.77		
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,209.17	1/2	4,061.46	1/2	3,907.17	1/2	3,752.86	1/2	3,598.56		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,206.76	5/8	4,058.25	5/8	3,903.95	5/8	3,749.65	5/8	3,595.34		
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,204.35	3/4	4,055.03	3/4	3,900.74	3/4	3,746.43	3/4	3,592.12		
2	8	2	2	2	8	2	2	2	4,201.93	7/8	4,051.82	7/8	3,897.53	7/8	3,743.22	7/8	3,588.91		
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,199.52	2	4,048.61	2	3,894.31	2	3,740.00	2	3,585.69		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,196.61	1/8	4,045.39	1/8	3,891.10	1/8	3,736.79	1/8	3,582.48		
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,193.71	1/4	4,042.18	1/4	3,887.88	1/4	3,733.58	1/4	3,579.26		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,190.80	3/8	4,038.97	3/8	3,884.67	3/8	3,730.36	3/8	3,576.05		
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,187.89	1/2	4,035.75	1/2	3,881.45	1/2	3,727.15	1/2	3,572.83		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,184.99	5/8	4,032.54	5/8	3,878.24	5/8	3,723.83	5/8	3,569.61		
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,182.08	3/4	4,029.32	3/4	3,875.02	3/4	3,720.72	3/4	3,566.40		
3	9	3	3	3	9	3	3	3	4,179.17	7/8	4,026.11	7/8	3,871.81	7/8	3,717.50	7/8	3,563.18		
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,176.27	3	4,022.90	3	3,868.59	3	3,714.29	3	3,559.97		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,173.13	1/8	4,019.68	1/8	3,865.38	1/8	3,711.07	1/8	3,556.75		
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,169.99	1/4	4,016.47	1/4	3,862.16	1/4	3,707.86	1/4	3,553.54		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,166.84	3/8	4,013.25	3/8	3,858.95	3/8	3,704.64	3/8	3,550.32		
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,163.70	1/2	4,010.04	1/2	3,855.73	1/2	3,701.43	1/2	3,547.11		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,160.56	5/8	4,006.82	5/8	3,852.52	5/8	3,698.21	5/8	3,543.89		
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,157.42	3/4	4,003.61	3/4	3,849.30	3/4	3,695.00	3/4	3,540.68		
4	10	4	4	4	10	4	4	4	4,154.28	7/8	4,000.40	7/8	3,846.09	7/8	3,691.78	7/8	3,537.46		
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,151.14	4	3,997.18	4	3,842.88	4	3,688.57	4	3,534.25		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,147.95	1/8	3,993.97	1/8	3,839.66	1/8	3,685.35	1/8	3,531.03		
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,144.75	1/4	3,990.75	1/4	3,836.45	1/4	3,682.14	1/4	3,527.82		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,141.56	3/8	3,987.54	3/8	3,833.23	3/8	3,678.93	3/8	3,524.60		
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,138.37	1/2	3,984.32	1/2	3,830.02	1/2	3,675.71	1/2	3,521.39		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,135.18	5/8	3,981.11	5/8	3,826.80	5/8	3,672.50	5/8	3,518.17		
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,131.98	3/4	3,977.89	3/4	3,823.59	3/4	3,669.28	3/4	3,514.96		
5	11	5	5	5	11	5	5	5	4,244.44	7/8	3,974.68	7/8	3,820.37	7/8	3,666.07	7/8	3,511.74		
1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,243.73	11	3,971.46	11	3,817.16	11	3,662.85	11	3,508.53		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,242.82	1/8	3,968.25	1/8	3,813.94	1/8	3,659.64	1/8	3,505.31		
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,240.60	1/4	3,965.03	1/4	3,810.73	1/4	3,656.42	1/4	3,502.10		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,238.39	3/8	3,961.82	3/8	3,807.51	3/8	3,653.21	3/8	3,498.88		
5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,236.18	1/2	3,958.60	1/2	3,804.30	1/2	3,649.99	1/2	3,495.67		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,233.79	5/8	3,955.39	5/8	3,801.08	5/8	3,646.78	5/8	3,492.45		
7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,231.56	3/4	3,952.18	3/4	3,797.87	3/4	3,643.56	3/4	3,489.24		
									4,234.54	7/8	3,948.96	7/8	3,794.65	7/8	3,640.35	7/8	3,486.02		

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY..
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Enck

BARGE MMI 2805

HULL # 05-2528

1 PORT
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	3,482.81	6	3,328.49	0	3,174.16	6	2,965.34	0	2,710.68	0	2,558.03	6	2,401.37	0	2,246.71	6	2,092.06
1/8	3,479.59	1/8	3,325.27	1/8	3,170.95	1/8	2,962.12	1/8	2,707.46	1/8	2,554.80	1/8	2,398.15	1/8	2,243.49	1/8	2,088.84
1/4	3,476.38	1/4	3,322.06	1/4	3,167.73	1/4	2,958.89	1/4	2,704.24	1/4	2,551.58	1/4	2,394.93	1/4	2,240.27	1/4	2,085.61
3/8	3,473.16	3/8	3,318.84	3/8	3,164.52	3/8	2,955.67	3/8	2,701.02	3/8	2,548.36	3/8	2,391.70	3/8	2,237.05	3/8	2,082.39
1/2	3,469.95	1/2	3,315.63	1/2	3,161.30	1/2	2,952.45	1/2	2,697.79	1/2	2,545.14	1/2	2,388.48	1/2	2,233.83	1/2	2,079.17
5/8	3,466.73	5/8	3,312.41	5/8	3,158.09	5/8	2,949.23	5/8	2,694.57	5/8	2,541.92	5/8	2,385.26	5/8	2,230.60	5/8	2,075.95
3/4	3,463.52	3/4	3,309.20	3/4	3,154.87	3/4	2,946.01	3/4	2,691.35	3/4	2,538.69	3/4	2,382.04	3/4	2,227.38	3/4	2,072.73
7/8	3,460.30	7/8	3,305.98	7/8	3,151.66	7/8	2,942.78	7/8	2,688.13	7/8	2,535.47	7/8	2,378.82	7/8	2,224.16	7/8	2,069.50
1	3,457.09	1	3,302.77	1	3,148.44	1	2,939.56	1	2,684.91	1	2,532.25	1	2,375.59	1	2,220.94	1	2,066.28
1/8	3,453.87	1/8	3,299.55	1/8	3,145.23	1/8	2,936.34	1/8	2,681.68	1/8	2,529.03	1/8	2,372.37	1/8	2,217.72	1/8	2,063.06
1/4	3,450.66	1/4	3,296.34	1/4	3,142.01	1/4	2,933.12	1/4	2,678.46	1/4	2,525.81	1/4	2,369.15	1/4	2,214.49	1/4	2,059.84
3/8	3,447.44	3/8	3,293.12	3/8	3,138.80	3/8	2,929.90	3/8	2,675.24	3/8	2,522.58	3/8	2,365.93	3/8	2,211.27	3/8	2,056.62
1/2	3,444.23	1/2	3,289.91	1/2	3,135.58	1/2	2,926.67	1/2	2,672.02	1/2	2,519.36	1/2	2,362.71	1/2	2,208.05	1/2	2,053.39
5/8	3,441.01	5/8	3,286.69	5/8	3,132.37	5/8	2,923.45	5/8	2,668.80	5/8	2,516.14	5/8	2,359.48	5/8	2,204.83	5/8	2,050.17
3/4	3,437.80	3/4	3,283.48	3/4	3,129.15	3/4	2,920.23	3/4	2,665.57	3/4	2,512.92	3/4	2,356.26	3/4	2,201.61	3/4	2,046.95
7/8	3,434.58	7/8	3,280.26	7/8	3,125.94	7/8	2,917.01	7/8	2,662.35	7/8	2,509.70	7/8	2,353.04	7/8	2,198.38	7/8	2,043.73
2	3,431.37	2	3,277.05	2	3,122.72	2	2,913.79	2	2,659.13	2	2,506.47	2	2,349.82	2	2,195.16	2	2,040.51
1/8	3,428.15	1/8	3,273.83	1/8	3,119.51	1/8	2,910.56	1/8	2,655.91	1/8	2,503.25	1/8	2,346.60	1/8	2,191.84	1/8	2,037.28
1/4	3,424.94	1/4	3,270.62	1/4	3,116.29	1/4	2,907.34	1/4	2,652.69	1/4	2,498.03	1/4	2,343.37	1/4	2,188.72	1/4	2,034.06
3/8	3,421.72	3/8	3,267.40	3/8	3,113.08	3/8	2,904.12	3/8	2,649.46	3/8	2,494.81	3/8	2,340.15	3/8	2,185.50	3/8	2,030.84
1/2	3,418.51	1/2	3,264.19	1/2	3,109.86	1/2	2,900.90	1/2	2,646.24	1/2	2,491.59	1/2	2,336.93	1/2	2,182.27	1/2	2,027.62
5/8	3,415.29	5/8	3,260.97	5/8	3,106.65	5/8	2,897.68	5/8	2,643.02	5/8	2,488.36	5/8	2,333.71	5/8	2,179.05	5/8	2,024.40
3/4	3,412.08	3/4	3,257.76	3/4	3,103.43	3/4	2,894.09	3/4	2,639.80	3/4	2,485.14	3/4	2,330.49	3/4	2,175.83	3/4	2,021.17
7/8	3,408.86	7/8	3,254.54	7/8	3,100.22	7/8	2,890.88	7/8	2,636.58	7/8	2,481.92	7/8	2,327.26	7/8	2,172.61	7/8	2,017.95
3	3,405.64	3	3,251.33	3	3,097.00	3	2,887.66	3	2,633.35	3	2,478.70	3	2,324.04	3	2,169.39	3	2,014.73
1/8	3,402.43	1/8	3,248.11	1/8	3,093.78	1/8	2,884.44	1/8	2,630.13	1/8	2,475.48	1/8	2,320.82	1/8	2,166.16	1/8	2,011.51
1/4	3,399.22	1/4	3,244.90	1/4	3,090.57	1/4	2,881.22	1/4	2,626.91	1/4	2,472.25	1/4	2,317.60	1/4	2,162.94	1/4	2,008.29
3/8	3,396.00	3/8	3,241.68	3/8	3,087.36	3/8	2,878.00	3/8	2,623.69	3/8	2,469.03	3/8	2,314.38	3/8	2,159.72	3/8	2,005.06
1/2	3,392.79	1/2	3,238.47	1/2	3,084.14	1/2	2,874.78	1/2	2,620.47	1/2	2,465.81	1/2	2,311.15	1/2	2,156.60	1/2	2,001.84
5/8	3,389.57	5/8	3,235.25	5/8	3,080.93	5/8	2,871.56	5/8	2,617.24	5/8	2,462.59	5/8	2,307.93	5/8	2,153.28	5/8	1,998.62
3/4	3,386.36	3/4	3,232.04	3/4	3,077.71	3/4	2,868.34	3/4	2,614.02	3/4	2,459.37	3/4	2,304.71	3/4	2,150.05	3/4	1,995.40
7/8	3,383.14	7/8	3,228.82	7/8	3,074.50	7/8	2,865.12	7/8	2,610.80	7/8	2,456.14	7/8	2,301.49	7/8	2,146.83	7/8	1,992.18
4	3,379.93	4	3,225.61	4	3,071.28	4	2,861.90	4	2,607.58	4	2,452.92	4	2,298.27	4	2,143.61	4	1,988.95
1/8	3,376.71	1/8	3,222.39	1/8	3,068.07	1/8	2,858.68	1/8	2,604.36	1/8	2,449.70	1/8	2,295.04	1/8	2,140.39	1/8	1,985.73
1/4	3,373.50	1/4	3,219.18	1/4	3,064.85	1/4	2,855.46	1/4	2,601.13	1/4	2,446.48	1/4	2,291.82	1/4	2,137.17	1/4	1,982.51
3/8	3,370.28	3/8	3,215.96	3/8	3,061.64	3/8	2,852.24	3/8	2,597.91	3/8	2,443.26	3/8	2,288.60	3/8	2,133.94	3/8	1,979.29
1/2	3,367.07	1/2	3,212.75	1/2	3,058.42	1/2	2,849.02	1/2	2,594.69	1/2	2,440.03	1/2	2,285.38	1/2	2,130.72	1/2	1,976.07
5/8	3,363.85	5/8	3,209.53	5/8	3,055.21	5/8	2,845.80	5/8	2,591.47	5/8	2,436.81	5/8	2,282.16	5/8	2,127.50	5/8	1,972.84
3/4	3,360.64	3/4	3,206.32	3/4	3,051.99	3/4	2,842.58	3/4	2,588.25	3/4	2,433.59	3/4	2,278.93	3/4	2,124.28	3/4	1,969.62
7/8	3,357.42	7/8	3,203.10	7/8	3,048.78	7/8	2,839.34	7/8	2,585.02	7/8	2,430.37	7/8	2,275.71	7/8	2,121.06	7/8	1,966.40
5	3,354.21	5	3,199.88	5	3,045.56	5	2,836.11	5	2,581.80	5	2,427.15	5	2,272.49	5	2,117.83	5	1,963.18
1/8	3,350.99	1/8	3,196.67	1/8	3,042.34	1/8	2,832.89	1/8	2,578.58	1/8	2,423.92	1/8	2,269.27	1/8	2,114.61	1/8	1,959.96
1/4	3,347.78	1/4	3,193.45	1/4	3,039.13	1/4	2,829.67	1/4	2,575.36	1/4	2,420.70	1/4	2,266.05	1/4	2,111.39	1/4	1,956.73
3/8	3,344.56	3/8	3,190.24	3/8	3,035.91	3/8	2,826.45	3/8	2,572.14	3/8	2,417.48	3/8	2,262.82	3/8	2,108.17	3/8	1,953.51
1/2	3,341.35	1/2	3,187.02	1/2	3,032.70	1/2	2,823.23	1/2	2,568.91	1/2	2,414.26	1/2	2,259.60	1/2	2,104.95	1/2	1,950.29
5/8	3,338.13	5/8	3,183.81	5/8	3,029.48	5/8	2,820.00	5/8	2,565.69	5/8	2,411.04	5/8	2,256.38	5/8	2,101.72	5/8	1,947.07
3/4	3,334.92	3/4	3,180.59	3/4	3,026.27	3/4	2,816.78	3/4	2,562.47	3/4	2,407.81	3/4	2,253.16	3/4	2,098.50	3/4	1,943.85
7/8	3,331.70	7/8	3,177.38	7/8	3,023.05	7/8	2,813.56	7/8	2,559.25	7/8	2,404.59	7/8	2,249.94	7/8	2,095.28	7/8	1,940.62

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

O. Enchell

BARGE MMI 2805
HULL # 05-2528

1 PORT
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.
0	1,937.40	6	1,782.75	12	1,628.09	18	1,473.43	24	1,318.77	30	1,164.11	36	1,009.45	42	854.84	48	700.27	54	545.64
1/8	1,934.18	1/8	1,779.52	1/8	1,624.87	1/8	1,470.21	1/8	1,315.55	1/8	1,160.89	1/8	1,006.22	1/8	851.62	1/8	697.05	1/8	542.41
1/4	1,930.96	1/4	1,776.30	1/4	1,621.64	1/4	1,466.98	1/4	1,312.32	1/4	1,157.66	1/4	1,003.00	1/4	848.40	1/4	693.83	1/4	539.19
3/8	1,927.74	3/8	1,773.08	3/8	1,618.42	3/8	1,463.76	3/8	1,309.10	3/8	1,154.44	3/8	999.78	3/8	845.18	3/8	690.61	3/8	535.97
1/2	1,924.51	1/2	1,769.86	1/2	1,615.20	1/2	1,460.54	1/2	1,305.88	1/2	1,151.22	1/2	996.56	1/2	841.96	1/2	687.39	1/2	532.75
5/8	1,921.29	5/8	1,766.64	5/8	1,611.98	5/8	1,457.32	5/8	1,302.66	5/8	1,148.00	5/8	993.34	5/8	838.74	5/8	684.17	5/8	529.53
3/4	1,918.07	3/4	1,763.41	3/4	1,608.76	3/4	1,454.10	3/4	1,299.43	3/4	1,144.77	3/4	990.11	3/4	835.52	3/4	680.95	3/4	526.30
7/8	1,914.85	7/8	1,760.19	7/8	1,605.53	7/8	1,450.87	7/8	1,296.21	7/8	1,141.55	7/8	986.89	7/8	832.30	7/8	677.73	7/8	523.08
1	1,911.63	1	1,756.97	1	1,602.31	1	1,447.65	1	1,292.98	1	1,138.33	1	983.67	1	829.08	1	674.50	1	519.86
1/8	1,908.40	1/8	1,753.75	1/8	1,599.09	1/8	1,444.43	1/8	1,289.77	1/8	1,135.11	1/8	980.45	1/8	825.86	1/8	671.28	1/8	516.64
1/4	1,905.18	1/4	1,750.53	1/4	1,595.87	1/4	1,441.21	1/4	1,286.55	1/4	1,131.89	1/4	977.22	1/4	822.64	1/4	668.06	1/4	513.42
3/8	1,901.96	3/8	1,747.30	3/8	1,592.65	3/8	1,437.98	3/8	1,283.32	3/8	1,128.66	3/8	974.00	3/8	819.42	3/8	664.84	3/8	510.19
1/2	1,898.74	1/2	1,744.08	1/2	1,589.42	1/2	1,434.76	1/2	1,280.10	1/2	1,125.44	1/2	970.78	1/2	816.20	1/2	661.62	1/2	506.97
5/8	1,895.52	5/8	1,740.86	5/8	1,586.20	5/8	1,431.54	5/8	1,276.88	5/8	1,122.22	5/8	967.56	5/8	812.98	5/8	658.40	5/8	503.75
3/4	1,892.29	3/4	1,737.64	3/4	1,582.98	3/4	1,428.32	3/4	1,273.66	3/4	1,119.00	3/4	964.34	3/4	809.76	3/4	655.18	3/4	500.53
7/8	1,889.07	7/8	1,734.42	7/8	1,579.76	7/8	1,425.10	7/8	1,270.44	7/8	1,115.77	7/8	961.12	7/8	806.54	7/8	651.96	7/8	497.31
2	1,885.85	2	1,731.19	2	1,576.54	2	1,421.87	2	1,267.21	2	1,112.55	2	957.89	2	803.32	2	648.74	2	494.08
1/8	1,882.63	1/8	1,727.97	1/8	1,573.31	1/8	1,418.65	1/8	1,263.99	1/8	1,109.33	1/8	954.67	1/8	800.10	1/8	645.51	1/8	490.86
1/4	1,879.41	1/4	1,724.75	1/4	1,570.09	1/4	1,415.43	1/4	1,260.77	1/4	1,106.11	1/4	951.45	1/4	796.88	1/4	642.29	1/4	487.64
3/8	1,876.18	3/8	1,721.53	3/8	1,566.87	3/8	1,412.21	3/8	1,257.55	3/8	1,102.89	3/8	948.23	3/8	793.66	3/8	639.07	3/8	484.42
1/2	1,872.96	1/2	1,718.31	1/2	1,563.65	1/2	1,408.99	1/2	1,254.33	1/2	1,099.66	1/2	945.01	1/2	790.44	1/2	635.86	1/2	481.19
5/8	1,869.74	5/8	1,715.08	5/8	1,560.42	5/8	1,405.76	5/8	1,251.10	5/8	1,096.44	5/8	941.79	5/8	787.22	5/8	632.63	5/8	477.97
3/4	1,866.52	3/4	1,711.86	3/4	1,557.20	3/4	1,402.54	3/4	1,247.88	3/4	1,093.22	3/4	938.57	3/4	784.00	3/4	629.41	3/4	474.75
7/8	1,863.30	7/8	1,708.64	7/8	1,553.98	7/8	1,399.32	7/8	1,244.66	7/8	1,090.00	7/8	936.35	7/8	780.78	7/8	626.19	7/8	471.53
3	1,860.07	3	1,705.42	3	1,550.76	3	1,396.10	3	1,241.44	3	1,086.78	3	932.12	3	777.56	3	622.96	3	468.31
1/8	1,856.85	1/8	1,702.20	1/8	1,547.54	1/8	1,392.88	1/8	1,238.21	1/8	1,083.55	1/8	928.90	1/8	774.34	1/8	619.74	1/8	465.08
1/4	1,853.63	1/4	1,698.97	1/4	1,544.31	1/4	1,389.65	1/4	1,234.99	1/4	1,080.33	1/4	925.68	1/4	771.12	1/4	616.52	1/4	461.86
3/8	1,850.41	3/8	1,695.76	3/8	1,541.09	3/8	1,386.43	3/8	1,231.77	3/8	1,077.11	3/8	922.46	3/8	767.90	3/8	613.30	3/8	458.64
1/2	1,847.19	1/2	1,692.53	1/2	1,537.87	1/2	1,383.21	1/2	1,228.55	1/2	1,073.89	1/2	919.24	1/2	764.88	1/2	610.08	1/2	455.42
5/8	1,843.96	5/8	1,689.31	5/8	1,534.65	5/8	1,379.99	5/8	1,225.33	5/8	1,070.87	5/8	916.02	5/8	761.46	5/8	606.86	5/8	452.20
3/4	1,840.74	3/4	1,686.09	3/4	1,531.43	3/4	1,376.76	3/4	1,222.10	3/4	1,067.44	3/4	912.80	3/4	758.24	3/4	603.63	3/4	448.98
7/8	1,837.52	7/8	1,682.86	7/8	1,528.20	7/8	1,373.54	7/8	1,218.98	7/8	1,064.22	7/8	909.58	7/8	755.02	7/8	600.41	7/8	445.76
4	1,834.30	4	1,679.64	4	1,524.98	4	1,370.32	4	1,215.66	4	1,061.00	4	906.36	4	751.80	4	597.19	4	442.54
1/8	1,831.08	1/8	1,676.42	1/8	1,521.76	1/8	1,367.10	1/8	1,212.44	1/8	1,057.78	1/8	903.14	1/8	748.58	1/8	593.97	1/8	439.32
1/4	1,827.85	1/4	1,673.20	1/4	1,518.54	1/4	1,363.88	1/4	1,209.22	1/4	1,054.56	1/4	899.82	1/4	745.36	1/4	590.75	1/4	436.11
3/8	1,824.63	3/8	1,669.98	3/8	1,515.32	3/8	1,360.65	3/8	1,205.99	3/8	1,051.33	3/8	896.70	3/8	742.14	3/8	587.52	3/8	432.89
1/2	1,821.41	1/2	1,666.75	1/2	1,512.09	1/2	1,357.43	1/2	1,202.77	1/2	1,048.11	1/2	893.48	1/2	738.92	1/2	584.30	1/2	429.67
5/8	1,818.19	5/8	1,663.53	5/8	1,508.87	5/8	1,354.21	5/8	1,199.55	5/8	1,044.89	5/8	890.26	5/8	735.70	5/8	581.08	5/8	426.46
3/4	1,814.97	3/4	1,660.31	3/4	1,505.65	3/4	1,350.99	3/4	1,196.33	3/4	1,041.67	3/4	887.04	3/4	732.48	3/4	577.86	3/4	423.24
7/8	1,811.74	7/8	1,657.09	7/8	1,502.43	7/8	1,347.77	7/8	1,193.11	7/8	1,038.44	7/8	883.82	7/8	729.26	7/8	574.64	7/8	420.03
5	1,808.52	5	1,653.87	5	1,499.20	5	1,344.54	5	1,189.88	5	1,035.22	5	880.60	5	726.04	5	571.41	5	416.81
1/8	1,805.30	1/8	1,650.64	1/8	1,496.98	1/8	1,341.32	1/8	1,186.66	1/8	1,032.00	1/8	877.38	1/8	722.82	1/8	568.19	1/8	413.62
1/4	1,802.08	1/4	1,647.42	1/4	1,493.76	1/4	1,338.10	1/4	1,183.44	1/4	1,028.78	1/4	874.16	1/4	719.60	1/4	564.97	1/4	410.42
3/8	1,798.86	3/8	1,644.20	3/8	1,489.54	3/8	1,334.88	3/8	1,180.22	3/8	1,025.56	3/8	870.94	3/8	716.38	3/8	561.75	3/8	407.22
1/2	1,795.63	1/2	1,640.98	1/2	1,486.32	1/2	1,331.66	1/2	1,176.89	1/2	1,022.33	1/2	867.72	1/2	713.16	1/2	558.53	1/2	404.03
5/8	1,792.41	5/8	1,637.76	5/8	1,483.09	5/8	1,328.43	5/8	1,173.77	5/8	1,019.11	5/8	864.50	5/8	709.93	5/8	555.30	5/8	400.83
3/4	1,789.19	3/4	1,634.53	3/4	1,479.87	3/4	1,325.21	3/4	1,170.55	3/4	1,015.88	3/4	861.28	3/4	706.71	3/4	552.08	3/4	397.64
7/8	1,785.97	7/8	1,631.31	7/8	1,476.65	7/8	1,321.99	7/8	1,167.33	7/8	1,012.67	7/8	858.06	7/8	703.49	7/8	548.86	7/8	394.44

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.

L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

0 Endred

BARGE MMI 2805
HULL # 05-2528

1 PORT
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.
0	391.24	8	244.95	0	111.47	8	2.95
1/8	386.08	1/8	242.06	1/8	108.82		
1/4	384.92	1/4	239.18	1/4	106.18		
3/8	381.76	3/8	236.29	3/8	103.53		
1/2	378.59	1/2	233.41	1/2	100.89		
5/8	375.43	5/8	230.52	5/8	98.24		
3/4	372.27	3/4	227.63	3/4	95.60		
7/8	369.11	7/8	224.75	7/8	92.95		
1	365.94	7	221.86	1	90.31		
1/8	362.82	1/8	219.02	1/8	87.70		
1/4	359.71	1/4	216.18	1/4	85.10		
3/8	356.59	3/8	213.34	3/8	82.49		
1/2	353.47	1/2	210.50	1/2	79.88		
5/8	350.35	5/8	207.66	5/8	77.28		
3/4	347.23	3/4	204.82	3/4	74.67		
7/8	344.11	7/8	201.98	7/8	72.06		
2	340.99	8	199.14	2	69.46		
1/8	337.92	1/8	196.34	1/8	66.89		
1/4	334.85	1/4	193.54	1/4	64.32		
3/8	331.78	3/8	190.75	3/8	61.75		
1/2	328.71	1/2	187.95	1/2	59.18		
5/8	325.63	5/8	185.15	5/8	56.61		
3/4	322.56	3/4	182.35	3/4	54.04		
7/8	319.49	7/8	179.55	7/8	51.47		
3	316.42	9	176.76	3	48.90		
1/8	313.39	1/8	174.00	1/8	46.41		
1/4	310.37	1/4	171.24	1/4	43.91		
3/8	307.34	3/8	168.48	3/8	41.42		
1/2	304.32	1/2	165.72	1/2	38.93		
5/8	301.29	5/8	162.96	5/8	36.43		
3/4	298.27	3/4	160.20	3/4	33.94		
7/8	295.24	7/8	157.45	7/8	31.45		
4	292.22	10	154.69	4	28.95		
1/8	289.24	1/8	151.97	1/8	26.85		
1/4	286.26	1/4	149.25	1/4	24.75		
3/8	283.29	3/8	146.53	3/8	22.65		
1/2	280.31	1/2	143.81	1/2	20.55		
5/8	277.33	5/8	141.09	5/8	18.45		
3/4	274.35	3/4	138.37	3/4	16.35		
7/8	271.37	7/8	135.65	7/8	14.25		
5	268.40	11	132.93	5	12.15		
1/8	265.46	1/8	130.24	1/8	11.00		
1/4	262.53	1/4	127.56	1/4	9.85		
3/8	259.60	3/8	124.88	3/8	8.70		
1/2	256.67	1/2	122.20	1/2	7.55		
5/8	253.74	5/8	119.51	5/8	6.40		
3/4	250.81	3/4	116.83	3/4	5.25		
7/8	247.88	7/8	114.15	7/8	4.10		

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY;
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endreac

BARGE MMI 2805
HULL # 05-2528

1 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	6	1/8	1/8	0	1/8	1/8	1/8	0	4,205.49	1/8	4,205.49	0	4,073.55	6	3,919.01	0	3,764.39	6	3,609.77
1/8	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,204.26	1/8	4,204.26	1/8	4,070.34	1/8	3,915.79	1/8	3,761.17	1/8	3,606.55
1/4	1/4	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,202.43	1/4	4,202.43	1/4	4,067.12	1/4	3,912.57	1/4	3,757.95	1/4	3,603.32
3/8	3/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,200.60	3/8	4,200.60	3/8	4,063.91	3/8	3,909.34	3/8	3,754.73	3/8	3,600.10
1/2	1/2	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,198.77	1/2	4,198.77	1/2	4,060.69	1/2	3,906.12	1/2	3,751.51	1/2	3,596.88
5/8	5/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,196.94	5/8	4,196.94	5/8	4,057.47	5/8	3,902.80	5/8	3,748.28	5/8	3,593.86
3/4	3/4	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,195.11	3/4	4,195.11	3/4	4,054.26	3/4	3,899.68	3/4	3,745.06	3/4	3,590.44
7/8	7/8	1	1	1	1	1	1	1	4,193.28	7/8	4,193.28	7/8	4,051.04	7/8	3,896.46	7/8	3,741.84	7/8	3,587.22
1	1	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,191.45	1	4,191.45	1	4,047.83	1	3,893.24	1	3,738.62	1	3,584.00
1/8	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,189.62	1/8	4,189.62	1/8	4,044.61	1/8	3,890.02	1/8	3,735.40	1/8	3,580.77
1/4	1/4	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,187.19	1/4	4,187.19	1/4	4,041.39	1/4	3,886.80	1/4	3,732.18	1/4	3,577.55
3/8	3/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,184.76	3/8	4,184.76	3/8	4,038.17	3/8	3,883.57	3/8	3,728.96	3/8	3,574.33
1/2	1/2	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,182.32	1/2	4,182.32	1/2	4,034.96	1/2	3,880.35	1/2	3,725.74	1/2	3,571.11
5/8	5/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,179.89	5/8	4,179.89	5/8	4,031.74	5/8	3,877.13	5/8	3,722.51	5/8	3,567.89
3/4	3/4	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,177.46	3/4	4,177.46	3/4	4,028.52	3/4	3,873.91	3/4	3,719.29	3/4	3,564.67
7/8	7/8	2	2	2	2	2	2	2	4,175.03	7/8	4,175.03	7/8	4,025.30	7/8	3,870.69	7/8	3,716.07	7/8	3,561.44
2	2	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,172.59	2	4,172.59	2	4,022.08	2	3,867.47	2	3,712.85	2	3,558.22
1/8	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,170.16	1/8	4,170.16	1/8	4,018.86	1/8	3,864.25	1/8	3,709.63	1/8	3,555.00
1/4	1/4	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,167.24	1/4	4,167.24	1/4	4,015.94	1/4	3,861.03	1/4	3,706.41	1/4	3,551.78
3/8	3/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,164.32	3/8	4,164.32	3/8	4,012.42	3/8	3,857.80	3/8	3,703.19	3/8	3,548.56
1/2	1/2	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,161.40	1/2	4,161.40	1/2	4,009.20	1/2	3,854.58	1/2	3,699.97	1/2	3,545.34
5/8	5/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,158.48	5/8	4,158.48	5/8	4,005.98	5/8	3,851.36	5/8	3,696.74	5/8	3,542.11
3/4	3/4	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,155.56	3/4	4,155.56	3/4	4,002.76	3/4	3,848.14	3/4	3,693.52	3/4	3,538.89
7/8	7/8	3	3	3	3	3	3	3	4,152.64	7/8	4,152.64	7/8	3,999.54	7/8	3,844.92	7/8	3,690.30	7/8	3,535.67
3	3	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,149.72	3	4,149.72	3	3,996.32	3	3,841.70	3	3,687.08	3	3,532.45
1/8	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,146.80	1/8	4,146.80	1/8	3,993.10	1/8	3,838.48	1/8	3,683.86	1/8	3,529.23
1/4	1/4	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,143.65	1/4	4,143.65	1/4	3,989.87	1/4	3,835.26	1/4	3,680.64	1/4	3,526.01
3/8	3/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,140.50	3/8	4,140.50	3/8	3,986.65	3/8	3,832.04	3/8	3,677.42	3/8	3,522.78
1/2	1/2	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,137.35	1/2	4,137.35	1/2	3,983.43	1/2	3,828.81	1/2	3,674.20	1/2	3,519.56
5/8	5/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,134.20	5/8	4,134.20	5/8	3,980.21	5/8	3,825.59	5/8	3,670.98	5/8	3,516.34
3/4	3/4	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,131.05	3/4	4,131.05	3/4	3,976.99	3/4	3,822.37	3/4	3,667.75	3/4	3,513.12
7/8	7/8	4	4	4	4	4	4	4	4,127.80	7/8	4,127.80	7/8	3,973.77	7/8	3,819.15	7/8	3,664.53	7/8	3,509.90
4	4	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,124.75	4	4,124.75	4	3,970.55	4	3,815.93	4	3,661.31	4	3,506.68
1/8	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,121.60	1/8	4,121.60	1/8	3,967.33	1/8	3,812.71	1/8	3,658.09	1/8	3,503.48
1/4	1/4	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,118.41	1/4	4,118.41	1/4	3,964.10	1/4	3,809.49	1/4	3,654.87	1/4	3,500.23
3/8	3/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,115.21	3/8	4,115.21	3/8	3,960.88	3/8	3,806.27	3/8	3,651.65	3/8	3,497.01
1/2	1/2	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,112.01	1/2	4,112.01	1/2	3,957.66	1/2	3,803.04	1/2	3,648.43	1/2	3,493.79
5/8	5/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,108.81	5/8	4,108.81	5/8	3,954.44	5/8	3,799.82	5/8	3,645.20	5/8	3,490.57
3/4	3/4	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,105.61	3/4	4,105.61	3/4	3,951.22	3/4	3,796.60	3/4	3,641.98	3/4	3,487.35
7/8	7/8	5	5	5	5	5	5	5	4,102.41	7/8	4,102.41	7/8	3,948.00	7/8	3,793.38	7/8	3,638.76	7/8	3,484.13
5	5	1/8	1/8	1/8	1/8	1/8	1/8	1/8	4,099.21	5	4,099.21	5	3,944.78	5	3,790.16	5	3,635.54	5	3,480.90
1/8	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4	4,096.01	1/8	4,096.01	1/8	3,941.56	1/8	3,786.94	1/8	3,632.32	1/8	3,477.68
1/4	1/4	3/8	3/8	3/8	3/8	3/8	3/8	3/8	4,092.80	1/4	4,092.80	1/4	3,938.33	1/4	3,783.72	1/4	3,629.10	1/4	3,474.46
3/8	3/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2	4,089.59	3/8	4,089.59	3/8	3,935.11	3/8	3,780.50	3/8	3,625.88	3/8	3,471.24
1/2	1/2	5/8	5/8	5/8	5/8	5/8	5/8	5/8	4,086.38	1/2	4,086.38	1/2	3,931.89	1/2	3,777.27	1/2	3,622.65	1/2	3,468.02
5/8	5/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4	4,083.17	5/8	4,083.17	5/8	3,928.67	5/8	3,774.05	5/8	3,619.43	5/8	3,464.80
3/4	3/4	7/8	7/8	7/8	7/8	7/8	7/8	7/8	4,079.96	3/4	4,079.96	3/4	3,925.45	3/4	3,770.83	3/4	3,616.21	3/4	3,461.57
7/8	7/8	6	6	6	6	6	6	6	4,076.76	7/8	4,076.76	7/8	3,922.23	7/8	3,767.61	7/8	3,612.99	7/8	3,458.35

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT L.P.

O. Endrean

BARGE MMI 2805

HULL # 05-2528

1 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	3,455.13	6	3,300.50	0	3,145.86	6	2,991.22	0	2,836.43	6	2,681.48	0	2,526.49	6	2,371.51	0	2,216.54	6	2,061.57
1/8	3,451.81	1/8	3,297.27	1/8	3,142.64	1/8	2,988.00	1/8	2,833.20	1/8	2,678.23	1/8	2,523.26	1/8	2,368.28	1/8	2,213.31	1/8	2,058.34
1/4	3,448.69	1/4	3,294.05	1/4	3,139.42	1/4	2,984.78	1/4	2,829.97	1/4	2,675.00	1/4	2,520.03	1/4	2,365.06	1/4	2,210.08	1/4	2,055.11
3/8	3,445.47	3/8	3,290.83	3/8	3,136.19	3/8	2,981.56	3/8	2,826.75	3/8	2,671.77	3/8	2,516.80	3/8	2,361.83	3/8	2,206.86	3/8	2,051.88
1/2	3,442.24	1/2	3,287.61	1/2	3,132.97	1/2	2,978.34	1/2	2,823.52	1/2	2,668.54	1/2	2,513.57	1/2	2,358.60	1/2	2,203.63	1/2	2,048.65
5/8	3,439.02	5/8	3,284.39	5/8	3,129.75	5/8	2,975.11	5/8	2,820.29	5/8	2,665.32	5/8	2,510.34	5/8	2,355.37	5/8	2,200.40	5/8	2,045.42
3/4	3,435.80	3/4	3,281.17	3/4	3,126.53	3/4	2,971.89	3/4	2,817.06	3/4	2,662.09	3/4	2,507.11	3/4	2,352.54	3/4	2,197.17	3/4	2,042.20
7/8	3,432.58	7/8	3,277.94	7/8	3,123.31	7/8	2,968.67	7/8	2,813.83	7/8	2,658.86	7/8	2,503.89	7/8	2,348.91	7/8	2,193.94	7/8	2,038.97
1	3,429.36	1	3,274.72	1	3,120.09	1	2,965.45	1	2,810.60	1	2,655.63	1	2,500.66	1	2,344.68	1	2,190.71	1	2,035.74
1/8	3,426.14	1/8	3,271.50	1/8	3,116.86	1/8	2,962.23	1/8	2,807.37	1/8	2,652.40	1/8	2,497.43	1/8	2,342.46	1/8	2,187.48	1/8	2,032.51
1/4	3,422.92	1/4	3,268.28	1/4	3,113.64	1/4	2,959.01	1/4	2,804.16	1/4	2,649.17	1/4	2,494.20	1/4	2,339.23	1/4	2,184.25	1/4	2,029.28
3/8	3,419.69	3/8	3,265.06	3/8	3,110.42	3/8	2,955.78	3/8	2,800.92	3/8	2,645.94	3/8	2,490.97	3/8	2,336.00	3/8	2,181.03	3/8	2,026.05
1/2	3,416.47	1/2	3,261.84	1/2	3,107.20	1/2	2,952.56	1/2	2,797.69	1/2	2,642.72	1/2	2,487.74	1/2	2,332.77	1/2	2,177.80	1/2	2,022.82
5/8	3,413.25	5/8	3,258.62	5/8	3,103.98	5/8	2,949.34	5/8	2,794.46	5/8	2,639.49	5/8	2,484.51	5/8	2,329.54	5/8	2,174.57	5/8	2,019.60
3/4	3,410.03	3/4	3,255.39	3/4	3,100.76	3/4	2,946.12	3/4	2,791.23	3/4	2,636.26	3/4	2,481.28	3/4	2,326.31	3/4	2,171.34	3/4	2,016.37
7/8	3,406.81	7/8	3,252.17	7/8	3,097.54	7/8	2,942.90	7/8	2,788.00	7/8	2,633.03	7/8	2,478.06	7/8	2,323.08	7/8	2,168.11	7/8	2,013.14
2	3,403.59	2	3,248.95	2	3,094.31	2	2,939.68	2	2,784.77	2	2,629.80	2	2,474.83	2	2,319.86	2	2,164.88	2	2,009.81
1/8	3,400.36	1/8	3,245.73	1/8	3,091.09	1/8	2,936.46	1/8	2,781.54	1/8	2,626.57	1/8	2,471.60	1/8	2,316.63	1/8	2,161.65	1/8	2,006.68
1/4	3,397.14	1/4	3,242.51	1/4	3,087.87	1/4	2,933.23	1/4	2,778.32	1/4	2,623.34	1/4	2,468.37	1/4	2,313.40	1/4	2,158.43	1/4	2,003.45
3/8	3,393.92	3/8	3,239.29	3/8	3,084.65	3/8	2,930.01	3/8	2,775.09	3/8	2,620.11	3/8	2,465.14	3/8	2,310.17	3/8	2,155.20	3/8	2,000.22
1/2	3,390.70	1/2	3,236.06	1/2	3,081.43	1/2	2,926.78	1/2	2,771.86	1/2	2,616.89	1/2	2,461.91	1/2	2,306.94	1/2	2,151.97	1/2	1,997.77
5/8	3,387.48	5/8	3,232.84	5/8	3,078.21	5/8	2,923.56	5/8	2,768.63	5/8	2,613.66	5/8	2,458.68	5/8	2,303.71	5/8	2,148.74	5/8	1,993.77
3/4	3,384.26	3/4	3,229.62	3/4	3,074.98	3/4	2,920.34	3/4	2,765.40	3/4	2,610.43	3/4	2,455.46	3/4	2,300.48	3/4	2,146.51	3/4	1,990.54
7/8	3,381.04	7/8	3,226.40	7/8	3,071.76	7/8	2,917.11	7/8	2,762.17	7/8	2,607.20	7/8	2,452.23	7/8	2,297.25	7/8	2,142.28	7/8	1,987.31
3	3,377.81	3	3,223.18	3	3,068.54	3	2,913.89	3	2,758.94	3	2,603.97	3	2,449.00	3	2,294.03	3	2,139.05	3	1,984.08
1/8	3,374.59	1/8	3,219.96	1/8	3,065.32	1/8	2,910.66	1/8	2,755.72	1/8	2,600.74	1/8	2,445.77	1/8	2,290.80	1/8	2,135.82	1/8	1,980.85
1/4	3,371.37	1/4	3,216.73	1/4	3,062.10	1/4	2,907.44	1/4	2,752.49	1/4	2,597.51	1/4	2,442.54	1/4	2,287.57	1/4	2,132.60	1/4	1,977.62
3/8	3,368.15	3/8	3,213.51	3/8	3,058.88	3/8	2,904.21	3/8	2,749.26	3/8	2,594.29	3/8	2,439.31	3/8	2,284.34	3/8	2,129.37	3/8	1,974.39
1/2	3,364.93	1/2	3,210.29	1/2	3,055.65	1/2	2,900.99	1/2	2,746.03	1/2	2,591.06	1/2	2,436.08	1/2	2,281.11	1/2	2,126.14	1/2	1,971.17
5/8	3,361.71	5/8	3,207.07	5/8	3,052.43	5/8	2,897.76	5/8	2,742.80	5/8	2,587.83	5/8	2,432.86	5/8	2,277.88	5/8	2,122.91	5/8	1,967.94
3/4	3,358.48	3/4	3,203.85	3/4	3,049.21	3/4	2,894.54	3/4	2,739.57	3/4	2,584.60	3/4	2,429.63	3/4	2,274.65	3/4	2,119.68	3/4	1,964.71
7/8	3,355.26	7/8	3,200.63	7/8	3,045.99	7/8	2,891.31	7/8	2,736.34	7/8	2,581.37	7/8	2,426.40	7/8	2,271.43	7/8	2,116.45	7/8	1,961.48
4	3,352.04	4	3,197.40	4	3,042.77	4	2,888.09	4	2,733.12	4	2,578.14	4	2,423.17	4	2,268.20	4	2,113.22	4	1,958.25
1/8	3,348.82	1/8	3,194.18	1/8	3,039.55	1/8	2,884.86	1/8	2,729.89	1/8	2,574.91	1/8	2,419.94	1/8	2,263.97	1/8	2,110.00	1/8	1,955.02
1/4	3,345.60	1/4	3,190.96	1/4	3,036.32	1/4	2,881.63	1/4	2,726.66	1/4	2,571.69	1/4	2,416.71	1/4	2,261.74	1/4	2,106.77	1/4	1,951.79
3/8	3,342.38	3/8	3,187.74	3/8	3,033.10	3/8	2,878.40	3/8	2,723.43	3/8	2,568.46	3/8	2,413.48	3/8	2,258.51	3/8	2,103.54	3/8	1,948.57
1/2	3,339.16	1/2	3,184.52	1/2	3,029.88	1/2	2,875.17	1/2	2,720.20	1/2	2,565.23	1/2	2,410.26	1/2	2,255.28	1/2	2,100.31	1/2	1,945.34
5/8	3,335.93	5/8	3,181.30	5/8	3,026.66	5/8	2,871.95	5/8	2,716.97	5/8	2,562.00	5/8	2,407.03	5/8	2,250.35	5/8	2,097.08	5/8	1,942.11
3/4	3,332.71	3/4	3,178.08	3/4	3,023.44	3/4	2,868.72	3/4	2,713.74	3/4	2,558.77	3/4	2,403.80	3/4	2,248.83	3/4	2,093.85	3/4	1,938.88
7/8	3,329.49	7/8	3,174.85	7/8	3,020.22	7/8	2,865.49	7/8	2,710.52	7/8	2,555.54	7/8	2,400.57	7/8	2,245.60	7/8	2,090.62	7/8	1,935.65
5	3,326.27	5	3,171.63	5	3,017.00	5	2,862.26	5	2,707.29	5	2,552.31	5	2,397.34	5	2,242.37	5	2,087.40	5	1,932.42
1/8	3,323.05	1/8	3,168.41	1/8	3,013.77	1/8	2,859.03	1/8	2,704.06	1/8	2,549.09	1/8	2,394.11	1/8	2,239.14	1/8	2,084.17	1/8	1,929.19
1/4	3,319.83	1/4	3,165.19	1/4	3,010.55	1/4	2,855.80	1/4	2,700.83	1/4	2,545.86	1/4	2,390.88	1/4	2,235.91	1/4	2,080.94	1/4	1,925.97
3/8	3,316.60	3/8	3,161.97	3/8	3,007.33	3/8	2,852.57	3/8	2,697.60	3/8	2,542.83	3/8	2,387.66	3/8	2,232.68	3/8	2,077.71	3/8	1,922.74
1/2	3,313.38	1/2	3,158.75	1/2	3,004.11	1/2	2,849.35	1/2	2,694.37	1/2	2,539.40	1/2	2,384.43	1/2	2,229.45	1/2	2,074.48	1/2	1,919.51
5/8	3,310.16	5/8	3,155.52	5/8	3,000.89	5/8	2,846.12	5/8	2,691.14	5/8	2,536.17	5/8	2,381.20	5/8	2,226.23	5/8	2,071.25	5/8	1,916.28
3/4	3,306.94	3/4	3,152.30	3/4	2,997.67	3/4	2,842.89	3/4	2,687.92	3/4	2,532.94	3/4	2,377.97	3/4	2,223.00	3/4	2,068.02	3/4	1,913.05
7/8	3,303.72	7/8	3,149.08	7/8	2,994.44	7/8	2,839.66	7/8	2,684.69	7/8	2,529.71	7/8	2,374.74	7/8	2,219.77	7/8	2,064.80	7/8	1,909.82

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

O. Exchad

BARGE MMI 2805
HULL # 05-2528

1 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.
0	1,906.59	6	1,751.62	0	1,596.65	6	1,441.68	0	1,286.70	6	1,131.73	0	976.76	6	821.94	0	667.17	6	512.24
1/8	1,903.37	1/8	1,748.39	1/8	1,593.42	1/8	1,438.45	1/8	1,283.47	1/8	1,128.50	1/8	973.53	1/8	818.71	1/8	663.95	1/8	509.01
1/4	1,900.14	1/4	1,745.16	1/4	1,590.19	1/4	1,435.22	1/4	1,280.25	1/4	1,125.27	1/4	970.30	1/4	815.49	1/4	660.72	1/4	505.78
3/8	1,896.91	3/8	1,741.94	3/8	1,586.96	3/8	1,431.98	3/8	1,277.02	3/8	1,122.04	3/8	967.07	3/8	812.26	3/8	657.50	3/8	502.56
1/2	1,893.68	1/2	1,738.71	1/2	1,583.73	1/2	1,428.76	1/2	1,273.78	1/2	1,118.82	1/2	963.84	1/2	809.04	1/2	654.27	1/2	499.33
5/8	1,890.45	5/8	1,735.48	5/8	1,580.51	5/8	1,425.53	5/8	1,270.56	5/8	1,115.59	5/8	960.82	5/8	805.82	5/8	651.04	5/8	496.10
3/4	1,887.22	3/4	1,732.25	3/4	1,577.28	3/4	1,422.30	3/4	1,267.33	3/4	1,112.36	3/4	957.39	3/4	802.59	3/4	647.82	3/4	492.87
7/8	1,883.99	7/8	1,729.02	7/8	1,574.05	7/8	1,419.08	7/8	1,264.10	7/8	1,109.13	7/8	954.16	7/8	799.37	7/8	644.59	7/8	489.64
1	1,880.77	1	1,725.80	1	1,570.82	1	1,415.85	1	1,260.87	1	1,105.90	1	950.93	1	796.14	1	641.37	1	486.41
1/8	1,877.54	1/8	1,722.56	1/8	1,567.59	1/8	1,412.62	1/8	1,257.65	1/8	1,102.67	1/8	947.70	1/8	792.92	1/8	638.14	1/8	483.18
1/4	1,874.31	1/4	1,719.34	1/4	1,564.36	1/4	1,409.39	1/4	1,254.42	1/4	1,099.44	1/4	944.48	1/4	789.70	1/4	634.91	1/4	479.96
3/8	1,871.08	3/8	1,716.11	3/8	1,561.13	3/8	1,406.16	3/8	1,251.19	3/8	1,096.22	3/8	941.25	3/8	786.47	3/8	631.68	3/8	476.73
1/2	1,867.85	1/2	1,712.88	1/2	1,557.91	1/2	1,402.93	1/2	1,247.96	1/2	1,092.99	1/2	938.02	1/2	783.25	1/2	628.46	1/2	473.50
5/8	1,864.62	5/8	1,709.65	5/8	1,554.68	5/8	1,399.70	5/8	1,244.23	5/8	1,089.76	5/8	934.80	5/8	780.02	5/8	625.23	5/8	470.27
3/4	1,861.39	3/4	1,706.42	3/4	1,551.45	3/4	1,396.48	3/4	1,241.50	3/4	1,086.53	3/4	931.57	3/4	776.80	3/4	622.00	3/4	467.04
7/8	1,858.17	7/8	1,703.19	7/8	1,548.22	7/8	1,393.25	7/8	1,238.27	7/8	1,083.30	7/8	928.34	7/8	773.58	7/8	618.77	7/8	463.81
2	1,854.94	2	1,699.96	2	1,544.99	2	1,390.02	2	1,235.05	2	1,080.07	2	925.12	2	770.35	2	615.55	2	460.58
1/8	1,851.71	1/8	1,696.74	1/8	1,541.76	1/8	1,386.79	1/8	1,231.82	1/8	1,076.84	1/8	921.89	1/8	767.13	1/8	612.32	1/8	457.36
1/4	1,848.48	1/4	1,693.51	1/4	1,538.53	1/4	1,383.56	1/4	1,228.59	1/4	1,073.62	1/4	918.67	1/4	763.90	1/4	609.09	1/4	454.13
3/8	1,845.25	3/8	1,690.28	3/8	1,535.31	3/8	1,380.33	3/8	1,225.36	3/8	1,070.39	3/8	915.44	3/8	760.68	3/8	605.86	3/8	450.90
1/2	1,842.02	1/2	1,687.05	1/2	1,532.08	1/2	1,377.10	1/2	1,222.13	1/2	1,067.16	1/2	912.22	1/2	757.46	1/2	602.64	1/2	447.68
5/8	1,838.79	5/8	1,683.82	5/8	1,528.85	5/8	1,373.88	5/8	1,218.90	5/8	1,063.93	5/8	908.99	5/8	754.23	5/8	599.41	5/8	444.45
3/4	1,835.57	3/4	1,680.59	3/4	1,525.62	3/4	1,370.65	3/4	1,215.67	3/4	1,060.70	3/4	905.76	3/4	751.01	3/4	596.18	3/4	441.22
7/8	1,832.34	7/8	1,677.36	7/8	1,522.39	7/8	1,367.42	7/8	1,212.45	7/8	1,057.47	7/8	902.54	7/8	747.78	7/8	592.95	7/8	437.99
3	1,829.11	3	1,674.14	3	1,519.16	3	1,364.19	3	1,209.22	3	1,054.24	3	899.31	3	744.56	3	589.72	3	434.77
1/8	1,825.88	1/8	1,670.91	1/8	1,515.93	1/8	1,360.96	1/8	1,206.98	1/8	1,051.02	1/8	896.09	1/8	741.34	1/8	586.50	1/8	431.54
1/4	1,822.65	1/4	1,667.68	1/4	1,512.71	1/4	1,357.73	1/4	1,202.76	1/4	1,047.79	1/4	892.86	1/4	738.11	1/4	583.27	1/4	428.32
3/8	1,819.42	3/8	1,664.45	3/8	1,509.48	3/8	1,354.50	3/8	1,199.53	3/8	1,044.56	3/8	889.64	3/8	734.89	3/8	580.04	3/8	425.10
1/2	1,816.19	1/2	1,661.22	1/2	1,506.25	1/2	1,351.28	1/2	1,196.30	1/2	1,041.33	1/2	886.42	1/2	731.66	1/2	576.81	1/2	421.88
5/8	1,812.96	5/8	1,657.99	5/8	1,503.02	5/8	1,348.05	5/8	1,193.07	5/8	1,038.10	5/8	883.19	5/8	728.44	5/8	573.58	5/8	418.66
3/4	1,809.74	3/4	1,654.76	3/4	1,499.79	3/4	1,344.82	3/4	1,189.85	3/4	1,034.87	3/4	879.97	3/4	725.22	3/4	570.36	3/4	415.44
7/8	1,806.51	7/8	1,651.53	7/8	1,496.56	7/8	1,341.59	7/8	1,186.62	7/8	1,031.64	7/8	876.74	7/8	721.99	7/8	567.13	7/8	412.22
4	1,803.28	4	1,648.31	4	1,493.33	4	1,338.36	4	1,183.39	4	1,028.42	4	873.52	4	718.77	4	563.90	4	409.01
1/8	1,800.05	1/8	1,645.08	1/8	1,490.10	1/8	1,335.13	1/8	1,180.16	1/8	1,025.19	1/8	870.30	1/8	715.54	1/8	560.67	1/8	405.79
1/4	1,796.82	1/4	1,641.85	1/4	1,486.88	1/4	1,331.90	1/4	1,176.93	1/4	1,021.96	1/4	867.07	1/4	712.32	1/4	557.44	1/4	402.59
3/8	1,793.59	3/8	1,638.62	3/8	1,483.65	3/8	1,328.67	3/8	1,173.70	3/8	1,018.73	3/8	863.85	3/8	709.09	3/8	554.21	3/8	399.39
1/2	1,790.36	1/2	1,635.39	1/2	1,480.42	1/2	1,325.45	1/2	1,170.47	1/2	1,015.50	1/2	860.62	1/2	705.87	1/2	550.98	1/2	396.19
5/8	1,787.14	5/8	1,632.16	5/8	1,477.19	5/8	1,322.22	5/8	1,167.24	5/8	1,012.27	5/8	857.40	5/8	702.65	5/8	547.75	5/8	392.89
3/4	1,783.91	3/4	1,628.93	3/4	1,473.96	3/4	1,318.99	3/4	1,164.02	3/4	1,009.04	3/4	854.18	3/4	699.42	3/4	544.53	3/4	389.79
7/8	1,780.68	7/8	1,625.71	7/8	1,470.73	7/8	1,315.76	7/8	1,160.78	7/8	1,005.81	7/8	850.95	7/8	696.20	7/8	541.30	7/8	386.59
5	1,777.45	5	1,622.48	5	1,467.50	5	1,312.53	5	1,157.56	5	1,002.59	5	847.73	5	692.97	5	538.07	5	383.39
1/8	1,774.22	1/8	1,619.25	1/8	1,464.28	1/8	1,309.30	1/8	1,154.33	1/8	999.36	1/8	844.50	1/8	689.75	1/8	534.84	1/8	380.19
1/4	1,770.99	1/4	1,616.02	1/4	1,461.05	1/4	1,306.07	1/4	1,151.10	1/4	996.13	1/4	841.28	1/4	686.52	1/4	531.61	1/4	377.02
3/8	1,767.76	3/8	1,612.79	3/8	1,457.82	3/8	1,302.85	3/8	1,147.87	3/8	992.90	3/8	838.06	3/8	683.30	3/8	528.38	3/8	373.85
1/2	1,764.54	1/2	1,609.56	1/2	1,454.59	1/2	1,299.62	1/2	1,144.64	1/2	989.67	1/2	834.83	1/2	680.07	1/2	525.15	1/2	370.68
5/8	1,761.31	5/8	1,606.33	5/8	1,451.36	5/8	1,296.39	5/8	1,141.42	5/8	986.44	5/8	831.61	5/8	676.85	5/8	521.93	5/8	367.51
3/4	1,758.08	3/4	1,603.11	3/4	1,448.13	3/4	1,293.16	3/4	1,138.19	3/4	983.21	3/4	828.38	3/4	673.62	3/4	518.70	3/4	364.34
7/8	1,754.85	7/8	1,599.88	7/8	1,444.90	7/8	1,289.93	7/8	1,134.96	7/8	979.99	7/8	825.16	7/8	670.40	7/8	515.47	7/8	361.18

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.O.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O Endral

BARGE MMI 2805
HULL # 05-2528

1 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.
0	358.01	6	212.89	0	79.94	6	1.55
1/8	364.84	1/8	209.98	1/8	77.28	1/8	1.25
1/4	351.71	1/4	207.12	1/4	74.67		
3/8	348.58	3/8	204.25	3/8	72.06		
1/2	345.45	1/2	201.39	1/2	69.45		
5/8	342.33	5/8	198.52	5/8	66.84		
3/4	339.20	3/4	195.66	3/4	64.23		
7/8	336.07	7/8	192.80	7/8	61.63		
1	332.94	7	189.93	1	59.02		
1/8	329.81	1/8	187.07	1/8	56.41		
1/4	326.73	1/4	184.24	1/4	53.99		
3/8	323.65	3/8	181.42	3/8	51.57		
1/2	320.56	1/2	178.60	1/2	49.14		
5/8	317.48	5/8	175.78	5/8	46.72		
3/4	314.39	3/4	172.95	3/4	44.30		
7/8	311.31	7/8	170.13	7/8	41.88		
2	308.23	8	167.31	2	39.46		
1/8	305.14	1/8	164.48	1/8	37.03		
1/4	302.10	1/4	161.71	1/4	35.03		
3/8	299.06	3/8	158.92	3/8	33.03		
1/2	296.02	1/2	156.14	1/2	31.02		
5/8	292.98	5/8	153.36	5/8	29.02		
3/4	289.94	3/4	150.58	3/4	27.01		
7/8	286.90	7/8	147.79	7/8	25.01		
3	283.86	9	145.01	3	23.01		
1/8	280.82	1/8	142.23	1/8	21.00		
1/4	277.83	1/4	139.49	1/4	19.61		
3/8	274.83	3/8	136.74	3/8	18.21		
1/2	271.83	1/2	134.00	1/2	16.82		
5/8	268.84	5/8	131.25	5/8	15.42		
3/4	265.84	3/4	128.51	3/4	14.03		
7/8	262.85	7/8	125.77	7/8	12.63		
4	259.85	10	123.02	4	11.23		
1/8	256.86	1/8	120.28	1/8	9.84		
1/4	253.90	1/4	117.57	1/4	9.07		
3/8	250.95	3/8	114.87	3/8	8.30		
1/2	248.00	1/2	112.16	1/2	7.53		
5/8	245.05	5/8	109.45	5/8	6.76		
3/4	242.10	3/4	106.75	3/4	5.99		
7/8	239.15	7/8	104.04	7/8	5.22		
5	236.19	11	101.33	5	4.45		
1/8	233.24	1/8	98.63	1/8	3.68		
1/4	230.34	1/4	95.86	1/4	3.38		
3/8	227.43	3/8	93.29	3/8	3.07		
1/2	224.52	1/2	90.62	1/2	2.77		
5/8	221.61	5/8	87.95	5/8	2.46		
3/4	218.71	3/4	85.28	3/4	2.16		
7/8	215.80	7/8	82.61	7/8	1.86		

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endres

BARGE MMI 2805
HULL # 05-2528

2 PORT
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 3/4" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	4,098.86	6	3,919.79	0	3,740.73	6	3,561.66	0	3,202.92	0	3,023.47	6	2,844.01	0	2,684.55	6	2,485.09	6	2,485.09
1/8	4,095.13	1/8	3,916.06	1/8	3,737.00	1/8	3,557.93	1/8	3,198.18	1/8	3,019.73	1/8	2,840.27	1/8	2,680.81	1/8	2,481.35	1/8	2,481.35
1/4	4,091.40	1/4	3,912.33	1/4	3,733.27	1/4	3,554.20	1/4	3,195.45	1/4	3,016.98	1/4	2,836.53	1/4	2,677.07	1/4	2,477.82	1/4	2,477.82
3/8	4,087.67	3/8	3,908.60	3/8	3,729.54	3/8	3,550.47	3/8	3,191.71	3/8	3,012.25	3/8	2,832.79	3/8	2,673.33	3/8	2,473.88	3/8	2,473.88
1/2	4,083.94	1/2	3,904.87	1/2	3,725.80	1/2	3,546.74	1/2	3,187.97	1/2	3,008.51	1/2	2,829.05	1/2	2,669.60	1/2	2,470.14	1/2	2,470.14
5/8	4,080.21	5/8	3,901.14	5/8	3,722.07	5/8	3,543.01	5/8	3,184.23	5/8	3,004.77	5/8	2,825.31	5/8	2,665.86	5/8	2,466.40	5/8	2,466.40
3/4	4,076.48	3/4	3,897.41	3/4	3,718.34	3/4	3,539.27	3/4	3,180.49	3/4	3,001.03	3/4	2,821.58	3/4	2,662.12	3/4	2,462.66	3/4	2,462.66
7/8	4,072.75	7/8	3,893.68	7/8	3,714.61	7/8	3,535.54	7/8	3,176.75	7/8	2,997.29	7/8	2,817.84	7/8	2,658.38	7/8	2,458.92	7/8	2,458.92
1	4,069.01	1	3,889.95	1	3,710.88	1	3,532.47	1	3,173.01	1	2,993.56	1	2,814.10	1	2,654.64	1	2,455.18	1	2,455.18
1/8	4,065.28	1/8	3,886.22	1/8	3,707.15	1/8	3,528.08	1/8	3,169.27	1/8	2,989.82	1/8	2,810.36	1/8	2,650.90	1/8	2,451.44	1/8	2,451.44
1/4	4,061.55	1/4	3,882.49	1/4	3,703.42	1/4	3,524.35	1/4	3,165.54	1/4	2,986.08	1/4	2,806.62	1/4	2,647.16	1/4	2,447.71	1/4	2,447.71
3/8	4,057.82	3/8	3,878.76	3/8	3,699.69	3/8	3,520.62	3/8	3,161.80	3/8	2,982.34	3/8	2,802.88	3/8	2,643.42	3/8	2,443.97	3/8	2,443.97
1/2	4,054.09	1/2	3,875.03	1/2	3,695.96	1/2	3,516.89	1/2	3,158.06	1/2	2,978.60	1/2	2,798.14	1/2	2,639.68	1/2	2,440.23	1/2	2,440.23
5/8	4,050.36	5/8	3,871.30	5/8	3,692.23	5/8	3,513.16	5/8	3,154.32	5/8	2,974.86	5/8	2,795.40	5/8	2,635.95	5/8	2,438.49	5/8	2,438.49
3/4	4,046.63	3/4	3,867.57	3/4	3,688.50	3/4	3,509.43	3/4	3,150.58	3/4	2,971.12	3/4	2,791.67	3/4	2,632.50	3/4	2,435.75	3/4	2,435.75
7/8	4,042.90	7/8	3,863.84	7/8	3,684.77	7/8	3,505.70	7/8	3,146.84	7/8	2,967.39	7/8	2,787.93	7/8	2,629.47	7/8	2,433.01	7/8	2,433.01
2	4,039.17	2	3,860.11	2	3,681.04	2	3,501.96	2	3,143.10	2	2,963.65	2	2,784.19	2	2,626.01	2	2,430.26	2	2,430.26
1/8	4,035.44	1/8	3,856.38	1/8	3,677.31	1/8	3,498.23	1/8	3,139.37	1/8	2,959.91	1/8	2,780.45	1/8	2,622.99	1/8	2,427.53	1/8	2,427.53
1/4	4,031.71	1/4	3,852.65	1/4	3,673.58	1/4	3,494.50	1/4	3,135.63	1/4	2,956.17	1/4	2,776.71	1/4	2,619.25	1/4	2,424.06	1/4	2,424.06
3/8	4,027.98	3/8	3,848.91	3/8	3,669.85	3/8	3,490.77	3/8	3,131.89	3/8	2,952.43	3/8	2,772.97	3/8	2,615.50	3/8	2,421.32	3/8	2,421.32
1/2	4,024.25	1/2	3,845.18	1/2	3,666.12	1/2	3,487.03	1/2	3,128.15	1/2	2,948.69	1/2	2,769.23	1/2	2,612.78	1/2	2,418.04	1/2	2,418.04
5/8	4,020.52	5/8	3,841.45	5/8	3,662.38	5/8	3,483.30	5/8	3,124.41	5/8	2,944.95	5/8	2,765.50	5/8	2,609.04	5/8	2,414.32	5/8	2,414.32
3/4	4,016.79	3/4	3,837.72	3/4	3,658.65	3/4	3,479.57	3/4	3,120.67	3/4	2,941.21	3/4	2,761.76	3/4	2,605.30	3/4	2,410.84	3/4	2,410.84
7/8	4,013.05	7/8	3,833.99	7/8	3,654.92	7/8	3,475.83	7/8	3,116.93	7/8	2,937.48	7/8	2,758.02	7/8	2,601.84	7/8	2,407.38	7/8	2,407.38
3	4,009.32	3	3,830.26	3	3,651.19	3	3,472.08	3	3,113.19	3	2,933.74	3	2,754.28	3	2,598.56	3	2,399.10	3	2,399.10
1/8	4,005.59	1/8	3,826.53	1/8	3,647.46	1/8	3,468.36	1/8	3,109.46	1/8	2,930.00	1/8	2,750.54	1/8	2,594.82	1/8	2,395.36	1/8	2,395.36
1/4	4,001.86	1/4	3,822.80	1/4	3,643.73	1/4	3,464.62	1/4	3,105.72	1/4	2,926.26	1/4	2,746.80	1/4	2,591.08	1/4	2,391.63	1/4	2,391.63
3/8	3,998.13	3/8	3,819.07	3/8	3,640.00	3/8	3,460.89	3/8	3,101.98	3/8	2,922.52	3/8	2,743.06	3/8	2,587.34	3/8	2,387.89	3/8	2,387.89
1/2	3,994.40	1/2	3,815.34	1/2	3,636.27	1/2	3,457.15	1/2	3,098.24	1/2	2,918.78	1/2	2,739.32	1/2	2,583.61	1/2	2,384.15	1/2	2,384.15
5/8	3,990.67	5/8	3,811.61	5/8	3,632.54	5/8	3,453.41	5/8	3,094.50	5/8	2,915.04	5/8	2,735.59	5/8	2,578.87	5/8	2,380.41	5/8	2,380.41
3/4	3,986.94	3/4	3,807.88	3/4	3,628.81	3/4	3,449.68	3/4	3,090.76	3/4	2,911.30	3/4	2,731.85	3/4	2,574.15	3/4	2,376.67	3/4	2,376.67
7/8	3,983.21	7/8	3,804.15	7/8	3,625.08	7/8	3,445.94	7/8	3,087.02	7/8	2,907.57	7/8	2,728.11	7/8	2,571.43	7/8	2,373.93	7/8	2,373.93
4	3,979.48	4	3,800.42	4	3,621.35	4	3,442.20	4	3,083.28	4	2,903.83	4	2,724.37	4	2,564.91	4	2,369.19	4	2,369.19
1/8	3,975.75	1/8	3,796.69	1/8	3,617.62	1/8	3,438.46	1/8	3,079.55	1/8	2,900.09	1/8	2,720.63	1/8	2,561.17	1/8	2,365.45	1/8	2,365.45
1/4	3,972.02	1/4	3,792.96	1/4	3,613.89	1/4	3,434.72	1/4	3,075.81	1/4	2,896.35	1/4	2,716.89	1/4	2,557.34	1/4	2,361.72	1/4	2,361.72
3/8	3,968.29	3/8	3,789.23	3/8	3,610.16	3/8	3,430.98	3/8	3,072.07	3/8	2,892.61	3/8	2,713.15	3/8	2,553.70	3/8	2,357.98	3/8	2,357.98
1/2	3,964.56	1/2	3,785.49	1/2	3,606.43	1/2	3,427.25	1/2	3,068.33	1/2	2,888.87	1/2	2,709.41	1/2	2,549.96	1/2	2,354.24	1/2	2,354.24
5/8	3,960.83	5/8	3,781.76	5/8	3,602.70	5/8	3,423.51	5/8	3,064.59	5/8	2,885.13	5/8	2,705.68	5/8	2,546.22	5/8	2,350.50	5/8	2,350.50
3/4	3,957.10	3/4	3,778.03	3/4	3,598.96	3/4	3,419.77	3/4	3,060.85	3/4	2,881.39	3/4	2,701.94	3/4	2,542.48	3/4	2,346.76	3/4	2,346.76
7/8	3,953.37	7/8	3,774.30	7/8	3,595.23	7/8	3,416.03	7/8	3,057.11	7/8	2,877.66	7/8	2,698.20	7/8	2,538.74	7/8	2,343.02	7/8	2,343.02
5	3,949.64	5	3,770.57	5	3,591.50	5	3,412.29	5	3,053.38	5	2,873.92	5	2,694.46	5	2,535.00	5	2,339.28	5	2,339.28
1/8	3,945.91	1/8	3,766.84	1/8	3,587.77	1/8	3,408.55	1/8	3,049.84	1/8	2,870.18	1/8	2,690.72	1/8	2,531.26	1/8	2,335.54	1/8	2,335.54
1/4	3,942.18	1/4	3,763.11	1/4	3,584.04	1/4	3,404.81	1/4	3,045.90	1/4	2,866.44	1/4	2,686.98	1/4	2,527.52	1/4	2,331.81	1/4	2,331.81
3/8	3,938.44	3/8	3,759.38	3/8	3,580.31	3/8	3,401.07	3/8	3,042.16	3/8	2,862.70	3/8	2,683.24	3/8	2,523.79	3/8	2,328.07	3/8	2,328.07
1/2	3,934.71	1/2	3,755.65	1/2	3,576.58	1/2	3,397.34	1/2	3,038.42	1/2	2,858.96	1/2	2,679.51	1/2	2,520.05	1/2	2,324.33	1/2	2,324.33
5/8	3,930.98	5/8	3,751.92	5/8	3,572.85	5/8	3,393.60	5/8	3,034.56	5/8	2,855.22	5/8	2,675.77	5/8	2,516.31	5/8	2,320.59	5/8	2,320.59
3/4	3,927.25	3/4	3,748.19	3/4	3,569.12	3/4	3,389.86	3/4	3,030.94	3/4	2,851.49	3/4	2,672.03	3/4	2,512.57	3/4	2,316.85	3/4	2,316.85
7/8	3,923.52	7/8	3,744.46	7/8	3,565.39	7/8	3,386.12	7/8	3,027.20	7/8	2,847.75	7/8	2,668.29	7/8	2,509.83	7/8	2,313.11	7/8	2,313.11

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-6" OFF CENTERLINE.

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O Endres

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

BARGE MMI 2805

HULL # 05-2528

2 PORT
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 3/4" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.
0	2,305.64	6	2,126.18	0	1,946.72	6	1,767.26	0	1,587.80	6	1,408.34	0	1,228.89	6	1,049.49	0	870.12	6	690.68
1/8	2,301.90	1/8	2,122.44	1/8	1,942.98	1/8	1,763.52	1/8	1,584.06	1/8	1,404.61	1/8	1,225.15	1/8	1,045.75	1/8	866.38	1/8	686.94
1/4	2,298.16	1/4	2,118.70	1/4	1,939.24	1/4	1,759.78	1/4	1,580.32	1/4	1,400.87	1/4	1,221.41	1/4	1,042.01	1/4	862.64	1/4	683.20
3/8	2,294.42	3/8	2,114.96	3/8	1,935.50	3/8	1,756.04	3/8	1,576.59	3/8	1,397.13	3/8	1,217.67	3/8	1,038.28	3/8	858.90	3/8	679.46
1/2	2,290.68	1/2	2,111.22	1/2	1,931.76	1/2	1,752.31	1/2	1,572.85	1/2	1,393.39	1/2	1,213.93	1/2	1,034.54	1/2	855.17	1/2	676.72
5/8	2,286.94	5/8	2,107.48	5/8	1,928.02	5/8	1,748.57	5/8	1,568.11	5/8	1,389.65	5/8	1,210.19	5/8	1,030.80	5/8	851.43	5/8	673.98
3/4	2,283.20	3/4	2,103.75	3/4	1,924.29	3/4	1,744.83	3/4	1,564.37	3/4	1,385.91	3/4	1,206.45	3/4	1,027.07	3/4	847.69	3/4	671.24
7/8	2,279.46	7/8	2,100.01	7/8	1,920.55	7/8	1,741.09	7/8	1,560.63	7/8	1,382.17	7/8	1,202.72	7/8	1,023.33	7/8	843.95	7/8	668.51
1	2,275.73	1	2,096.27	1	1,916.81	1	1,737.35	1	1,557.89	1	1,378.44	1	1,198.98	1	1,019.59	1	840.22	1	665.77
1/8	2,271.99	1/8	2,092.53	1/8	1,913.07	1/8	1,733.61	1/8	1,554.16	1/8	1,374.70	1/8	1,195.24	1/8	1,015.86	1/8	836.48	1/8	662.03
1/4	2,268.25	1/4	2,088.79	1/4	1,909.33	1/4	1,729.87	1/4	1,550.42	1/4	1,370.96	1/4	1,191.50	1/4	1,012.12	1/4	832.74	1/4	658.29
3/8	2,264.51	3/8	2,085.05	3/8	1,905.59	3/8	1,726.13	3/8	1,546.68	3/8	1,367.22	3/8	1,187.76	3/8	1,008.38	3/8	829.00	3/8	654.55
1/2	2,260.77	1/2	2,081.31	1/2	1,901.85	1/2	1,722.40	1/2	1,542.94	1/2	1,363.48	1/2	1,184.02	1/2	1,004.65	1/2	825.26	1/2	650.81
5/8	2,257.03	5/8	2,077.57	5/8	1,898.11	5/8	1,718.66	5/8	1,539.20	5/8	1,359.74	5/8	1,180.28	5/8	1,000.91	5/8	821.53	5/8	647.08
3/4	2,253.29	3/4	2,073.84	3/4	1,894.38	3/4	1,714.92	3/4	1,535.46	3/4	1,356.00	3/4	1,176.55	3/4	997.17	3/4	817.79	3/4	643.34
7/8	2,249.55	7/8	2,070.10	7/8	1,890.64	7/8	1,711.18	7/8	1,531.72	7/8	1,352.26	7/8	1,172.81	7/8	993.44	7/8	814.05	7/8	639.60
2	2,245.82	2	2,066.36	2	1,886.90	2	1,707.44	2	1,527.98	2	1,348.53	2	1,169.07	2	989.70	2	810.31	2	635.86
1/8	2,242.08	1/8	2,062.62	1/8	1,883.16	1/8	1,703.70	1/8	1,524.24	1/8	1,344.78	1/8	1,165.33	1/8	985.96	1/8	806.58	1/8	632.12
1/4	2,238.34	1/4	2,058.88	1/4	1,879.42	1/4	1,699.96	1/4	1,520.51	1/4	1,341.05	1/4	1,161.59	1/4	982.23	1/4	802.84	1/4	628.38
3/8	2,234.60	3/8	2,055.14	3/8	1,875.68	3/8	1,696.22	3/8	1,516.77	3/8	1,337.31	3/8	1,157.86	3/8	978.48	3/8	799.10	3/8	624.64
1/2	2,230.86	1/2	2,051.40	1/2	1,871.94	1/2	1,692.49	1/2	1,513.03	1/2	1,333.57	1/2	1,154.12	1/2	974.75	1/2	795.36	1/2	620.90
5/8	2,227.12	5/8	2,047.66	5/8	1,868.20	5/8	1,688.75	5/8	1,509.29	5/8	1,329.83	5/8	1,150.38	5/8	971.02	5/8	791.82	5/8	617.17
3/4	2,223.38	3/4	2,043.93	3/4	1,864.47	3/4	1,684.91	3/4	1,505.55	3/4	1,326.09	3/4	1,146.64	3/4	967.28	3/4	787.89	3/4	613.43
7/8	2,219.65	7/8	2,040.19	7/8	1,860.73	7/8	1,681.27	7/8	1,501.81	7/8	1,322.35	7/8	1,142.91	7/8	963.54	7/8	784.15	7/8	609.69
3	2,215.91	3	2,036.45	3	1,856.99	3	1,677.53	3	1,498.07	3	1,318.62	3	1,139.17	3	959.81	3	780.41	3	606.95
1/8	2,212.17	1/8	2,032.71	1/8	1,853.25	1/8	1,673.79	1/8	1,494.33	1/8	1,314.88	1/8	1,135.43	1/8	956.07	1/8	776.67	1/8	597.21
1/4	2,208.43	1/4	2,028.97	1/4	1,849.51	1/4	1,670.05	1/4	1,490.60	1/4	1,311.14	1/4	1,131.70	1/4	952.33	1/4	772.93	1/4	593.47
3/8	2,204.69	3/8	2,025.23	3/8	1,845.77	3/8	1,666.32	3/8	1,486.86	3/8	1,307.40	3/8	1,127.96	3/8	948.60	3/8	769.19	3/8	589.73
1/2	2,200.95	1/2	2,021.49	1/2	1,842.03	1/2	1,662.58	1/2	1,483.12	1/2	1,303.66	1/2	1,124.22	1/2	944.86	1/2	765.45	1/2	586.99
5/8	2,197.21	5/8	2,017.75	5/8	1,838.30	5/8	1,658.84	5/8	1,479.38	5/8	1,299.92	5/8	1,120.49	5/8	941.12	5/8	761.71	5/8	583.26
3/4	2,193.47	3/4	2,014.01	3/4	1,834.56	3/4	1,655.10	3/4	1,475.64	3/4	1,296.18	3/4	1,116.75	3/4	937.39	3/4	757.97	3/4	579.52
7/8	2,189.74	7/8	2,010.28	7/8	1,830.82	7/8	1,651.36	7/8	1,471.90	7/8	1,292.45	7/8	1,113.01	7/8	933.65	7/8	754.24	7/8	575.78
4	2,186.00	4	2,006.54	4	1,827.08	4	1,647.62	4	1,468.16	4	1,288.71	4	1,109.28	4	929.91	4	750.50	4	571.04
1/8	2,182.26	1/8	2,002.80	1/8	1,823.34	1/8	1,643.88	1/8	1,464.43	1/8	1,284.97	1/8	1,105.54	1/8	926.18	1/8	746.76	1/8	567.30
1/4	2,178.52	1/4	1,999.06	1/4	1,819.60	1/4	1,640.14	1/4	1,460.69	1/4	1,281.23	1/4	1,101.80	1/4	922.44	1/4	743.02	1/4	563.56
3/8	2,174.78	3/8	1,995.32	3/8	1,815.86	3/8	1,636.41	3/8	1,456.95	3/8	1,277.49	3/8	1,098.07	3/8	918.70	3/8	739.28	3/8	559.82
1/2	2,171.04	1/2	1,991.58	1/2	1,812.12	1/2	1,632.67	1/2	1,453.21	1/2	1,273.75	1/2	1,094.33	1/2	914.97	1/2	735.54	1/2	556.09
5/8	2,167.30	5/8	1,987.84	5/8	1,808.39	5/8	1,628.93	5/8	1,449.47	5/8	1,270.01	5/8	1,090.59	5/8	911.23	5/8	731.80	5/8	552.35
3/4	2,163.56	3/4	1,984.10	3/4	1,804.65	3/4	1,625.19	3/4	1,445.73	3/4	1,266.27	3/4	1,086.85	3/4	907.49	3/4	728.07	3/4	548.61
7/8	2,159.83	7/8	1,980.37	7/8	1,800.91	7/8	1,621.45	7/8	1,441.99	7/8	1,262.54	7/8	1,083.12	7/8	903.75	7/8	724.33	7/8	544.87
5	2,156.09	5	1,976.63	5	1,797.17	5	1,617.71	5	1,438.25	5	1,258.80	5	1,079.38	5	900.02	5	720.59	5	541.13
1/8	2,152.35	1/8	1,972.89	1/8	1,793.43	1/8	1,613.97	1/8	1,434.52	1/8	1,255.06	1/8	1,075.64	1/8	896.28	1/8	716.86	1/8	537.39
1/4	2,148.61	1/4	1,969.15	1/4	1,789.69	1/4	1,610.23	1/4	1,430.78	1/4	1,251.32	1/4	1,071.91	1/4	892.54	1/4	713.11	1/4	533.65
3/8	2,144.87	3/8	1,965.41	3/8	1,785.95	3/8	1,606.50	3/8	1,427.04	3/8	1,247.58	3/8	1,068.17	3/8	888.81	3/8	709.37	3/8	529.91
1/2	2,141.13	1/2	1,961.67	1/2	1,782.21	1/2	1,602.76	1/2	1,423.30	1/2	1,243.84	1/2	1,064.43	1/2	885.07	1/2	705.63	1/2	526.18
5/8	2,137.39	5/8	1,957.93	5/8	1,778.48	5/8	1,598.02	5/8	1,419.56	5/8	1,240.10	5/8	1,060.70	5/8	881.33	5/8	701.89	5/8	522.44
3/4	2,133.65	3/4	1,954.19	3/4	1,774.74	3/4	1,595.28	3/4	1,415.82	3/4	1,236.36	3/4	1,056.96	3/4	877.59	3/4	698.16	3/4	518.70
7/8	2,129.92	7/8	1,950.46	7/8	1,771.00	7/8	1,591.54	7/8	1,412.08	7/8	1,232.63	7/8	1,053.22	7/8	873.86	7/8	694.42	7/8	514.96

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

O. Endreao

BARGE MMI 2805
HULL # 05-2528

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 16'-5 3/4" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMITIC GAUGE LOCATION

IN	15 FT.	IN	15 FT.	IN	16 FT.
0	511.22	6	331.76	0	152.38
1/8	507.48	1/8	328.02	1/8	148.65
1/4	503.74	1/4	324.29	1/4	144.92
3/8	500.00	3/8	320.55	3/8	141.18
1/2	496.27	1/2	316.81	1/2	137.46
5/8	492.53	5/8	313.07	5/8	133.73
3/4	488.79	3/4	309.33	3/4	130.01
7/8	485.05	7/8	305.59	7/8	126.28
1	481.31	7	301.85	1	122.57
1/8	477.57	1/8	298.11	1/8	118.85
1/4	473.83	1/4	294.38	1/4	115.13
3/8	470.10	3/8	290.64	3/8	111.41
1/2	466.36	1/2	286.90	1/2	107.70
5/8	462.62	5/8	283.16	5/8	103.98
3/4	458.88	3/4	279.42	3/4	100.26
7/8	455.14	7/8	275.68	7/8	96.56
2	451.40	8	271.94	2	92.87
1/8	447.66	1/8	268.21	1/8	89.17
1/4	443.92	1/4	264.47	1/4	85.47
3/8	440.19	3/8	260.73	3/8	81.78
1/2	436.45	1/2	256.99	1/2	78.08
5/8	432.71	5/8	253.25	5/8	74.38
3/4	428.97	3/4	249.51	3/4	70.69
7/8	425.23	7/8	245.77	7/8	67.23
3	421.49	9	242.03	3	63.77
1/8	417.75	1/8	238.30	1/8	60.31
1/4	414.01	1/4	234.56	1/4	56.85
3/8	410.28	3/8	230.82	3/8	53.39
1/2	406.54	1/2	227.08	1/2	49.93
5/8	402.80	5/8	223.34	5/8	46.47
3/4	399.06	3/4	219.60	3/4	43.01
7/8	395.32	7/8	215.87	7/8	40.27
4	391.58	10	212.13	4	37.54
1/8	387.84	1/8	208.39	1/8	34.80
1/4	384.10	1/4	204.65	1/4	32.06
3/8	380.37	3/8	200.92	3/8	29.33
1/2	376.63	1/2	197.18	1/2	26.59
5/8	372.89	5/8	193.44	5/8	23.85
3/4	369.15	3/4	189.70	3/4	21.12
7/8	365.41	7/8	185.97	7/8	18.40
5	361.67	11	182.24	5	17.69
1/8	357.93	1/8	178.50	1/8	15.97
1/4	354.20	1/4	174.77	1/4	14.26
3/8	350.46	3/8	171.03	3/8	12.54
1/2	346.72	1/2	167.30	1/2	10.83
5/8	342.98	5/8	163.57	5/8	9.11
3/4	339.24	3/4	159.83	3/4	7.39
7/8	335.50	7/8	156.10		

GAUGE LOCATED 5'-0" FORWARD OF AFT BULKHEAD, AND 3'-6" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endreud

BARGE MMI 2805
HULL # 05-2528

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

2 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	4,077.59	6	3,898.46	0	3,719.33	6	3,540.19	0	3,360.83	6	3,187.37	0	3,001.90	6	2,822.44	0	2,642.98	6	2,463.52
1/8	4,073.86	1/8	3,894.73	1/8	3,715.59	1/8	3,536.46	1/8	3,357.09	1/8	3,183.63	1/8	2,998.16	1/8	2,818.70	1/8	2,639.24	1/8	2,459.78
1/4	4,070.13	1/4	3,891.00	1/4	3,711.86	1/4	3,532.73	1/4	3,353.35	1/4	3,179.89	1/4	2,994.43	1/4	2,814.96	1/4	2,635.50	1/4	2,456.04
3/8	4,066.39	3/8	3,887.26	3/8	3,708.13	3/8	3,529.00	3/8	3,349.61	3/8	3,176.15	3/8	2,990.89	3/8	2,811.22	3/8	2,631.76	3/8	2,452.30
1/2	4,062.66	1/2	3,883.53	1/2	3,704.40	1/2	3,525.27	1/2	3,345.87	1/2	3,172.41	1/2	2,986.95	1/2	2,807.49	1/2	2,628.02	1/2	2,448.56
5/8	4,058.93	5/8	3,879.80	5/8	3,700.67	5/8	3,521.53	5/8	3,342.13	5/8	3,168.67	5/8	2,983.21	5/8	2,803.75	5/8	2,624.28	5/8	2,444.82
3/4	4,055.20	3/4	3,876.07	3/4	3,696.83	3/4	3,517.60	3/4	3,338.39	3/4	3,165.93	3/4	2,979.47	3/4	2,800.01	3/4	2,620.55	3/4	2,441.08
7/8	4,051.47	7/8	3,872.33	7/8	3,693.09	7/8	3,514.07	7/8	3,334.68	7/8	3,162.15	7/8	2,975.73	7/8	2,796.27	7/8	2,616.81	7/8	2,437.34
1	4,047.73	1	3,868.60	1	3,689.47	1	3,510.34	1	3,330.92	1	3,158.45	1	2,971.99	1	2,792.53	1	2,613.07	1	2,433.61
1/8	4,044.00	1/8	3,864.87	1/8	3,685.74	1/8	3,506.61	1/8	3,327.18	1/8	3,154.72	1/8	2,968.25	1/8	2,788.79	1/8	2,609.33	1/8	2,429.87
1/4	4,040.27	1/4	3,861.14	1/4	3,682.01	1/4	3,502.87	1/4	3,323.44	1/4	3,151.98	1/4	2,964.51	1/4	2,785.05	1/4	2,605.59	1/4	2,426.13
3/8	4,036.54	3/8	3,857.41	3/8	3,678.27	3/8	3,499.14	3/8	3,319.70	3/8	3,149.24	3/8	2,960.78	3/8	2,781.31	3/8	2,601.85	3/8	2,422.39
1/2	4,032.81	1/2	3,853.67	1/2	3,674.54	1/2	3,495.40	1/2	3,315.96	1/2	3,146.50	1/2	2,955.04	1/2	2,775.57	1/2	2,596.11	1/2	2,416.65
5/8	4,029.07	5/8	3,849.94	5/8	3,670.81	5/8	3,491.67	5/8	3,312.22	5/8	3,142.76	5/8	2,953.30	5/8	2,773.84	5/8	2,594.37	5/8	2,417.91
3/4	4,025.34	3/4	3,846.21	3/4	3,667.08	3/4	3,487.94	3/4	3,308.48	3/4	3,138.02	3/4	2,949.56	3/4	2,770.10	3/4	2,591.17	3/4	2,413.17
7/8	4,021.61	7/8	3,842.48	7/8	3,663.35	7/8	3,484.20	7/8	3,304.76	7/8	3,135.28	7/8	2,945.82	7/8	2,766.36	7/8	2,586.90	7/8	2,407.43
2	4,017.88	2	3,838.75	2	3,659.62	2	3,480.47	2	3,301.01	2	3,131.54	2	2,942.08	2	2,762.62	2	2,583.16	2	2,403.69
1/8	4,014.15	1/8	3,835.01	1/8	3,655.88	1/8	3,476.73	1/8	3,297.27	1/8	3,127.81	1/8	2,938.34	1/8	2,758.88	1/8	2,579.42	1/8	2,399.96
1/4	4,010.42	1/4	3,831.28	1/4	3,652.15	1/4	3,472.98	1/4	3,293.53	1/4	3,124.07	1/4	2,934.60	1/4	2,755.14	1/4	2,575.68	1/4	2,396.22
3/8	4,006.68	3/8	3,827.55	3/8	3,648.42	3/8	3,469.25	3/8	3,289.79	3/8	3,119.33	3/8	2,930.87	3/8	2,751.40	3/8	2,571.94	3/8	2,392.48
1/2	4,002.95	1/2	3,823.82	1/2	3,644.69	1/2	3,465.52	1/2	3,286.05	1/2	3,116.59	1/2	2,927.13	1/2	2,747.66	1/2	2,568.20	1/2	2,388.74
5/8	3,999.22	5/8	3,820.09	5/8	3,640.96	5/8	3,461.78	5/8	3,282.31	5/8	3,112.85	5/8	2,923.39	5/8	2,743.93	5/8	2,564.46	5/8	2,385.00
3/4	3,995.49	3/4	3,816.35	3/4	3,637.22	3/4	3,458.04	3/4	3,278.57	3/4	3,099.11	3/4	2,919.65	3/4	2,740.19	3/4	2,560.72	3/4	2,381.26
7/8	3,991.76	7/8	3,812.62	7/8	3,633.49	7/8	3,454.30	7/8	3,274.84	7/8	3,095.37	7/8	2,915.81	7/8	2,736.45	7/8	2,556.99	7/8	2,377.52
3	3,988.02	3	3,808.89	3	3,629.76	3	3,450.56	3	3,271.10	3	3,091.63	3	2,912.17	3	2,732.71	3	2,553.25	3	2,373.78
1/8	3,984.29	1/8	3,805.16	1/8	3,626.03	1/8	3,446.82	1/8	3,267.36	1/8	3,087.90	1/8	2,908.43	1/8	2,728.97	1/8	2,549.51	1/8	2,370.05
1/4	3,980.56	1/4	3,801.43	1/4	3,622.30	1/4	3,443.08	1/4	3,263.62	1/4	3,084.16	1/4	2,904.69	1/4	2,725.23	1/4	2,545.77	1/4	2,366.31
3/8	3,976.83	3/8	3,797.70	3/8	3,618.56	3/8	3,439.34	3/8	3,259.88	3/8	3,080.42	3/8	2,900.96	3/8	2,721.49	3/8	2,542.03	3/8	2,362.57
1/2	3,973.10	1/2	3,793.96	1/2	3,614.83	1/2	3,435.60	1/2	3,256.14	1/2	3,076.68	1/2	2,897.22	1/2	2,717.75	1/2	2,538.29	1/2	2,358.83
5/8	3,969.37	5/8	3,790.23	5/8	3,611.10	5/8	3,431.86	5/8	3,252.40	5/8	3,072.94	5/8	2,893.48	5/8	2,714.02	5/8	2,534.55	5/8	2,355.09
3/4	3,965.63	3/4	3,786.50	3/4	3,607.37	3/4	3,428.13	3/4	3,248.66	3/4	3,069.20	3/4	2,889.74	3/4	2,710.28	3/4	2,530.81	3/4	2,351.35
7/8	3,961.90	7/8	3,782.77	7/8	3,603.64	7/8	3,424.39	7/8	3,244.92	7/8	3,065.46	7/8	2,886.00	7/8	2,706.54	7/8	2,527.08	7/8	2,347.61
4	3,958.17	4	3,779.04	4	3,599.90	4	3,420.65	4	3,241.19	4	3,061.72	4	2,882.26	4	2,702.80	4	2,523.34	4	2,343.87
1/8	3,954.44	1/8	3,775.30	1/8	3,596.17	1/8	3,416.91	1/8	3,237.45	1/8	3,057.98	1/8	2,878.52	1/8	2,699.06	1/8	2,519.60	1/8	2,340.14
1/4	3,950.71	1/4	3,771.57	1/4	3,592.44	1/4	3,413.17	1/4	3,233.71	1/4	3,054.25	1/4	2,874.78	1/4	2,695.32	1/4	2,515.86	1/4	2,336.40
3/8	3,946.97	3/8	3,767.84	3/8	3,588.71	3/8	3,409.43	3/8	3,229.97	3/8	3,050.51	3/8	2,871.04	3/8	2,691.58	3/8	2,512.12	3/8	2,336.94
1/2	3,943.24	1/2	3,764.11	1/2	3,584.98	1/2	3,405.69	1/2	3,226.23	1/2	3,046.77	1/2	2,867.31	1/2	2,687.84	1/2	2,508.38	1/2	2,328.92
5/8	3,939.51	5/8	3,760.38	5/8	3,581.25	5/8	3,401.95	5/8	3,222.49	5/8	3,043.03	5/8	2,863.57	5/8	2,684.10	5/8	2,504.64	5/8	2,329.18
3/4	3,935.78	3/4	3,756.64	3/4	3,577.51	3/4	3,398.22	3/4	3,218.75	3/4	3,039.29	3/4	2,859.83	3/4	2,680.37	3/4	2,500.90	3/4	2,321.44
7/8	3,932.05	7/8	3,752.91	7/8	3,573.78	7/8	3,394.48	7/8	3,215.01	7/8	3,035.55	7/8	2,856.09	7/8	2,676.63	7/8	2,497.16	7/8	2,317.70
5	3,928.31	5	3,749.18	5	3,570.05	5	3,390.74	5	3,211.28	5	3,031.81	5	2,852.35	5	2,672.89	5	2,493.43	5	2,313.96
1/8	3,924.58	1/8	3,745.45	1/8	3,566.32	1/8	3,387.00	1/8	3,207.54	1/8	3,028.07	1/8	2,848.61	1/8	2,669.15	1/8	2,489.69	1/8	2,310.22
1/4	3,920.85	1/4	3,741.72	1/4	3,562.59	1/4	3,383.26	1/4	3,203.80	1/4	3,024.34	1/4	2,844.87	1/4	2,665.41	1/4	2,485.95	1/4	2,306.49
3/8	3,917.12	3/8	3,737.99	3/8	3,558.85	3/8	3,379.52	3/8	3,200.06	3/8	3,020.60	3/8	2,841.13	3/8	2,661.67	3/8	2,482.21	3/8	2,302.75
1/2	3,913.39	1/2	3,734.25	1/2	3,555.12	1/2	3,375.78	1/2	3,196.32	1/2	3,016.86	1/2	2,837.40	1/2	2,657.93	1/2	2,478.47	1/2	2,298.01
5/8	3,909.65	5/8	3,730.52	5/8	3,551.39	5/8	3,372.04	5/8	3,192.58	5/8	3,013.12	5/8	2,833.66	5/8	2,654.19	5/8	2,474.73	5/8	2,293.53
3/4	3,905.92	3/4	3,726.79	3/4	3,547.66	3/4	3,368.31	3/4	3,189.84	3/4	3,009.38	3/4	2,829.92	3/4	2,650.46	3/4	2,470.99	3/4	2,289.53
7/8	3,902.19	7/8	3,723.06	7/8	3,543.93	7/8	3,364.57	7/8	3,185.10	7/8	3,005.64	7/8	2,826.18	7/8	2,646.72	7/8	2,467.25	7/8	2,287.79

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endrean

BARGE MMI 2805

HULL # 05-2528

2 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.
0	2,284.05	6	2,104.59	12	1,925.12	18	1,745.86	24	1,566.19	30	1,386.72	36	1,207.29	42	1,028.66	48	850.03	54	670.63
1/8	2,280.31	1/8	2,100.85	1/8	1,921.38	1/8	1,741.92	1/8	1,562.45	1/8	1,382.98	1/8	1,203.56	1/8	1,024.94	1/8	846.30	1/8	666.89
1/4	2,276.58	1/4	2,097.11	1/4	1,917.65	1/4	1,738.18	1/4	1,558.71	1/4	1,379.24	1/4	1,199.83	1/4	1,021.22	1/4	842.57	1/4	663.15
3/8	2,272.84	3/8	2,093.37	3/8	1,913.91	3/8	1,734.44	3/8	1,554.97	3/8	1,375.51	3/8	1,196.11	3/8	1,017.50	3/8	838.83	3/8	659.42
1/2	2,269.10	1/2	2,089.64	1/2	1,910.17	1/2	1,730.70	1/2	1,551.23	1/2	1,371.77	1/2	1,192.38	1/2	1,013.78	1/2	835.10	1/2	655.68
5/8	2,265.36	5/8	2,085.90	5/8	1,906.43	5/8	1,726.96	5/8	1,547.49	5/8	1,368.03	5/8	1,188.66	5/8	1,010.05	5/8	831.36	5/8	651.94
3/4	2,261.62	3/4	2,082.16	3/4	1,902.68	3/4	1,723.22	3/4	1,543.76	3/4	1,364.28	3/4	1,184.93	3/4	1,006.33	3/4	827.63	3/4	648.20
7/8	2,257.88	7/8	2,078.42	7/8	1,898.95	7/8	1,719.48	7/8	1,540.02	7/8	1,360.55	7/8	1,181.21	7/8	1,002.61	7/8	823.89	7/8	644.46
1	2,254.14	7	2,074.88	1	1,895.21	7	1,715.75	1	1,536.28	7	1,356.81	1	1,177.48	7	998.89	1	820.16	7	640.72
1/8	2,250.40	1/8	2,070.94	1/8	1,891.47	1/8	1,712.01	1/8	1,532.54	1/8	1,353.07	1/8	1,173.76	1/8	995.17	1/8	816.42	1/8	636.98
1/4	2,246.67	1/4	2,067.20	1/4	1,887.73	1/4	1,708.27	1/4	1,528.80	1/4	1,349.33	1/4	1,170.04	1/4	991.45	1/4	812.69	1/4	633.24
3/8	2,242.93	3/8	2,063.46	3/8	1,884.00	3/8	1,704.53	3/8	1,525.06	3/8	1,345.59	3/8	1,166.31	3/8	987.73	3/8	808.95	3/8	629.50
1/2	2,239.19	1/2	2,059.73	1/2	1,880.26	1/2	1,700.79	1/2	1,521.32	1/2	1,341.86	1/2	1,162.59	1/2	984.01	1/2	805.21	1/2	625.77
5/8	2,235.45	5/8	2,055.99	5/8	1,876.52	5/8	1,697.05	5/8	1,517.58	5/8	1,338.12	5/8	1,158.87	5/8	980.29	5/8	801.47	5/8	622.03
3/4	2,231.71	3/4	2,052.25	3/4	1,872.78	3/4	1,693.31	3/4	1,513.84	3/4	1,334.38	3/4	1,155.15	3/4	976.57	3/4	797.74	3/4	618.29
7/8	2,227.97	7/8	2,048.51	7/8	1,869.04	7/8	1,689.57	7/8	1,510.11	7/8	1,330.64	7/8	1,151.43	7/8	972.85	7/8	794.00	7/8	614.55
2	2,224.23	8	2,044.77	2	1,865.30	8	1,685.83	2	1,506.37	8	1,326.90	2	1,147.71	8	969.13	2	790.26	8	610.81
1/8	2,220.49	1/8	2,041.03	1/8	1,861.56	1/8	1,682.10	1/8	1,502.63	1/8	1,323.16	1/8	1,143.98	1/8	965.41	1/8	786.52	1/8	607.07
1/4	2,216.75	1/4	2,037.29	1/4	1,857.82	1/4	1,678.36	1/4	1,498.89	1/4	1,319.42	1/4	1,140.26	1/4	961.69	1/4	782.78	1/4	603.33
3/8	2,213.02	3/8	2,033.55	3/8	1,854.08	3/8	1,674.62	3/8	1,495.15	3/8	1,315.68	3/8	1,136.54	3/8	957.97	3/8	778.05	3/8	599.59
1/2	2,209.28	1/2	2,029.81	1/2	1,850.35	1/2	1,670.88	1/2	1,491.41	1/2	1,311.94	1/2	1,132.82	1/2	954.25	1/2	775.31	1/2	595.85
5/8	2,205.54	5/8	2,026.08	5/8	1,846.61	5/8	1,667.14	5/8	1,487.67	5/8	1,308.21	5/8	1,128.10	5/8	950.53	5/8	771.57	5/8	592.12
3/4	2,201.80	3/4	2,022.34	3/4	1,842.87	3/4	1,663.40	3/4	1,483.93	3/4	1,304.47	3/4	1,125.38	3/4	946.81	3/4	767.84	3/4	588.38
7/8	2,198.06	7/8	2,018.60	7/8	1,839.13	7/8	1,659.66	7/8	1,480.19	7/8	1,300.73	7/8	1,121.66	7/8	943.09	7/8	764.10	7/8	584.64
3	2,194.32	9	2,014.86	3	1,835.39	9	1,655.92	3	1,476.72	9	1,296.99	3	1,117.94	9	939.37	3	760.36	9	580.90
1/8	2,190.58	1/8	2,011.12	1/8	1,831.65	1/8	1,652.18	1/8	1,472.48	1/8	1,293.25	1/8	1,114.22	1/8	935.65	1/8	756.62	1/8	577.16
1/4	2,186.84	1/4	2,007.38	1/4	1,827.91	1/4	1,648.45	1/4	1,468.98	1/4	1,289.51	1/4	1,110.50	1/4	931.93	1/4	752.88	1/4	573.42
3/8	2,183.11	3/8	2,003.94	3/8	1,824.17	3/8	1,644.71	3/8	1,465.24	3/8	1,285.77	3/8	1,106.78	3/8	928.21	3/8	749.15	3/8	569.68
1/2	2,179.37	1/2	1,999.90	1/2	1,820.43	1/2	1,640.97	1/2	1,461.50	1/2	1,282.03	1/2	1,103.06	1/2	924.49	1/2	745.41	1/2	565.94
5/8	2,175.63	5/8	1,996.16	5/8	1,816.70	5/8	1,637.23	5/8	1,457.78	5/8	1,278.29	5/8	1,099.34	5/8	920.77	5/8	741.67	5/8	562.20
3/4	2,171.89	3/4	1,992.42	3/4	1,812.96	3/4	1,633.49	3/4	1,454.02	3/4	1,274.56	3/4	1,095.82	3/4	917.05	3/4	737.93	3/4	558.47
7/8	2,168.15	7/8	1,988.69	7/8	1,809.22	7/8	1,629.75	7/8	1,450.28	7/8	1,270.82	7/8	1,091.90	7/8	913.33	7/8	734.19	7/8	554.73
4	2,164.41	10	1,984.95	4	1,805.48	10	1,626.01	4	1,446.54	10	1,267.08	4	1,088.18	10	909.61	4	730.46	10	550.99
1/8	2,160.67	1/8	1,981.21	1/8	1,801.74	1/8	1,622.27	1/8	1,442.81	1/8	1,263.34	1/8	1,084.46	1/8	905.99	1/8	726.72	1/8	547.25
1/4	2,156.93	1/4	1,977.47	1/4	1,798.00	1/4	1,618.53	1/4	1,439.07	1/4	1,259.60	1/4	1,080.74	1/4	902.16	1/4	722.98	1/4	543.51
3/8	2,153.20	3/8	1,973.73	3/8	1,794.26	3/8	1,614.80	3/8	1,435.33	3/8	1,255.86	3/8	1,077.02	3/8	898.44	3/8	719.24	3/8	539.77
1/2	2,149.46	1/2	1,969.99	1/2	1,790.52	1/2	1,611.06	1/2	1,431.59	1/2	1,252.12	1/2	1,073.30	1/2	894.72	1/2	715.50	1/2	536.03
5/8	2,145.72	5/8	1,966.25	5/8	1,786.78	5/8	1,607.32	5/8	1,427.85	5/8	1,248.38	5/8	1,069.58	5/8	891.00	5/8	711.76	5/8	532.29
3/4	2,141.98	3/4	1,962.51	3/4	1,783.05	3/4	1,603.58	3/4	1,424.11	3/4	1,244.64	3/4	1,065.86	3/4	887.28	3/4	708.02	3/4	528.55
7/8	2,138.24	7/8	1,958.77	7/8	1,779.31	7/8	1,599.84	7/8	1,420.37	7/8	1,240.91	7/8	1,062.14	7/8	883.56	7/8	704.28	7/8	524.82
5	2,134.50	11	1,955.03	5	1,775.57	11	1,596.10	5	1,416.63	11	1,237.17	5	1,058.42	11	879.94	5	700.54	11	521.08
1/8	2,130.76	1/8	1,951.30	1/8	1,771.83	1/8	1,592.36	1/8	1,412.89	1/8	1,233.43	1/8	1,054.70	1/8	876.12	1/8	696.80	1/8	517.34
1/4	2,127.02	1/4	1,947.56	1/4	1,768.09	1/4	1,588.62	1/4	1,409.16	1/4	1,229.69	1/4	1,050.98	1/4	872.39	1/4	693.07	1/4	513.60
3/8	2,123.28	3/8	1,943.82	3/8	1,764.35	3/8	1,584.88	3/8	1,405.42	3/8	1,225.96	3/8	1,047.26	3/8	868.66	3/8	689.33	3/8	509.86
1/2	2,119.55	1/2	1,940.08	1/2	1,760.61	1/2	1,581.14	1/2	1,401.68	1/2	1,222.23	1/2	1,043.54	1/2	864.94	1/2	685.59	1/2	506.12
5/8	2,115.81	5/8	1,936.34	5/8	1,756.87	5/8	1,577.41	5/8	1,397.94	5/8	1,218.49	5/8	1,039.82	5/8	861.21	5/8	681.85	5/8	502.38
3/4	2,112.07	3/4	1,932.60	3/4	1,753.13	3/4	1,573.67	3/4	1,394.20	3/4	1,214.76	3/4	1,036.10	3/4	857.48	3/4	678.11	3/4	498.64
7/8	2,108.33	7/8	1,928.86	7/8	1,749.40	7/8	1,569.93	7/8	1,390.46	7/8	1,211.02	7/8	1,032.38	7/8	853.76	7/8	674.37	7/8	494.90

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

O. Enclaw

BARGE MMI 2805
HULL # 05-2528

2 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 16'-5 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	15 FT.	IN	15 FT.	IN	16 FT.
0	491.17	6	311.70	0	132.36
1/8	487.43	1/8	307.96	1/8	128.63
1/4	483.69	1/4	304.22	1/4	124.91
3/8	479.95	3/8	300.48	3/8	121.19
1/2	476.21	1/2	296.74	1/2	117.48
5/8	472.47	5/8	293.00	5/8	113.76
3/4	468.73	3/4	289.26	3/4	110.04
7/8	464.99	7/8	285.53	7/8	106.32
1	461.25	7	281.79	1	102.60
1/8	457.52	1/8	278.05	1/8	98.89
1/4	453.78	1/4	274.31	1/4	95.19
3/8	450.04	3/8	270.57	3/8	91.50
1/2	446.30	1/2	266.83	1/2	87.80
5/8	442.56	5/8	263.09	5/8	84.11
3/4	438.82	3/4	259.35	3/4	80.41
7/8	435.08	7/8	255.61	7/8	76.72
2	431.34	6	251.88	2	73.02
1/8	427.60	1/8	248.14	1/8	69.33
1/4	423.87	1/4	244.40	1/4	65.69
3/8	420.13	3/8	240.66	3/8	62.46
1/2	416.39	1/2	236.92	1/2	59.02
5/8	412.65	5/8	233.18	5/8	55.59
3/4	408.91	3/4	229.44	3/4	52.16
7/8	405.17	7/8	225.70	7/8	48.72
3	401.43	5	221.97	3	45.28
1/8	397.69	1/8	218.23	1/8	41.85
1/4	393.95	1/4	214.49	1/4	39.16
3/8	390.22	3/8	210.75	3/8	36.47
1/2	386.48	1/2	207.01	1/2	33.78
5/8	382.74	5/8	203.28	5/8	31.09
3/4	379.00	3/4	199.54	3/4	28.40
7/8	375.26	7/8	195.80	7/8	25.71
4	371.52	10	192.06	4	23.02
1/8	367.78	1/8	188.33	1/8	20.33
1/4	364.04	1/4	184.59	1/4	18.66
3/8	360.30	3/8	180.86	3/8	17.00
1/2	356.56	1/2	177.12	1/2	15.33
5/8	352.83	5/8	173.39	5/8	13.67
3/4	349.09	3/4	169.66	3/4	12.00
7/8	345.35	7/8	165.92	7/8	10.33
5	341.61	11	162.19	5	8.67
1/8	337.87	1/8	158.45	1/8	7.00
1/4	334.13	1/4	154.73		
3/8	330.39	3/8	151.00		
1/2	326.65	1/2	147.27		
5/8	322.91	5/8	143.54		
3/4	319.18	3/4	139.81		
7/8	315.44	7/8	136.09		

GAUGE LOCATED 5'-1" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endreao

BARGE MMI 2805
HULL # 05-2528

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

3 PORT
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-5 1/2" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	3.997.97	6	3.854.78	0	3.711.59	6	3.558.46	0	3.379.53	6	3.199.90	0	3.020.17	6	2.840.44	0	2.660.72	6	2.480.99
1/8	3.994.98	1/8	3.851.80	1/8	3.708.60	1/8	3.554.72	1/8	3.375.80	1/8	3.196.15	1/8	3.016.42	1/8	2.836.70	1/8	2.656.97	1/8	2.477.25
1/4	3.992.00	1/4	3.848.81	1/4	3.705.62	1/4	3.550.99	1/4	3.372.07	1/4	3.192.41	1/4	3.012.68	1/4	2.832.95	1/4	2.653.23	1/4	2.473.50
3/8	3.989.02	3/8	3.845.83	3/8	3.702.64	3/8	3.547.25	3/8	3.368.34	3/8	3.188.66	3/8	3.008.94	3/8	2.829.21	3/8	2.649.48	3/8	2.469.76
1/2	3.986.03	1/2	3.842.85	1/2	3.699.65	1/2	3.543.61	1/2	3.364.61	1/2	3.184.92	1/2	3.004.19	1/2	2.825.47	1/2	2.645.74	1/2	2.466.01
5/8	3.983.05	5/8	3.839.86	5/8	3.696.67	5/8	3.539.78	5/8	3.360.87	5/8	3.181.17	5/8	3.001.45	5/8	2.821.72	5/8	2.641.99	5/8	2.462.27
3/4	3.980.07	3/4	3.836.88	3/4	3.693.69	3/4	3.536.05	3/4	3.357.13	3/4	3.177.43	3/4	2.997.70	3/4	2.817.78	3/4	2.638.25	3/4	2.458.52
7/8	3.977.08	7/8	3.833.90	7/8	3.690.70	7/8	3.532.31	7/8	3.353.39	7/8	3.173.68	7/8	2.993.96	7/8	2.814.23	7/8	2.634.51	7/8	2.454.78
1	3.974.10	1	3.830.91	1	3.687.72	1	3.528.58	1	3.349.65	1	3.169.94	1	2.990.21	1	2.810.49	1	2.630.76	1	2.451.04
1/8	3.971.12	1/8	3.827.93	1/8	3.684.74	1/8	3.524.85	1/8	3.345.91	1/8	3.166.20	1/8	2.986.47	1/8	2.806.74	1/8	2.627.02	1/8	2.447.29
1/4	3.968.13	1/4	3.824.95	1/4	3.681.75	1/4	3.521.12	1/4	3.342.17	1/4	3.162.45	1/4	2.982.73	1/4	2.803.00	1/4	2.623.27	1/4	2.443.55
3/8	3.965.15	3/8	3.821.96	3/8	3.678.77	3/8	3.517.38	3/8	3.338.43	3/8	3.158.71	3/8	2.978.68	3/8	2.799.25	3/8	2.619.53	3/8	2.439.80
1/2	3.962.17	1/2	3.818.98	1/2	3.675.79	1/2	3.513.65	1/2	3.334.69	1/2	3.154.96	1/2	2.975.24	1/2	2.795.51	1/2	2.615.78	1/2	2.436.06
5/8	3.959.19	5/8	3.816.00	5/8	3.672.80	5/8	3.509.93	5/8	3.330.95	5/8	3.151.22	5/8	2.971.49	5/8	2.791.77	5/8	2.612.04	5/8	2.432.31
3/4	3.956.20	3/4	3.813.01	3/4	3.669.82	3/4	3.506.20	3/4	3.327.20	3/4	3.147.47	3/4	2.967.75	3/4	2.788.02	3/4	2.608.30	3/4	2.428.57
7/8	3.953.22	7/8	3.810.03	7/8	3.666.84	7/8	3.502.48	7/8	3.323.46	7/8	3.143.73	7/8	2.964.00	7/8	2.784.28	7/8	2.604.55	7/8	2.424.82
2	3.950.24	2	3.807.05	2	3.663.85	2	3.498.76	2	3.319.71	2	3.139.99	2	2.960.26	2	2.780.53	2	2.600.81	2	2.421.08
1/8	3.947.25	1/8	3.804.07	1/8	3.660.87	1/8	3.495.03	1/8	3.315.97	1/8	3.136.24	1/8	2.956.52	1/8	2.776.79	1/8	2.597.06	1/8	2.417.34
1/4	3.944.27	1/4	3.801.08	1/4	3.657.89	1/4	3.491.31	1/4	3.312.22	1/4	3.132.50	1/4	2.952.77	1/4	2.773.04	1/4	2.593.32	1/4	2.413.59
3/8	3.941.29	3/8	3.798.10	3/8	3.654.91	3/8	3.487.58	3/8	3.308.48	3/8	3.128.75	3/8	2.949.03	3/8	2.769.30	3/8	2.589.57	3/8	2.409.85
1/2	3.938.30	1/2	3.795.12	1/2	3.651.92	1/2	3.483.86	1/2	3.304.74	1/2	3.125.01	1/2	2.945.28	1/2	2.765.56	1/2	2.585.83	1/2	2.406.10
5/8	3.935.32	5/8	3.792.13	5/8	3.648.94	5/8	3.480.14	5/8	3.300.99	5/8	3.121.26	5/8	2.941.54	5/8	2.761.81	5/8	2.582.09	5/8	2.402.36
3/4	3.932.34	3/4	3.789.15	3/4	3.645.96	3/4	3.476.41	3/4	3.297.25	3/4	3.117.52	3/4	2.937.79	3/4	2.758.07	3/4	2.578.34	3/4	2.398.61
7/8	3.929.35	7/8	3.786.17	7/8	3.642.97	7/8	3.472.69	7/8	3.293.50	7/8	3.113.78	7/8	2.934.05	7/8	2.754.32	7/8	2.574.60	7/8	2.394.87
3	3.926.37	3	3.783.18	3	3.639.99	3	3.468.98	3	3.289.76	3	3.110.03	3	2.930.31	3	2.750.58	3	2.570.85	3	2.391.13
1/8	3.923.39	1/8	3.780.20	1/8	3.637.01	1/8	3.465.24	1/8	3.286.01	1/8	3.106.29	1/8	2.926.56	1/8	2.746.83	1/8	2.567.11	1/8	2.387.38
1/4	3.920.40	1/4	3.777.22	1/4	3.634.02	1/4	3.461.51	1/4	3.282.27	1/4	3.102.54	1/4	2.922.82	1/4	2.743.09	1/4	2.563.36	1/4	2.383.64
3/8	3.917.42	3/8	3.774.23	3/8	3.631.04	3/8	3.457.78	3/8	3.278.53	3/8	3.098.80	3/8	2.919.07	3/8	2.739.35	3/8	2.559.62	3/8	2.379.89
1/2	3.914.44	1/2	3.771.25	1/2	3.628.06	1/2	3.454.06	1/2	3.274.78	1/2	3.095.05	1/2	2.915.33	1/2	2.735.60	1/2	2.555.88	1/2	2.376.15
5/8	3.911.46	5/8	3.768.27	5/8	3.624.85	5/8	3.450.34	5/8	3.271.04	5/8	3.091.31	5/8	2.911.58	5/8	2.731.86	5/8	2.552.13	5/8	2.372.40
3/4	3.908.47	3/4	3.765.28	3/4	3.621.64	3/4	3.446.61	3/4	3.267.29	3/4	3.087.57	3/4	2.907.84	3/4	2.728.11	3/4	2.548.39	3/4	2.368.66
7/8	3.905.49	7/8	3.762.30	7/8	3.618.44	7/8	3.442.89	7/8	3.263.55	7/8	3.083.82	7/8	2.904.10	7/8	2.724.37	7/8	2.544.64	7/8	2.364.92
4	3.902.51	4	3.759.32	4	3.615.23	4	3.439.16	4	3.259.80	4	3.080.08	4	2.900.35	4	2.720.62	4	2.540.90	4	2.361.17
1/8	3.899.52	1/8	3.756.33	1/8	3.612.02	1/8	3.435.44	1/8	3.256.06	1/8	3.076.33	1/8	2.896.61	1/8	2.716.88	1/8	2.537.15	1/8	2.357.43
1/4	3.896.54	1/4	3.753.35	1/4	3.608.82	1/4	3.431.71	1/4	3.252.32	1/4	3.072.59	1/4	2.892.86	1/4	2.713.14	1/4	2.533.41	1/4	2.353.68
3/8	3.893.56	3/8	3.750.37	3/8	3.605.61	3/8	3.427.99	3/8	3.248.57	3/8	3.068.84	3/8	2.889.12	3/8	2.709.39	3/8	2.529.67	3/8	2.349.94
1/2	3.890.57	1/2	3.747.38	1/2	3.602.40	1/2	3.424.26	1/2	3.244.83	1/2	3.065.10	1/2	2.885.37	1/2	2.705.65	1/2	2.525.92	1/2	2.346.19
5/8	3.887.59	5/8	3.744.40	5/8	3.598.78	5/8	3.420.53	5/8	3.241.08	5/8	3.061.36	5/8	2.881.63	5/8	2.701.90	5/8	2.522.18	5/8	2.342.45
3/4	3.884.61	3/4	3.741.42	3/4	3.595.16	3/4	3.416.81	3/4	3.237.34	3/4	3.057.61	3/4	2.877.89	3/4	2.698.16	3/4	2.518.43	3/4	2.338.71
7/8	3.881.63	7/8	3.738.43	7/8	3.591.53	7/8	3.413.08	7/8	3.233.59	7/8	3.053.87	7/8	2.874.14	7/8	2.694.41	7/8	2.514.69	7/8	2.334.96
5	3.878.64	5	3.735.45	5	3.587.91	5	3.409.36	5	3.229.85	5	3.050.12	5	2.870.40	5	2.690.67	5	2.510.94	5	2.331.22
1/8	3.875.66	1/8	3.732.47	1/8	3.584.28	1/8	3.405.63	1/8	3.226.11	1/8	3.046.38	1/8	2.866.65	1/8	2.686.93	1/8	2.507.20	1/8	2.327.47
1/4	3.872.68	1/4	3.729.49	1/4	3.580.66	1/4	3.401.91	1/4	3.222.36	1/4	3.042.63	1/4	2.862.91	1/4	2.683.18	1/4	2.503.46	1/4	2.323.73
3/8	3.869.69	3/8	3.726.50	3/8	3.577.04	3/8	3.398.18	3/8	3.218.62	3/8	3.038.89	3/8	2.859.16	3/8	2.679.44	3/8	2.499.71	3/8	2.319.98
1/2	3.866.71	1/2	3.723.52	1/2	3.573.41	1/2	3.394.46	1/2	3.214.87	1/2	3.035.15	1/2	2.855.42	1/2	2.675.69	1/2	2.495.97	1/2	2.316.24
5/8	3.863.73	5/8	3.720.54	5/8	3.569.67	5/8	3.390.73	5/8	3.211.13	5/8	3.031.40	5/8	2.851.68	5/8	2.671.95	5/8	2.492.22	5/8	2.312.50
3/4	3.860.74	3/4	3.717.55	3/4	3.566.94	3/4	3.386.99	3/4	3.207.38	3/4	3.027.66	3/4	2.847.93	3/4	2.668.20	3/4	2.488.48	3/4	2.308.75
7/8	3.857.76	7/8	3.714.57	7/8	3.562.20	7/8	3.383.26	7/8	3.203.64	7/8	3.023.91	7/8	2.844.19	7/8	2.664.46	7/8	2.484.73	7/8	2.305.01

GAUGE LOCATED 85'-3" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

O Endrao

BARGE MMI 2805
HULL # 05-2528

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 16'-5 1/2" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.
0	2,301.26	6	2,121.54	0	1,941.81	6	1,762.08	0	1,582.36	6	1,402.63	0	1,222.90	6	1,043.24	0	863.80	6	683.89
1/8	2,297.52	1/8	2,117.79	1/8	1,938.07	1/8	1,758.34	1/8	1,578.61	1/8	1,398.89	1/8	1,219.16	1/8	1,039.50	1/8	859.86	1/8	680.15
1/4	2,293.77	1/4	2,114.05	1/4	1,934.32	1/4	1,754.60	1/4	1,574.87	1/4	1,395.14	1/4	1,215.42	1/4	1,035.76	1/4	856.11	1/4	676.40
3/8	2,290.03	3/8	2,110.30	3/8	1,930.58	3/8	1,750.85	3/8	1,571.12	3/8	1,391.40	3/8	1,211.67	3/8	1,032.02	3/8	852.37	3/8	672.66
1/2	2,286.29	1/2	2,106.56	1/2	1,926.83	1/2	1,747.11	1/2	1,567.38	1/2	1,387.65	1/2	1,207.93	1/2	1,028.27	1/2	848.63	1/2	668.92
5/8	2,282.54	5/8	2,102.82	5/8	1,923.09	5/8	1,743.36	5/8	1,563.64	5/8	1,383.91	5/8	1,204.18	5/8	1,024.53	5/8	844.88	5/8	665.17
3/4	2,278.80	3/4	2,099.07	3/4	1,919.34	3/4	1,738.62	3/4	1,559.89	3/4	1,380.17	3/4	1,200.44	3/4	1,020.79	3/4	841.14	3/4	661.43
7/8	2,275.05	7/8	2,095.33	7/8	1,915.60	7/8	1,735.87	7/8	1,556.15	7/8	1,376.42	7/8	1,196.69	7/8	1,017.05	7/8	837.40	7/8	657.68
1	2,271.31	1	2,091.58	1	1,911.86	1	1,732.13	1	1,552.40	1	1,372.68	1	1,192.95	1	1,013.30	1	833.65	1	653.94
1/8	2,267.56	1/8	2,087.84	1/8	1,908.11	1/8	1,728.39	1/8	1,548.66	1/8	1,368.93	1/8	1,189.21	1/8	1,009.56	1/8	829.91	1/8	650.19
1/4	2,263.82	1/4	2,084.09	1/4	1,904.37	1/4	1,724.64	1/4	1,544.91	1/4	1,365.19	1/4	1,185.46	1/4	1,005.82	1/4	826.17	1/4	646.45
3/8	2,260.08	3/8	2,080.35	3/8	1,900.62	3/8	1,720.90	3/8	1,541.17	3/8	1,361.44	3/8	1,181.72	3/8	1,002.08	3/8	822.42	3/8	642.71
1/2	2,256.33	1/2	2,076.61	1/2	1,896.88	1/2	1,717.15	1/2	1,537.43	1/2	1,357.70	1/2	1,177.97	1/2	998.33	1/2	818.68	1/2	638.96
5/8	2,252.59	5/8	2,072.86	5/8	1,893.13	5/8	1,713.41	5/8	1,533.68	5/8	1,353.96	5/8	1,174.23	5/8	994.59	5/8	814.94	5/8	635.22
3/4	2,248.84	3/4	2,069.12	3/4	1,889.39	3/4	1,709.66	3/4	1,529.94	3/4	1,350.21	3/4	1,170.49	3/4	990.85	3/4	811.19	3/4	631.47
7/8	2,245.10	7/8	2,065.37	7/8	1,885.65	7/8	1,705.92	7/8	1,526.19	7/8	1,346.47	7/8	1,166.74	7/8	987.11	7/8	807.45	7/8	627.73
2	2,241.35	2	2,061.63	2	1,881.90	2	1,702.18	2	1,522.45	2	1,342.72	2	1,163.00	2	983.37	2	803.71	2	623.98
1/8	2,237.61	1/8	2,057.88	1/8	1,878.16	1/8	1,698.43	1/8	1,518.70	1/8	1,338.98	1/8	1,159.26	1/8	979.62	1/8	799.96	1/8	620.24
1/4	2,233.87	1/4	2,054.14	1/4	1,874.41	1/4	1,694.69	1/4	1,514.96	1/4	1,335.23	1/4	1,155.51	1/4	975.88	1/4	796.22	1/4	616.50
3/8	2,230.12	3/8	2,050.39	3/8	1,870.67	3/8	1,690.94	3/8	1,511.22	3/8	1,331.49	3/8	1,151.77	3/8	972.14	3/8	792.48	3/8	612.75
1/2	2,226.38	1/2	2,046.65	1/2	1,866.92	1/2	1,687.20	1/2	1,507.47	1/2	1,327.75	1/2	1,148.03	1/2	968.40	1/2	788.73	1/2	609.01
5/8	2,222.63	5/8	2,042.91	5/8	1,863.18	5/8	1,683.45	5/8	1,503.73	5/8	1,324.00	5/8	1,144.28	5/8	964.65	5/8	784.99	5/8	605.26
3/4	2,218.89	3/4	2,039.16	3/4	1,859.44	3/4	1,679.71	3/4	1,499.98	3/4	1,320.26	3/4	1,140.54	3/4	960.91	3/4	781.24	3/4	601.52
7/8	2,215.14	7/8	2,035.42	7/8	1,855.69	7/8	1,675.96	7/8	1,496.24	7/8	1,316.51	7/8	1,136.80	7/8	957.17	7/8	777.50	7/8	597.77
3	2,211.40	3	2,031.67	3	1,851.95	3	1,672.22	3	1,492.49	3	1,312.77	3	1,133.06	3	953.43	3	773.76	3	594.03
1/8	2,207.66	1/8	2,027.93	1/8	1,848.20	1/8	1,668.48	1/8	1,488.75	1/8	1,309.02	1/8	1,129.32	1/8	949.68	1/8	770.01	1/8	590.29
1/4	2,203.91	1/4	2,024.18	1/4	1,844.46	1/4	1,664.73	1/4	1,485.01	1/4	1,305.28	1/4	1,125.57	1/4	945.94	1/4	766.27	1/4	586.54
3/8	2,200.17	3/8	2,020.44	3/8	1,840.71	3/8	1,660.99	3/8	1,481.26	3/8	1,301.53	3/8	1,121.83	3/8	942.20	3/8	762.52	3/8	582.80
1/2	2,196.42	1/2	2,016.70	1/2	1,836.97	1/2	1,657.24	1/2	1,477.52	1/2	1,297.79	1/2	1,118.09	1/2	938.46	1/2	758.78	1/2	579.05
5/8	2,192.68	5/8	2,012.95	5/8	1,833.23	5/8	1,653.50	5/8	1,473.77	5/8	1,294.05	5/8	1,114.35	5/8	934.72	5/8	755.04	5/8	575.31
3/4	2,188.93	3/4	2,009.21	3/4	1,829.48	3/4	1,649.75	3/4	1,470.03	3/4	1,290.30	3/4	1,110.60	3/4	930.97	3/4	751.29	3/4	571.56
7/8	2,185.19	7/8	2,005.46	7/8	1,825.74	7/8	1,646.01	7/8	1,466.28	7/8	1,286.56	7/8	1,106.86	7/8	927.23	7/8	747.55	7/8	567.82
4	2,181.45	4	2,001.72	4	1,821.99	4	1,642.27	4	1,462.54	4	1,282.81	4	1,103.12	4	923.49	4	743.80	4	564.08
1/8	2,177.70	1/8	1,997.97	1/8	1,818.25	1/8	1,638.52	1/8	1,458.80	1/8	1,279.07	1/8	1,099.38	1/8	919.75	1/8	740.06	1/8	560.33
1/4	2,173.96	1/4	1,994.23	1/4	1,814.50	1/4	1,634.78	1/4	1,455.05	1/4	1,275.32	1/4	1,095.63	1/4	916.00	1/4	736.31	1/4	556.59
3/8	2,170.21	3/8	1,990.49	3/8	1,810.76	3/8	1,631.03	3/8	1,451.31	3/8	1,271.58	3/8	1,091.89	3/8	912.26	3/8	732.57	3/8	552.84
1/2	2,166.47	1/2	1,986.74	1/2	1,807.02	1/2	1,627.29	1/2	1,447.56	1/2	1,267.84	1/2	1,088.15	1/2	908.52	1/2	728.83	1/2	549.10
5/8	2,162.72	5/8	1,983.00	5/8	1,803.27	5/8	1,623.54	5/8	1,443.82	5/8	1,264.09	5/8	1,084.41	5/8	904.77	5/8	725.08	5/8	545.35
3/4	2,158.98	3/4	1,979.25	3/4	1,799.53	3/4	1,619.80	3/4	1,440.07	3/4	1,260.35	3/4	1,080.67	3/4	901.03	3/4	721.34	3/4	541.61
7/8	2,155.24	7/8	1,975.51	7/8	1,795.78	7/8	1,616.06	7/8	1,436.33	7/8	1,256.60	7/8	1,076.92	7/8	897.29	7/8	717.59	7/8	537.87
5	2,151.49	5	1,971.76	5	1,792.04	5	1,612.31	5	1,432.59	5	1,252.86	5	1,073.18	5	893.55	5	713.85	5	534.12
1/8	2,147.75	1/8	1,968.02	1/8	1,788.29	1/8	1,608.57	1/8	1,428.84	1/8	1,249.11	1/8	1,069.44	1/8	889.80	1/8	710.10	1/8	530.38
1/4	2,144.00	1/4	1,964.28	1/4	1,784.55	1/4	1,604.82	1/4	1,425.10	1/4	1,245.37	1/4	1,065.70	1/4	886.06	1/4	706.36	1/4	526.63
3/8	2,140.26	3/8	1,960.53	3/8	1,780.81	3/8	1,601.08	3/8	1,421.35	3/8	1,241.83	3/8	1,061.95	3/8	882.32	3/8	702.61	3/8	522.89
1/2	2,136.51	1/2	1,956.79	1/2	1,777.06	1/2	1,597.33	1/2	1,417.61	1/2	1,237.88	1/2	1,058.21	1/2	878.57	1/2	698.87	1/2	519.14
5/8	2,132.77	5/8	1,953.04	5/8	1,773.32	5/8	1,593.59	5/8	1,413.86	5/8	1,234.14	5/8	1,054.47	5/8	874.83	5/8	695.13	5/8	515.40
3/4	2,129.03	3/4	1,949.30	3/4	1,769.57	3/4	1,589.85	3/4	1,410.12	3/4	1,230.39	3/4	1,050.73	3/4	871.09	3/4	691.38	3/4	511.66
7/8	2,125.28	7/8	1,945.55	7/8	1,765.83	7/8	1,586.10	7/8	1,406.38	7/8	1,226.55	7/8	1,046.98	7/8	867.34	7/8	687.64	7/8	507.91

GAUGE LOCATED 86'-3" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5"

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

O Enduro

BARGE MMI 2805

HULL # 05-2528

3 PORT
ULLAGE TABLE
MANUAL GAUGING
BARRELS

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 16'-5 1/2" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	15 FT.	IN	15 FT.	IN	16 FT.
0	504.17	6	324.44	0	144.81
1/8	500.42	1/8	320.70	1/8	141.07
1/4	496.68	1/4	316.95	1/4	137.34
3/8	492.93	3/8	313.21	3/8	133.61
1/2	489.19	1/2	309.46	1/2	129.87
5/8	485.45	5/8	305.72	5/8	126.15
3/4	481.70	3/4	301.97	3/4	122.42
7/8	477.96	7/8	298.23	7/8	118.70
1	474.21	7	294.49	1	114.98
1/8	470.47	1/8	290.74	1/8	111.25
1/4	466.72	1/4	287.00	1/4	107.53
3/8	462.98	3/8	283.25	3/8	103.80
1/2	459.24	1/2	279.51	1/2	100.08
5/8	455.49	5/8	275.76	5/8	96.38
3/4	451.75	3/4	272.02	3/4	92.68
7/8	448.00	7/8	268.28	7/8	88.98
2	444.26	8	264.53	2	85.27
1/8	440.51	1/8	260.79	1/8	81.57
1/4	436.77	1/4	257.04	1/4	77.87
3/8	433.03	3/8	253.30	3/8	74.17
1/2	429.28	1/2	249.55	1/2	70.47
5/8	425.54	5/8	245.81	5/8	67.01
3/4	421.79	3/4	242.07	3/4	63.55
7/8	418.05	7/8	238.32	7/8	60.09
3	414.30	9	234.58	3	56.63
1/8	410.56	1/8	230.83	1/8	53.17
1/4	406.82	1/4	227.09	1/4	49.71
3/8	403.07	3/8	223.35	3/8	46.26
1/2	399.33	1/2	219.60	1/2	42.80
5/8	395.58	5/8	215.86	5/8	40.07
3/4	391.84	3/4	212.12	3/4	37.34
7/8	388.09	7/8	208.37	7/8	34.61
4	384.35	10	204.63	4	31.88
1/8	380.61	1/8	200.89	1/8	29.15
1/4	376.86	1/4	197.14	1/4	26.42
3/8	373.12	3/8	193.40	3/8	23.69
1/2	369.37	1/2	189.66	1/2	20.96
5/8	365.63	5/8	185.92	5/8	19.25
3/4	361.88	3/4	182.18	3/4	17.55
7/8	358.14	7/8	178.44	7/8	15.84
5	354.40	11	174.70	5	14.14
1/8	350.65	1/8	170.96	1/8	12.43
1/4	346.91	1/4	167.22	1/4	10.72
3/8	343.16	3/8	163.48	3/8	9.02
1/2	339.42	1/2	159.74	1/2	7.31
5/8	335.67	5/8	156.01		
3/4	331.93	3/4	152.27		
7/8	328.18	7/8	148.54		

GAUGE LOCATED 85'-3" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O Endorse

BARGE MMI 2805
HULL # 05-2528

3 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.
0	6	1/8	1/8	0	1/8	1/8	1/8	6	4,695.44	0	4,573.42	6	4,430.47	0	4,287.46	6	4,144.45		
1/8	1/8	1/4	1/4	1/8	1/4	1/4	1/4	1/8	4,694.30	1/8	4,570.45	1/8	4,427.49	1/8	4,284.48	1/8	4,141.47		
3/8	3/8	1/2	1/2	3/8	1/2	1/2	1/2	3/8	4,692.61	1/4	4,567.47	1/4	4,424.51	1/4	4,281.50	1/4	4,138.49		
1/2	1/2	3/4	3/4	1/2	3/4	3/4	3/4	1/2	4,690.92	3/8	4,564.50	3/8	4,421.54	3/8	4,278.52	3/8	4,135.51		
5/8	5/8	1	1	5/8	1	1	1	5/8	4,689.23	1/2	4,561.53	1/2	4,418.56	1/2	4,275.54	1/2	4,132.53		
3/4	3/4	1 1/8	1 1/8	3/4	1 1/8	1 1/8	1 1/8	3/4	4,687.54	5/8	4,558.55	5/8	4,415.58	5/8	4,272.56	5/8	4,129.55		
7/8	7/8	1 1/4	1 1/4	7/8	1 1/4	1 1/4	1 1/4	7/8	4,685.84	3/4	4,556.58	3/4	4,412.60	3/4	4,269.59	3/4	4,126.57		
1	1	1 1/2	1 1/2	1	1 1/2	1 1/2	1 1/2	1	4,684.15	7/8	4,552.60	7/8	4,409.62	7/8	4,266.61	7/8	4,123.59		
1 1/8	1 1/8	1 3/4	1 3/4	1 1/8	1 3/4	1 3/4	1 3/4	1 1/8	4,682.46	1	4,549.63	1	4,406.64	1	4,263.63	1	4,120.61		
1 1/4	1 1/4	2	2	1 1/4	2	2	2	1 1/4	4,680.77	1/8	4,546.65	1/8	4,403.66	1/8	4,260.65	1/8	4,117.63		
3/8	3/8	2 1/8	2 1/8	3/8	2 1/8	2 1/8	2 1/8	3/8	4,678.52	1/4	4,543.68	1/4	4,400.68	1/4	4,257.67	1/4	4,114.65		
1/2	1/2	2 1/4	2 1/4	1/2	2 1/4	2 1/4	2 1/4	1/2	4,676.27	3/8	4,540.70	3/8	4,397.70	3/8	4,254.69	3/8	4,111.67		
5/8	5/8	2 1/2	2 1/2	5/8	2 1/2	2 1/2	2 1/2	5/8	4,674.02	1/2	4,537.72	1/2	4,394.72	1/2	4,251.71	1/2	4,108.69		
3/4	3/4	2 3/4	2 3/4	3/4	2 3/4	2 3/4	2 3/4	3/4	4,671.77	5/8	4,534.74	5/8	4,391.74	5/8	4,248.73	5/8	4,105.71		
7/8	7/8	3	3	7/8	3	3	3	7/8	4,669.52	3/4	4,531.77	3/4	4,388.76	3/4	4,245.75	3/4	4,102.73		
2	2	3 1/8	3 1/8	2	3 1/8	3 1/8	3 1/8	2	4,667.27	7/8	4,528.78	7/8	4,385.78	7/8	4,242.77	7/8	4,099.75		
1 1/8	1 1/8	3 1/4	3 1/4	1 1/8	3 1/4	3 1/4	3 1/4	1 1/8	4,665.03	2	4,525.81	2	4,382.80	2	4,239.79	2	4,096.77		
1 1/4	1 1/4	3 1/2	3 1/2	1 1/4	3 1/2	3 1/2	3 1/2	1 1/4	4,662.78	1/8	4,522.83	1/8	4,379.82	1/8	4,236.81	1/8	4,093.79		
3/8	3/8	3 3/4	3 3/4	3/8	3 3/4	3 3/4	3 3/4	3/8	4,660.08	1/4	4,519.86	1/4	4,376.84	1/4	4,233.83	1/4	4,090.81		
1/2	1/2	4	4	1/2	4	4	4	1/2	4,657.38	3/8	4,516.88	3/8	4,373.86	3/8	4,230.85	3/8	4,087.83		
5/8	5/8	4 1/8	4 1/8	5/8	4 1/8	4 1/8	4 1/8	5/8	4,654.67	1/2	4,513.90	1/2	4,370.89	1/2	4,227.87	1/2	4,084.85		
3/4	3/4	4 1/4	4 1/4	3/4	4 1/4	4 1/4	4 1/4	3/4	4,651.97	5/8	4,510.92	5/8	4,367.91	5/8	4,224.89	5/8	4,081.87		
7/8	7/8	4 1/2	4 1/2	7/8	4 1/2	4 1/2	4 1/2	7/8	4,649.27	3/4	4,507.94	3/4	4,364.93	3/4	4,221.92	3/4	4,078.89		
3	3	4 3/8	4 3/8	3	4 3/8	4 3/8	4 3/8	3	4,646.57	7/8	4,504.96	7/8	4,361.95	7/8	4,218.94	7/8	4,075.91		
1 1/8	1 1/8	4 3/4	4 3/4	1 1/8	4 3/4	4 3/4	4 3/4	1 1/8	4,643.87	2	4,501.98	2	4,358.97	2	4,215.96	2	4,072.93		
1 1/4	1 1/4	4 7/8	4 7/8	1 1/4	4 7/8	4 7/8	4 7/8	1 1/4	4,641.17	1/8	4,498.00	1/8	4,355.99	1/8	4,212.98	1/8	4,069.95		
3/8	3/8	5	5	3/8	5	5	5	3/8	4,638.26	1/4	4,496.02	1/4	4,353.01	1/4	4,210.00	1/4	4,066.97		
1/2	1/2	5 1/8	5 1/8	1/2	5 1/8	5 1/8	5 1/8	1/2	4,635.34	3/8	4,493.04	3/8	4,350.03	3/8	4,207.02	3/8	4,063.99		
5/8	5/8	5 1/4	5 1/4	5/8	5 1/4	5 1/4	5 1/4	5/8	4,632.43	1/2	4,490.06	1/2	4,347.05	1/2	4,204.04	1/2	4,061.01		
3/4	3/4	5 1/2	5 1/2	3/4	5 1/2	5 1/2	5 1/2	3/4	4,629.52	5/8	4,487.08	5/8	4,344.07	5/8	4,201.06	5/8	4,058.03		
7/8	7/8	5 3/4	5 3/4	7/8	5 3/4	5 3/4	5 3/4	7/8	4,626.61	3/4	4,484.10	3/4	4,341.09	3/4	4,198.08	3/4	4,055.05		
4	4	5 7/8	5 7/8	4	5 7/8	5 7/8	5 7/8	4	4,623.69	7/8	4,481.12	7/8	4,338.11	7/8	4,195.10	7/8	4,052.07		
1 1/8	1 1/8	6	6	1 1/8	6	6	6	1 1/8	4,620.78	1/8	4,478.14	1/8	4,335.13	1/8	4,192.12	1/8	4,049.09		
1 1/4	1 1/4	6 1/8	6 1/8	1 1/4	6 1/8	6 1/8	6 1/8	1 1/4	4,617.87	1/4	4,475.16	1/4	4,332.15	1/4	4,189.14	1/4	4,046.11		
3/8	3/8	6 1/4	6 1/4	3/8	6 1/4	6 1/4	6 1/4	3/8	4,614.91	1/2	4,472.18	1/2	4,329.17	1/2	4,186.16	1/2	4,043.13		
1/2	1/2	6 3/8	6 3/8	1/2	6 3/8	6 3/8	6 3/8	1/2	4,611.95	3/8	4,469.21	3/8	4,326.19	3/8	4,183.18	3/8	4,040.15		
5/8	5/8	6 1/2	6 1/2	5/8	6 1/2	6 1/2	6 1/2	5/8	4,608.99	1/2	4,466.23	1/2	4,323.21	1/2	4,180.20	1/2	4,037.17		
3/4	3/4	6 3/4	6 3/4	3/4	6 3/4	6 3/4	6 3/4	3/4	4,606.03	5/8	4,463.25	5/8	4,320.24	5/8	4,177.22	5/8	4,034.19		
7/8	7/8	7	7	7/8	7	7	7	7/8	4,603.07	3/4	4,460.27	3/4	4,317.26	3/4	4,174.24	3/4	4,031.21		
5	5	7 1/8	7 1/8	5	7 1/8	7 1/8	7 1/8	5	4,600.11	7/8	4,457.29	7/8	4,314.28	7/8	4,171.26	7/8	4,028.23		
1 1/8	1 1/8	7 1/4	7 1/4	1 1/8	7 1/4	7 1/4	7 1/4	1 1/8	4,597.15	1/8	4,454.31	1/8	4,311.30	1/8	4,168.28	1/8	4,025.25		
1 1/4	1 1/4	7 3/8	7 3/8	1 1/4	7 3/8	7 3/8	7 3/8	1 1/4	4,594.20	1/4	4,451.33	1/4	4,308.32	1/4	4,165.30	1/4	4,022.27		
3/8	3/8	7 1/2	7 1/2	3/8	7 1/2	7 1/2	7 1/2	3/8	4,591.23	1/2	4,448.35	1/2	4,305.34	1/2	4,162.33	1/2	4,019.29		
1/2	1/2	7 3/4	7 3/4	1/2	7 3/4	7 3/4	7 3/4	1/2	4,588.28	3/8	4,445.37	3/8	4,302.36	3/8	4,159.35	3/8	4,016.31		
5/8	5/8	8	8	5/8	8	8	8	5/8	4,585.29	1/2	4,442.39	1/2	4,299.38	1/2	4,156.37	1/2	4,013.33		
3/4	3/4	8 1/8	8 1/8	3/4	8 1/8	8 1/8	8 1/8	3/4	4,582.32	5/8	4,439.41	5/8	4,296.40	5/8	4,153.39	5/8	4,010.35		
7/8	7/8	8 1/4	8 1/4	7/8	8 1/4	8 1/4	8 1/4	7/8	4,579.35	3/4	4,436.43	3/4	4,293.42	3/4	4,150.41	3/4	4,007.37		
8	8	8 3/8	8 3/8	8	8 3/8	8 3/8	8 3/8	8	4,576.39	7/8	4,433.45	7/8	4,290.44	7/8	4,147.43	7/8	4,004.39		

GAUGE LOCATED 85'-4" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O. Endreco

BARGE MMI 2805
HULL # 05-2528

3 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.	IN	7 FT.	IN	7 FT.	IN	8 FT.	IN	8 FT.	IN	9 FT.	IN	9 FT.
0	4,001.41	8	3,858.38	0	3,715.35	8	3,565.81	0	3,387.31	8	3,208.09	0	3,028.73	8	2,849.42	0	2,670.40	8	2,491.09
1/8	3,998.43	1/8	3,855.40	1/8	3,712.37	1/8	3,562.18	1/8	3,383.60	1/8	3,204.35	1/8	3,024.99	1/8	2,845.69	1/8	2,666.66	1/8	2,487.35
1/4	3,995.45	1/4	3,852.42	1/4	3,709.39	1/4	3,558.45	1/4	3,379.87	1/4	3,200.62	1/4	3,021.26	1/4	2,841.97	1/4	2,662.93	1/4	2,483.62
3/8	3,992.47	3/8	3,849.44	3/8	3,706.41	3/8	3,555.42	3/8	3,376.15	3/8	3,196.88	3/8	3,017.52	3/8	2,838.26	3/8	2,659.19	3/8	2,479.88
1/2	3,989.49	1/2	3,846.46	1/2	3,703.43	1/2	3,550.99	1/2	3,372.42	1/2	3,193.14	1/2	3,013.78	1/2	2,834.54	1/2	2,655.46	1/2	2,476.14
5/8	3,986.51	5/8	3,843.48	5/8	3,700.45	5/8	3,547.28	5/8	3,368.70	5/8	3,189.41	5/8	3,010.05	5/8	2,830.82	5/8	2,651.72	5/8	2,472.41
3/4	3,983.54	3/4	3,840.50	3/4	3,697.47	3/4	3,543.53	3/4	3,364.87	3/4	3,185.67	3/4	3,006.31	3/4	2,827.11	3/4	2,647.99	3/4	2,468.67
7/8	3,980.56	7/8	3,837.52	7/8	3,694.49	7/8	3,538.80	7/8	3,361.25	7/8	3,181.93	7/8	3,002.67	7/8	2,823.39	7/8	2,644.25	7/8	2,464.94
1	3,977.58	1	3,834.54	1	3,691.51	1	3,536.07	1	3,357.53	1	3,178.20	1	2,998.84	1	2,819.67	1	2,640.51	1	2,461.20
1/8	3,974.60	1/8	3,831.56	1/8	3,688.53	1/8	3,533.34	1/8	3,353.80	1/8	3,174.46	1/8	2,995.10	1/8	2,815.95	1/8	2,636.78	1/8	2,457.46
1/4	3,971.62	1/4	3,828.58	1/4	3,685.55	1/4	3,528.61	1/4	3,350.07	1/4	3,170.72	1/4	2,991.36	1/4	2,812.23	1/4	2,633.04	1/4	2,453.73
3/8	3,968.64	3/8	3,825.60	3/8	3,682.57	3/8	3,524.88	3/8	3,346.33	3/8	3,166.99	3/8	2,987.63	3/8	2,808.51	3/8	2,629.31	3/8	2,449.99
1/2	3,965.66	1/2	3,822.62	1/2	3,679.59	1/2	3,521.17	1/2	3,342.60	1/2	3,163.25	1/2	2,983.89	1/2	2,804.79	1/2	2,625.57	1/2	2,446.25
5/8	3,962.68	5/8	3,819.64	5/8	3,676.61	5/8	3,517.44	5/8	3,338.87	5/8	3,159.51	5/8	2,980.15	5/8	2,801.07	5/8	2,621.84	5/8	2,442.52
3/4	3,959.70	3/4	3,816.66	3/4	3,673.63	3/4	3,513.72	3/4	3,335.13	3/4	3,155.78	3/4	2,976.42	3/4	2,797.35	3/4	2,618.10	3/4	2,438.78
7/8	3,956.72	7/8	3,813.68	7/8	3,670.65	7/8	3,509.99	7/8	3,331.40	7/8	3,152.04	7/8	2,972.88	7/8	2,793.63	7/8	2,614.37	7/8	2,435.04
2	3,953.74	2	3,810.70	2	3,667.67	2	3,506.27	2	3,327.66	2	3,148.30	2	2,968.94	2	2,789.90	2	2,610.63	2	2,431.31
1/8	3,950.76	1/8	3,807.72	1/8	3,664.69	1/8	3,502.55	1/8	3,323.93	1/8	3,144.57	1/8	2,965.21	1/8	2,786.18	1/8	2,606.89	1/8	2,427.87
1/4	3,947.78	1/4	3,804.74	1/4	3,661.71	1/4	3,498.83	1/4	3,320.19	1/4	3,140.83	1/4	2,961.47	1/4	2,782.45	1/4	2,603.16	1/4	2,423.83
3/8	3,944.80	3/8	3,801.76	3/8	3,658.73	3/8	3,495.11	3/8	3,316.45	3/8	3,137.09	3/8	2,957.73	3/8	2,778.72	3/8	2,599.42	3/8	2,420.10
1/2	3,941.82	1/2	3,798.78	1/2	3,655.75	1/2	3,491.40	1/2	3,312.72	1/2	3,133.36	1/2	2,953.99	1/2	2,774.98	1/2	2,595.69	1/2	2,416.38
5/8	3,938.84	5/8	3,795.80	5/8	3,652.77	5/8	3,487.68	5/8	3,308.98	5/8	3,129.62	5/8	2,950.26	5/8	2,771.25	5/8	2,591.95	5/8	2,412.62
3/4	3,935.86	3/4	3,792.82	3/4	3,649.79	3/4	3,483.97	3/4	3,305.24	3/4	3,125.88	3/4	2,946.52	3/4	2,767.52	3/4	2,588.22	3/4	2,408.89
7/8	3,932.88	7/8	3,789.84	7/8	3,646.81	7/8	3,480.25	7/8	3,301.51	7/8	3,122.15	7/8	2,942.78	7/8	2,763.78	7/8	2,584.48	7/8	2,404.15
3	3,929.90	3	3,786.86	3	3,643.83	3	3,476.53	3	3,297.77	3	3,118.41	3	2,939.05	3	2,760.05	3	2,580.74	3	2,401.41
1/8	3,926.92	1/8	3,783.88	1/8	3,640.85	1/8	3,472.82	1/8	3,294.03	1/8	3,114.67	1/8	2,935.31	1/8	2,756.32	1/8	2,577.01	1/8	2,397.68
1/4	3,923.94	1/4	3,780.90	1/4	3,637.87	1/4	3,469.10	1/4	3,290.30	1/4	3,110.84	1/4	2,931.57	1/4	2,752.58	1/4	2,573.27	1/4	2,393.94
3/8	3,920.96	3/8	3,777.92	3/8	3,634.89	3/8	3,465.38	3/8	3,286.56	3/8	3,107.20	3/8	2,927.84	3/8	2,748.85	3/8	2,569.54	3/8	2,390.20
1/2	3,917.98	1/2	3,774.94	1/2	3,631.91	1/2	3,461.67	1/2	3,282.82	1/2	3,103.46	1/2	2,924.10	1/2	2,745.11	1/2	2,565.80	1/2	2,386.47
5/8	3,915.00	5/8	3,771.96	5/8	3,628.93	5/8	3,457.95	5/8	3,279.09	5/8	3,099.73	5/8	2,920.36	5/8	2,741.38	5/8	2,562.07	5/8	2,387.73
3/4	3,912.02	3/4	3,768.98	3/4	3,625.95	3/4	3,454.23	3/4	3,275.35	3/4	3,095.99	3/4	2,916.63	3/4	2,737.64	3/4	2,558.33	3/4	2,378.99
7/8	3,909.04	7/8	3,766.00	7/8	3,622.97	7/8	3,450.52	7/8	3,271.61	7/8	3,092.25	7/8	2,912.89	7/8	2,733.90	7/8	2,554.59	7/8	2,375.26
4	3,906.06	4	3,763.02	4	3,619.99	4	3,446.80	4	3,267.88	4	3,088.52	4	2,909.15	4	2,730.17	4	2,550.86	4	2,371.52
1/8	3,903.08	1/8	3,760.05	1/8	3,617.01	1/8	3,443.08	1/8	3,264.14	1/8	3,084.78	1/8	2,905.42	1/8	2,726.43	1/8	2,547.12	1/8	2,367.78
1/4	3,900.10	1/4	3,757.07	1/4	3,613.79	1/4	3,439.36	1/4	3,260.40	1/4	3,081.04	1/4	2,901.68	1/4	2,722.70	1/4	2,543.39	1/4	2,364.05
3/8	3,897.12	3/8	3,754.09	3/8	3,610.56	3/8	3,436.65	3/8	3,256.67	3/8	3,077.31	3/8	2,897.94	3/8	2,718.96	3/8	2,539.65	3/8	2,360.31
1/2	3,894.14	1/2	3,751.11	1/2	3,607.33	1/2	3,431.93	1/2	3,252.93	1/2	3,073.57	1/2	2,894.21	1/2	2,715.23	1/2	2,535.92	1/2	2,356.57
5/8	3,891.16	5/8	3,748.13	5/8	3,604.10	5/8	3,428.21	5/8	3,249.19	5/8	3,069.83	5/8	2,890.47	5/8	2,711.49	5/8	2,532.18	5/8	2,352.84
3/4	3,888.18	3/4	3,745.15	3/4	3,600.87	3/4	3,424.49	3/4	3,245.46	3/4	3,066.10	3/4	2,886.73	3/4	2,707.75	3/4	2,528.44	3/4	2,349.10
7/8	3,885.20	7/8	3,742.17	7/8	3,597.64	7/8	3,420.77	7/8	3,241.72	7/8	3,062.36	7/8	2,883.00	7/8	2,704.02	7/8	2,524.71	7/8	2,345.36
5	3,882.22	5	3,739.19	5	3,594.41	5	3,417.06	5	3,237.98	5	3,058.62	5	2,879.26	5	2,700.28	5	2,520.97	5	2,341.63
1/8	3,879.24	1/8	3,736.21	1/8	3,591.19	1/8	3,413.34	1/8	3,234.25	1/8	3,054.89	1/8	2,875.52	1/8	2,696.55	1/8	2,517.24	1/8	2,337.89
1/4	3,876.26	1/4	3,733.23	1/4	3,587.56	1/4	3,408.62	1/4	3,230.51	1/4	3,051.15	1/4	2,871.80	1/4	2,692.81	1/4	2,513.50	1/4	2,334.15
3/8	3,873.28	3/8	3,730.25	3/8	3,583.93	3/8	3,405.90	3/8	3,226.77	3/8	3,047.41	3/8	2,868.07	3/8	2,689.08	3/8	2,509.77	3/8	2,330.42
1/2	3,870.30	1/2	3,727.27	1/2	3,580.31	1/2	3,402.18	1/2	3,223.04	1/2	3,043.68	1/2	2,864.34	1/2	2,685.34	1/2	2,506.03	1/2	2,326.68
5/8	3,867.32	5/8	3,724.29	5/8	3,576.68	5/8	3,398.47	5/8	3,219.30	5/8	3,039.94	5/8	2,861.61	5/8	2,681.61	5/8	2,502.29	5/8	2,322.94
3/4	3,864.34	3/4	3,721.31	3/4	3,573.06	3/4	3,394.75	3/4	3,215.56	3/4	3,036.20	3/4	2,856.88	3/4	2,677.87	3/4	2,498.56	3/4	2,319.21
7/8	3,861.36	7/8	3,718.33	7/8	3,569.43	7/8	3,391.03	7/8	3,211.83	7/8	3,032.47	7/8	2,853.15	7/8	2,674.13	7/8	2,494.82	7/8	2,315.47

GAUGE LOCATED 85'-4" FORWARD OF AFT BULKHEAD, AND 3'-8" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

O Endread

BARGE MMI 2805
HULL # 05-2528

3 STAR
ULLAGE TABLE
MANUAL GAUGING
BARRELS

GAUGE HEIGHT 16'-6 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	10 FT.	IN	10 FT.	IN	11 FT.	IN	11 FT.	IN	12 FT.	IN	12 FT.	IN	13 FT.	IN	13 FT.	IN	14 FT.	IN	14 FT.
0	2,311.73	6	2,132.37	0	1,953.31	6	1,774.31	0	1,595.01	6	1,415.66	0	1,236.31	6	1,057.58	0	879.02	6	699.78
1/8	2,308.00	1/8	2,128.63	1/8	1,949.58	1/8	1,770.58	1/8	1,591.27	1/8	1,411.92	1/8	1,232.57	1/8	1,053.86	1/8	875.30	1/8	696.04
1/4	2,304.28	1/4	2,124.90	1/4	1,945.85	1/4	1,766.85	1/4	1,587.54	1/4	1,408.19	1/4	1,228.84	1/4	1,050.14	1/4	871.57	1/4	692.31
3/8	2,300.52	3/8	2,121.17	3/8	1,942.12	3/8	1,763.11	3/8	1,583.80	3/8	1,404.45	3/8	1,225.10	3/8	1,046.42	3/8	867.84	3/8	688.57
1/2	2,296.79	1/2	2,117.43	1/2	1,938.39	1/2	1,759.38	1/2	1,580.07	1/2	1,400.71	1/2	1,221.37	1/2	1,042.70	1/2	864.11	1/2	684.83
5/8	2,293.05	5/8	2,113.70	5/8	1,934.66	5/8	1,755.65	5/8	1,576.33	5/8	1,396.98	5/8	1,217.64	5/8	1,038.98	5/8	860.39	5/8	681.10
3/4	2,289.31	3/4	2,109.96	3/4	1,930.93	3/4	1,751.92	3/4	1,572.59	3/4	1,393.24	3/4	1,213.91	3/4	1,035.26	3/4	856.66	3/4	677.36
7/8	2,285.58	7/8	2,106.23	7/8	1,927.20	7/8	1,748.19	7/8	1,568.86	7/8	1,389.50	7/8	1,210.17	7/8	1,031.54	7/8	852.93	7/8	673.62
1	2,281.84	7	2,102.50	1	1,923.47	7	1,744.46	1	1,565.12	7	1,385.77	1	1,206.44	7	1,027.82	1	849.20	7	669.89
1/8	2,278.10	1/8	2,098.76	1/8	1,919.75	1/8	1,740.73	1/8	1,561.38	1/8	1,382.03	1/8	1,202.71	1/8	1,024.11	1/8	845.47	1/8	666.15
1/4	2,274.37	1/4	2,095.03	1/4	1,916.02	1/4	1,736.99	1/4	1,557.65	1/4	1,378.29	1/4	1,198.98	1/4	1,020.39	1/4	841.74	1/4	662.41
3/8	2,270.63	3/8	2,091.30	3/8	1,912.29	3/8	1,733.25	3/8	1,553.91	3/8	1,374.56	3/8	1,195.25	3/8	1,016.67	3/8	838.01	3/8	658.68
1/2	2,266.89	1/2	2,087.57	1/2	1,908.56	1/2	1,729.52	1/2	1,550.17	1/2	1,370.82	1/2	1,191.53	1/2	1,012.95	1/2	834.27	1/2	654.94
5/8	2,263.16	5/8	2,083.84	5/8	1,904.83	5/8	1,725.78	5/8	1,546.44	5/8	1,367.08	5/8	1,187.80	5/8	1,009.23	5/8	830.54	5/8	651.21
3/4	2,259.42	3/4	2,080.11	3/4	1,901.10	3/4	1,722.05	3/4	1,542.70	3/4	1,363.35	3/4	1,184.08	3/4	1,005.51	3/4	826.80	3/4	647.47
7/8	2,255.68	7/8	2,076.38	7/8	1,897.37	7/8	1,718.31	7/8	1,538.96	7/8	1,359.61	7/8	1,180.35	7/8	1,001.79	7/8	823.07	7/8	643.73
2	2,251.95	8	2,072.65	2	1,893.64	8	1,714.58	2	1,535.23	8	1,355.88	2	1,176.82	8	998.07	2	818.34	8	640.00
1/8	2,248.21	1/8	2,068.92	1/8	1,889.91	1/8	1,710.84	1/8	1,531.49	1/8	1,352.14	1/8	1,172.90	1/8	994.35	1/8	815.80	1/8	636.26
1/4	2,244.47	1/4	2,065.19	1/4	1,886.18	1/4	1,707.11	1/4	1,527.75	1/4	1,348.40	1/4	1,169.18	1/4	990.63	1/4	811.87	1/4	632.52
3/8	2,240.74	3/8	2,061.46	3/8	1,882.45	3/8	1,703.37	3/8	1,524.02	3/8	1,344.67	3/8	1,165.46	3/8	986.91	3/8	808.13	3/8	628.78
1/2	2,237.00	1/2	2,057.73	1/2	1,878.72	1/2	1,699.83	1/2	1,520.28	1/2	1,340.93	1/2	1,161.73	1/2	983.19	1/2	804.39	1/2	625.05
5/8	2,233.26	5/8	2,054.00	5/8	1,875.00	5/8	1,696.90	5/8	1,516.54	5/8	1,337.19	5/8	1,158.01	5/8	979.47	5/8	800.66	5/8	621.31
3/4	2,229.53	3/4	2,050.27	3/4	1,871.27	3/4	1,692.16	3/4	1,512.81	3/4	1,333.46	3/4	1,154.29	3/4	975.75	3/4	796.92	3/4	617.58
7/8	2,225.79	7/8	2,046.54	7/8	1,867.54	7/8	1,688.42	7/8	1,509.07	7/8	1,329.72	7/8	1,150.57	7/8	972.03	7/8	793.19	7/8	613.84
3	2,222.05	9	2,042.81	3	1,863.81	9	1,684.69	3	1,505.34	9	1,325.98	3	1,146.85	9	968.31	3	789.45	9	610.10
1/8	2,218.32	1/8	2,039.08	1/8	1,860.08	1/8	1,680.95	1/8	1,501.60	1/8	1,322.25	1/8	1,143.13	1/8	964.59	1/8	785.72	1/8	606.37
1/4	2,214.58	1/4	2,035.35	1/4	1,856.35	1/4	1,677.21	1/4	1,497.86	1/4	1,318.51	1/4	1,139.41	1/4	960.87	1/4	781.98	1/4	602.63
3/8	2,210.84	3/8	2,031.62	3/8	1,852.62	3/8	1,673.48	3/8	1,494.13	3/8	1,314.77	3/8	1,135.69	3/8	957.15	3/8	778.24	3/8	598.89
1/2	2,207.11	1/2	2,027.90	1/2	1,848.89	1/2	1,669.74	1/2	1,490.39	1/2	1,311.04	1/2	1,131.97	1/2	953.43	1/2	774.51	1/2	595.16
5/8	2,203.37	5/8	2,024.17	5/8	1,845.16	5/8	1,666.00	5/8	1,486.66	5/8	1,307.30	5/8	1,128.25	5/8	949.71	5/8	770.77	5/8	591.42
3/4	2,199.63	3/4	2,020.44	3/4	1,841.43	3/4	1,662.27	3/4	1,482.92	3/4	1,303.56	3/4	1,124.53	3/4	945.99	3/4	767.03	3/4	587.68
7/8	2,195.90	7/8	2,016.71	7/8	1,837.70	7/8	1,658.53	7/8	1,479.18	7/8	1,299.83	7/8	1,120.81	7/8	942.27	7/8	763.30	7/8	583.95
4	2,192.16	10	2,012.98	4	1,833.97	10	1,654.80	4	1,475.44	10	1,296.09	4	1,117.09	10	938.55	4	759.56	10	580.21
1/8	2,188.42	1/8	2,009.25	1/8	1,830.25	1/8	1,651.06	1/8	1,471.71	1/8	1,292.35	1/8	1,113.37	1/8	934.83	1/8	755.83	1/8	576.47
1/4	2,184.69	1/4	2,005.52	1/4	1,826.52	1/4	1,647.32	1/4	1,467.97	1/4	1,288.62	1/4	1,109.65	1/4	931.11	1/4	752.09	1/4	572.74
3/8	2,180.95	3/8	2,001.79	3/8	1,822.79	3/8	1,643.58	3/8	1,464.23	3/8	1,284.88	3/8	1,105.93	3/8	927.39	3/8	748.35	3/8	569.00
1/2	2,177.21	1/2	1,998.06	1/2	1,819.06	1/2	1,639.95	1/2	1,460.50	1/2	1,281.15	1/2	1,102.21	1/2	923.67	1/2	744.82	1/2	565.26
5/8	2,173.48	5/8	1,994.33	5/8	1,815.33	5/8	1,636.11	5/8	1,456.76	5/8	1,277.41	5/8	1,098.49	5/8	919.95	5/8	740.88	5/8	561.53
3/4	2,169.74	3/4	1,990.60	3/4	1,811.60	3/4	1,632.38	3/4	1,453.02	3/4	1,273.67	3/4	1,094.77	3/4	916.23	3/4	737.14	3/4	557.79
7/8	2,166.00	7/8	1,986.87	7/8	1,807.87	7/8	1,628.64	7/8	1,449.29	7/8	1,269.94	7/8	1,091.06	7/8	912.51	7/8	733.41	7/8	554.05
5	2,162.26	11	1,983.14	5	1,804.14	11	1,624.90	5	1,445.55	11	1,266.20	5	1,087.34	11	908.79	5	729.67	11	550.32
1/8	2,158.53	1/8	1,979.41	1/8	1,800.41	1/8	1,621.17	1/8	1,441.81	1/8	1,262.46	1/8	1,083.62	1/8	905.07	1/8	725.93	1/8	546.58
1/4	2,154.79	1/4	1,975.68	1/4	1,796.68	1/4	1,617.43	1/4	1,438.08	1/4	1,258.73	1/4	1,079.90	1/4	901.35	1/4	722.20	1/4	542.84
3/8	2,151.05	3/8	1,971.96	3/8	1,792.95	3/8	1,613.69	3/8	1,434.34	3/8	1,254.99	3/8	1,076.18	3/8	897.63	3/8	718.46	3/8	539.11
1/2	2,147.32	1/2	1,968.23	1/2	1,789.22	1/2	1,609.96	1/2	1,430.61	1/2	1,251.25	1/2	1,072.48	1/2	893.91	1/2	714.72	1/2	535.37
5/8	2,143.58	5/8	1,964.50	5/8	1,785.48	5/8	1,606.22	5/8	1,426.87	5/8	1,247.52	5/8	1,068.74	5/8	890.19	5/8	710.99	5/8	531.63
3/4	2,139.84	3/4	1,960.77	3/4	1,781.77	3/4	1,602.48	3/4	1,423.13	3/4	1,243.78	3/4	1,065.02	3/4	886.47	3/4	707.25	3/4	527.90
7/8	2,136.11	7/8	1,957.04	7/8	1,778.04	7/8	1,598.75	7/8	1,419.40	7/8	1,240.04	7/8	1,061.30	7/8	882.74	7/8	703.62	7/8	524.16

GAUGE LOCATED 85'-4" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M. = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07

SAYBOLT LP.

O Endrao

BARGE MMI 2805 HULL # 05-2528

3 STAR ULLAGE TABLE MANUAL GAUGING BARRELS

Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 16'-6 1/8" MEASURED WITH MANUAL TAPE THROUGH 2" DIAMETER PIPE AT HERMETIC GAUGE LOCATION

IN	15 FT.	IN	15 FT.	IN	16 FT.	IN	16 FT.
0	520.42	6	341.07	0	161.75	6	8.55
1/8	516.69	1/8	337.33	1/8	158.02	1/8	6.90
1/4	512.95	1/4	333.59	1/4	154.30		
3/8	509.22	3/8	329.86	3/8	150.57		
1/2	505.48	1/2	326.12	1/2	146.84		
5/8	501.74	5/8	322.39	5/8	143.12		
3/4	498.01	3/4	318.65	3/4	139.39		
7/8	494.27	7/8	314.91	7/8	135.67		
1	490.53	7	311.18	1	131.94		
1/8	486.80	1/8	307.44	1/8	128.21		
1/4	483.06	1/4	303.70	1/4	124.50		
3/8	479.32	3/8	299.97	3/8	120.78		
1/2	475.59	1/2	296.23	1/2	117.07		
5/8	471.85	5/8	292.49	5/8	113.35		
3/4	468.11	3/4	288.76	3/4	109.63		
7/8	464.38	7/8	285.02	7/8	105.92		
2	460.64	8	281.28	2	102.20		
1/8	456.90	1/8	277.55	1/8	98.49		
1/4	453.17	1/4	273.81	1/4	94.79		
3/8	449.43	3/8	270.07	3/8	91.10		
1/2	445.69	1/2	266.34	1/2	87.41		
5/8	441.96	5/8	262.60	5/8	83.72		
3/4	438.22	3/4	258.86	3/4	80.02		
7/8	434.48	7/8	255.13	7/8	76.33		
3	430.75	9	251.39	3	72.64		
1/8	427.01	1/8	247.65	1/8	68.94		
1/4	423.27	1/4	243.92	1/4	65.22		
3/8	419.54	3/8	240.18	3/8	62.09		
1/2	415.80	1/2	236.44	1/2	58.67		
5/8	412.06	5/8	232.71	5/8	55.24		
3/4	408.33	3/4	228.97	3/4	51.82		
7/8	404.59	7/8	225.23	7/8	48.39		
4	400.85	10	221.50	4	44.96		
1/8	397.12	1/8	217.76	1/8	41.54		
1/4	393.38	1/4	214.03	1/4	38.86		
3/8	389.64	3/8	210.29	3/8	36.18		
1/2	385.91	1/2	206.55	1/2	33.51		
5/8	382.17	5/8	202.82	5/8	30.83		
3/4	378.43	3/4	199.08	3/4	28.15		
7/8	374.70	7/8	195.35	7/8	25.47		
5	370.96	11	191.61	5	22.80		
1/8	367.22	1/8	187.88	1/8	20.12		
1/4	363.48	1/4	184.15	1/4	18.47		
3/8	359.75	3/8	180.41	3/8	16.81		
1/2	356.01	1/2	176.68	1/2	15.16		
5/8	352.28	5/8	172.95	5/8	13.51		
3/4	348.54	3/4	169.22	3/4	11.86		
7/8	344.80	7/8	165.49	7/8	10.20		

GAUGE LOCATED 85'-4" FORWARD OF AFT BULKHEAD, AND 3'-9" OFF CENTERLINE.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
L.B.D.M = 233.5'

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 01/15/07
STRAPPED BY: JAB & DH 01/10/07
SAYBOLT LP.

O Endread