

United States of America Department of Homeland Security: United States Coast Guard

Certification Date: 09 Oct 2020 **Expiration Date:** 09 Oct 2025

Certificate of Inspection

| | | | | | | • | | • |
|--------------------|---------------------------------------|---------------------------|--------------------------------------|--------------------------------|------------------------|-----------------|----------------|-------------------------------------|
| Vessel Name | - // | | Official Number | IMO Ni | m ber | Call Sign | Service | |
| MMI 2808 | | | 1194446 | | | | Tank E | lame |
| | | | | | | | IDIM | 19180 |
| | | - <u></u> | | | | | | |
| Halling Port | | | Hult Maleriet | На | Tippewaf | Propulation | | |
| HOUSTON | ≀, TX | | Steel | | ., | , | | |
| | | | 01661 | | | | | |
| UNITED S | IAIES | | | | | | | |
| | | | | | | | | |
| Place Built | | | Delivery Oste | Keel Laid Date | Gross Tone | Net Tons | DWT | Length |
| JEFFERSO | ONVILLE, IN | | 20Feb2007 | 13Dac2008 | R-1619 | R-1610 | | R-297.5 |
| UNITED ST | , Tates | | 20, 002007 | 100002000 | l. | 6 | | 10 |
| OMILEO | 17120 | | | | | | | |
| | | | | Sr. | | | | |
| Owner LIGMAN B | ARGE LINES IN | ^ | | Opera | | | | |
| | Orive, Suite 1000 | _ | | | BY INLAND 50 Market St | | | |
| Houston, TO | (77007 | | | Cha | rinelview, TX | 77530 | | |
| UNITED ST | ATES | | | UNI | TED STATE | S | | |
| | | 1 | | | | 9. | | |
| 0 Certified L | must be manned Jifeboatmen, 0 C | with the 1 ertified Ta | ollowing licensed inkermen, 0 HSC | and unlicense Type Rating | end 0 GMDs | Included in v | which there m | ust be |
| 0 Mesters | | Licensed I | | Engineers | | | | |
| 0 Chief Mai | | First Class | | cilgaleers Issistant Engine | 0 Oi | iers | | |
| 0 Second M | | Radio Offic | | d Assistant Eng | | | | |
| 0 Third Mat | - | Able Seam | | Assistant Engine | | | | |
| 0 Master Fk | rsi Clasa Pilot (| Ordinary S | | ed Engineers | | | | |
| 0 Mate First | Class Pilota (| Deckhand: | | ed Member Eng | Ineer | | | |
| In addition, t | his vessel may c | arry 0 Pas | sengers, 0 Other | Persons in c | rew. 0 Persor | ns in addition | to crew, and r | o Others Total |
| F GI SOID BIN | wad. U | | | <u></u> | | | | o outois. Total |
| Route Pen | mitted And Cond | ditions Of | Operation: | | | | | |
| Lakes, | Bays, and S | ounds- | | | | | | |
| Also, in fa | ir weather only | , limite | d coastwise, no | t more than | twelve (12 | l miles from | abasa basus | en St. Marks and |
| Carrabelle, | Florida. | | | | cmetag (IV | , mries itou | snore betwe | en St. Maixs and |
| This vessel | has been grant | ed a fre | sh water servic | e examinati | on interval | in accordan | ca utrh 46 c | 'FD 11 10-21463 |
| (2). If this | 5 Vessel is ope sing salt water | rated in | salt water mor | e than 6 mo | nthe in any | 12 month pa | riod, the ve | asel must be |
| | soon as this ch | | To ber 40 CtW 3 | 1,10-21(8) (| 1) and the | cognizant OC | MI must be n | otified in |
| | | | | | | | | |
| 4445 | | | 3 | 160 | | | | |
| | | | NAL CERTIFICA | | | | | |
| With this insp | ection for Certific | cation hav | ing been complet | ed at Freepo | rt, TX, UNITI | ED STATES. | the Officer in | Charge, Marine |
| MINDAGONIA 6 1. | ouston-Galvestor regulations prese | 1 601 41164 | NIO VOSSEL III HILI | respects, is ir | conformity v | with the applic | able vessel in | Charge, Marine spection laws and |
| hid Inica Sild | Annual/Perio | ALICAA ILIA | i qui luar. | | | 16 | | 41. |
| Date | Zone | A/P/R | | | his certificate | 1 | 12. | |
| 9-28-221 | Complet Christy | A | Signatur Michael W.Jo | 7 - | E. M. CA | ARRERO CO | R. USCG, BY | DIRECTION |
| 1-13-22 | COPPUSCUES | | Duniel 12 | ס לילושיים | ficer in Charge, Mar | | , Al Es | |
| 7-27-23 | New Orleans | 1 | Scott Firm | | | Housto | n-Galveston | |
| 7-23-24 | Nashviller | r A | BEAU RIVIA | n Z | spection Zone | 10 | us al | it. |
| Jane of Bloom Sec. | USCG, CG-841 (Rev 4-2 | 900)(v2) | | | | | 1 | |

OMB No. 2115-0517



United States of America Department of Homeland Security United States Coast Guard

09 Oct 2020 Certification Date: 09 Oct 2025 **Expiration Date:**

Certificate of Inspection

Vessel Name: MMI 2806

This tank barge is participating in the Eighth and Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Sector Houston -Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Sep2025

02Sep2015

20Feb2007

Internal Structure

30Sep2025

09Oct2020

02Sep2015

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Grade A and lower and specified hazardous cargoes

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

27736

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1 P/S

730

13.6

2 P/S

854

13.6

3 P/S

802

13.6

Loading Constraints - Stability

Hull Type

Maximum Load

Maximum Draft

Max Density

Route Description

(short tons)

(ft/in)

(lbs/gal)

II III 3677

4545

9ft 9in 11ft 6in 13.6 13.6 R, LBS R. LBS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C2-0603177 dated November 7, 2006, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR part 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GROUP NO" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.745 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2), the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

In accordance with 46 CFR Part 39.1017 and 39.5001(e), this vessel's Vapor Control System (VCS) has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 09 Oct 2020 Expiration Date: 09 Oct 2025

Certificate of Inspection

Vessel Name: MMI 2806

Vapor Control Authorization

In accordance with 46 CFR Part 39, excluding Part 39.4000, this vessel's VCS has been inspected to the plans approved by MSC Letter C2-0603177 dated November 7, 2006, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS has been approved with a pressure side of 1.5 psig P/V valve with Coast Guard Approval 162.017/144. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.4 psig.

--- Inspection Status ---

Cargo Tanks

| | Internal Exam | | | External Exan | n | |
|---------|---------------|-----------|------------|---------------|------|------|
| Tank Id | Previous | Last | Next | Previous | Last | Next |
| 1 P/S | 20Feb2007 | 02Sep2015 | 02Sep2025 | - | - | - |
| 2 P/S | 20Feb2007 | 02Sep2015 | 02Sep2025 | - | - | - |
| 3 P/S | 20Feb2007 | 02Sep2015 | 02Sep2025 | - | - | - |
| | | | Hydro Test | | | |
| Tank Id | Safety Valves | | Previous | Last | Next | |
| 1 P/S | - | | - | - | - | |
| 2 P/S | - | | - | - | - | |
| 3 P/S | _ | | _ | _ | _ | |

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

40-B

END



Serial #:

C2-0603177

07-Nov-06



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Shipyard: JEFFBOAT

Hull #: 05-2529

| 46 | CFR | 151 | Tank | Group | Characteristics |
|----|------------|-----|------|-------|-----------------|
| | | | | | |

| Tank Group Information | Cargo I | dentificat | ion | | Cargo | | Tanks | | Carg | | Enviror | nmental | Fire | Special Require | ements | | |
|---------------------------|---------|------------|-------|-------------|------------|---------------------|-------|--------|---------------|------|---------|-------------------|------------------------|--|--|-------------|----|
| Tnk Grp Tanks in Group | Density | Press. | Temp. | Hull Typ | Seq | | Vent | Gauge | Pipe Class | Cont | Tanks | Handling Space | Protection Provided | General | Materials of Construction | Elec Haz | |
| A #1P/S, #2P/S, #3P/S | 13.6 | Atmos. | Amb. | 11 | 1ii 2ii | Integral Gravity | PV | Closed | 11 | G-1 | NR | NA | Portable | .50-60, .50-70(a), .50-70(b), .50- 81(a), .50-81(b), | 55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g), | NR | No |

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

| Cargo Identification | n | | | | | Conditions of Carriage | | | | | | |
|--|--------------|--------------------|----------------|-------|--------------|------------------------|-------------------|-----------------|---|-----------------|--|--|
| | A Section | | | | | | Vapor R | | | 1 | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | |
| Authorized Subchapter O Cargoes | | | | | in a de | | | | | | | |
| Acetonitrile | ATN | 37 | 0 | С | III | Α | Yes | 3 | No | G | | |
| Acrylonitrile | ACN | 15 ² | 0 | С | n | Α | Yes | 4 | .50-70(a), .55-1(e) | G | | |
| Adiponitrile | ADN | 37 | 0 | E | 11 | Α | Yes | 1 | No | G | | |
| Alkyl(C7-C9) nitrates | AKN | 34 ² | 0 | NA | Ш | Α | No | N/A | .50-81, .50-86 | G | | |
| Aminoethylethanolamine | AEE | 8 | 0 | E | 111 | Α | Yes | 1 | .55-1(b) | G | | |
| Ammonium bisulfite solution (70% or less) | ABX | 43 ² | 0 | NA | 111 | Α | No | N/A | .50-73, .56-1(a), (b), (c) | G | | |
| Ammonium hydroxide (28% or less NH3) | AMH | 6 | 0 | NA | 111 | Α | No | N/A | .56-1(a), (b), (c), (f), (g) | G | | |
| Anthracene oil (Coal tar fraction) | AHO | 33 | 0 | NA | II | Α | No | N/A | No | G | | |
| Benzene | BNZ | 32 | 0 | С | 111 | Α | Yes | 1 | .50-60 | G | | |
| Benzene or hydrocarbon mixtures (having 10% Benzene or more) | ВНВ | 32 ² | 0 | С | Ш | Α | Yes | 1 | .50-60 | G | | |
| Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more) | BHA | 32 ² | 0 | С | 111 | Α | Yes | 1 | .50-60, .56-1(b), (d), (f), (g) | G | | |
| Benzene, Toluene, Xylene mixtures (10% Benzene or more) | BTX | 32 | 0 | B/C | 111 | Α | Yes | 1 | .50-60 | G | | |
| Butyl acrylate (all isomers) | BAR | 14 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Butyl methacrylate | ВМН | 14 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Butyraldehyde (all isomers) | BAE | 19 | 0 | С | III | Α | Yes | 1 | .55-1(h) | G | | |
| Camphor oil (light) | СРО | 18 | 0 | D | Н | Α | No | N/A | No | G | | |
| Carbon tetrachloride | CBT | 36 | 0 | NA | . 111 | Α | No | N/A | No | G | | |
| Caustic potash solution | CPS | 5 ² | 0 | NA | III | Α | No | N/A | .50-73, .55-1(j) | G | | |
| Caustic soda solution | CSS | 5 ² | 0 | NA | III | Α | No | N/A | .50-73, .55-1(j) | G | | |
| Chemical Oil (refined, containing phenolics) | COD | 21 | 0 | E | 11 | Α | No | N/A | .50-73 | G | | |
| Chlorobenzene | CRB | 36 | 0 | D | 111 | Α | Yes | 1 | No | G | | |
| Chloroform | CRF | 36 | 0 | NA | 111 | Α | Yes | 3 | No | G | | |
| Coal tar naphtha solvent | NCT | 33 | 0 | D | III | Α | Yes | 1 | .50-73 | G | | |
| Creosote | ccw | 21 2 | 0 | E | III | Α | Yes | 1 | No | G | | |
| Cresols (all isomers) | CRS | 21 | 0 | Е | III | Α | Yes | 1 | No | G | | |
| Cresylate spent caustic | CSC | 5 | 0 | NA | 111 | Α | No | N/A | .50-73, .55-1(b) | G | | |
| Cresylic acid tar | CRX | | 0 | E | III | Α | Yes | 1 | .55-1(f) | G | | |
| Crotonaldehyde | CTA | 19 ² | 0 | С | H | Α | Yes | 4 | .55-1(h) | G | | |
| Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein) | CHG | | 0 | С | 111 | Α | No | N/A | No | G | | |
| Cyclohexanone | ССН | 18 | 0 | D | III | Α | Yes | 1 | .56-1(a), (b) | G | | |
| Cyclohexanone, Cyclohexanol mixture | CYX | 18 ² | 0 | E | Ш | Α | Yes | 1 | .56-1 (b) | G | | |
| Cyclohexylamine | CHA | 7 | 0 | D | III | Α | Yes | 1 | .56-1(a), (b), (c), (g) | G | | |
| Cyclopentadiene, Styrene, Benzene mixture | CSB | 30 | 0 | D | 111 | Α | Yes | 1 | .50-60, .56-1(b) | G | | |

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



United States Coast Guard

Certificate of Inspection
Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 2 of 8

Shipyard: JEFFBOAT

C2-0603177

07-Nov-06

| Cargo Identificatio | n | | | | | Conditions of Carriage | | | | | | |
|---|--------------|--------------------|----------------|-------|--------------|------------------------|-------------------|-----------------|---|----------------|--|--|
| | | | | | | | Vapor R | | | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Perio | | |
| so-Decyl acrylate | IAI | 14 | 0 | E | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b), .55-1(c) | G | | |
| Dichlorobenzene (all isomers) | DBX | 36 | 0 | E | 111 | Α | Yes | 3 | .56-1(a), (b) | G | | |
| 1,1-Dichloroethane | DCH | 36 | 0 | С | Ш | Α | Yes | 1 | No | G | | |
| 2,2'-Dichloroethyl ether | DEE | 41 | 0 | D | 11 | Α | Yes | 1 | .55-1(f) | G | | |
| Dichloromethane | DCM | 36 | 0 | NA | 111 | Α | No | N/A | No | G | | |
| 2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution | DDE | 43 | 0 | E | 111 | Α | No | N/A | .56-1(a), (b), (c), (g) | G | | |
| 2.4-Dichlorophenoxyacetic acid, dimethylamine salt solution | DAD | 0 1,2 | 2 0 | Α | Ш | Α | No | N/A | .56-1(a), (b), (c), (g) | G | | |
| 2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution | DTI | 43 ² | 0 | Ε | III | Α | No | N/A | .56-1(a), (b), (c), (g) | G | | |
| 1,1-Dichloropropane | DPB | 36 | 0 | С | 111 | Α | Yes | 3 | No | G | | |
| 1,2-Dichloropropane | DPP | 36 | 0 | С | 111 | Α | Yes | 3 | No | G | | |
| 1,3-Dichloropropane | DPC | 36 | 0 | С | 111 | Α | Yes | 3 | No | G | | |
| 1,3-Dichloropropene | DPU | 15 | 0 | D | 11 | Α | Yes | 4 | No | G | | |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | 0 | С | - 11 | Α | Yes | 1 | No | G | | |
| Dicthanolamine | DEA | 8 | 0 | E | 111 | Α | Yes | 1 | .55-1(c) | G | | |
| | DEN | 7 | 0 | С | III | Α | Yes | 3 | .55-1(c) | G | | |
| Diethylamine | DET | 7 2 | 0 | E | III | A | Yes | 1 | .55-1(c) | G | | |
| Diethylenetriamine | DBU | 7 | 0 | | 111 | A | Yes | 3 | .55-1(c) | G | | |
| Diisobutylamine | DIP | 8 | 0 | E | III | A | Yes | | .55-1(c) | G | | |
| Diisopropanolamine | DIA | 7 | 0 | | 11 | A | Yes | | .55-1(c) | G | | |
| Diisopropylamine | | 10 | -0 | E | 111 | A | Yes | | .56-1(b) | G | | |
| N,N-Dimethylacetamide | DAC | | | | 111 | | Yes | | .56-1(b), (c) | G | | |
| Dimethylethanolamine | DMB | | 0 | | 111 | | Yes | - | .55-1(e) | G | | |
| Dimethylformamide | DMF | 10 | 0 | | 111 | | Yes | | .55-1(c) | G | | |
| Di-n-propylamine | DNA | 7 | | | 111 | A | No | N/A | | G | | |
| Dodecyldimethylamine, Tetradecyldimethylamine mixture | DOT | 7 | 0 | E | | | No | N/A | | G | | |
| Dodecyl diphenyl ether disulfonate solution | DOS | | 0 | # | 11 | A | | | .55-1(c) | G | | |
| Ethanolamine | MEA | | 0 | E | 111 | A | Yes | | .50-70(a), .50-81(a), (b) | G | | |
| Ethyl acrylate | EAC | 14 | 0 | С | 111 | Α. | Yes | | .55-1(b) | G | | |
| Ethylamine solution (72% or less) | EAN | 7 | 0 | Α | - 11 | A | Yes | | .55-1(b) | G | | |
| N-Ethylbutylamine | EBA | 7 | 0 | D | 111 | Α | Yes | | | | | |
| N-Ethylcyclohexylamine | ECC | 7 | 0 | D | Ш | A | Yes | | .55-1(b) | G | | |
| Ethylene cyanohydrin | ETC | 20 | 0 | E | III | A | Yes | | No SE 441 | G | | |
| Ethylenediamine | EDA | 7 2 | | D | 111 | A | Yes | | .55-1(c) | G | | |
| Ethylene dichloride | EDC | 36 ² | 0 | С | 111 | Α | Yes | | No | | | |
| Ethylene glycol hexyl ether | EGH | 40 | 0 | E | III | A | No | N/A | | G | | |
| Ethylene glycol monoalkyl ethers | EGC | 40 | 0 | D/E | 111 | Α | Yes | 1 | No | G | | |
| Ethylene glycol propyl ether | EGP | 40 | 0 | E | Ш | Α | Yes | 1 | No | G | | |
| 2-Ethylhexyl acrylate | EAI | 14 | 0 | E | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Ethyl methacrylate | ETM | 14 | 0 | D/E | 111 | Α | Yes | 2 | .50-70(a) | G | | |
| 2-Ethyl-3-propylacrolein | EPA | 19 ² | 0 | E | 111 | Α | Yes | 1 | No | G | | |
| Formaldehyde solution (37% to 50%) | FMS | | 0 | D/E | III | Α | Yes | 1 | .55-1(h) | G | | |
| Furfural | FFA | | 0 | D | 111 | Α | Yes | 1 | .55-1(h) | G | | |
| Glutaraldehyde solution (50% or less) | GTA | | 0 | NA | - 111 | Α | No | N/. | 4 No | G | | |
| Hexamethylenediamine solution | нмо | | 0 | E | 111 | Α | Yes | 1 | .55-1(c) | G | | |
| Hexamethyleneimine | HMI | | 0 | С | 11 | Α | Yes | 1 | .56-1(b), (c) | G | | |
| | HFN | | 0 | С | III | Α | Yes | 1 | .50-70(a), .50-81(a), (b) | G | | |
| Hydrocarbon 5-9 | IPR | | 0 | A | III | Α | No | N/ | Д .50-70(a), .50-81(a), (b) | G | | |
| Isoprene Isoprene, Pentadiene mixture | IPN | | | В | 111 | | No | N/ | A .50-70(a), .55-1(c) | G | | |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 3 of 8

Shipyard: JEFFBOAT

Dated:

C2-0603177

07-Nov-06

| Cargo Identification | 1 | | | | | Conditions of Carriage | | | | | | |
|---|-------|--------------------|----------------|----------|--------------|------------------------|-------------------|-----------------|---|-----------------|--|--|
| | | | | | - Marie | | Vapor F | Recovery | | | | |
| Name | Chem | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | |
| Kraft pulping liquors (free alkali content 3% or more)(including: Black Green, or White liquor) | , KPL | 5 | 0 | NA | 111 | Α | No | N/A | .50-73, .56-1(a), (c), (g) | G | | |
| Mesityl oxide | MSO | 18 ² | 0 | D | 111 | Α | Yes | 1 | No | G | | |
| Methyl acrylate | MAM | 14 | 0 | С | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Methylcyclopentadiene dimer | MCK | 30 | 0 | С | III | Α | Yes | 1 | No | G | | |
| Methyl diethanolamine | MDE | 8 | 0 | E | III | Α | Yes | 1 | .56-1(b), (c) | G | | |
| 2-Methyl-5-ethylpyridine | MEP | 9 | 0 | E | III | Α | Yes | 1 | .55-1(e) | G | | |
| Methyl methacrylate | MMN | 14 | 0 | С | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| 2-Methylpyridine | MPR | 9 | 0 | D | 111 | Α | Yes | 3 | .55-1(c) | G | | |
| alpha-Methylstyrene | MSR | 30 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Morpholine | MPL | 7 2 | 0 | D | III | Α | Yes | 1 | .55-1(c) | G | | |
| 1- or 2-Nitropropane | NPM | 42 | 0 | D | III | A | Yes | 1 | .50-81 | G | | |
| 1.3-Pentadiene | PDE | 30 | 0 | | III | A | Yes | 7 | .50-70(a), .50-81 | G | | |
| Perchloroethylene | PER | 36 | 0 | NA | 111 | A | No | N/A | No | G | | |
| Polyethylene polyamines | PEB | 7 ² | 0 | E | III | A | Yes | 1 | .55-1(e) | G | | |
| iso-Propanolamine | MPA | 8 | 0 | E | 111 | A | Yes | 1 | .55-1(c) | G | | |
| 200 S W W W S S S S S S S S S S S S S S S | PAX | 8 | 0 | E | 111 | | Yes | 1 | .56-1(b), (c) | | | |
| Propanolamine (iso-, n-) | IPP | 7 | 0 | | 11 | A | | N/A | .55-1(c) | | | |
| iso-Propylamine | | | | C | | | No | | .55-1(e) | G | | |
| Pyridine | PRD | 9 | 0 | <u> </u> | - 111 | Α | Yes | 1 | .50-73, .55-1(j) | G | | |
| Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide) | SAP | | 0 | | 111 | Α | No | N/A | | | | |
| Sodium aluminate solution (45% or less) | SAU | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (b), (c) | G | | |
| Sodium chlorate solution (50% or less) | SDD | 0 1,2 | 0 | NA | 111 | Α | No | N/A | .50-73 | G | | |
| Sodium hypochlorite solution (20% or less) | SHQ | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (b) | G | | |
| Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less) | SSH | 0 1,2 | 0 | NA | Ш | Α | Yes | 1 | .50-73, .55-1(b) | G | | |
| Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm) | SSI | 0 1,2 | 0 | NA | Ш | Α | No | N/A | .50-73, .55-1(b) | G | | |
| Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm) | SSJ | 0 1,2 | 0 | NA | II | Α | No | N/A | .50-73, .55-1(b) | G | | |
| Styrene (crude) | STX | | 0 | D | III | Α | Yes | 2 | No | G | | |
| Styrene monomer | STY | 30 | 0 | D | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| 1,1,2,2-Tetrachloroethane | TEC | 36 | 0 | NA | III | Α | No | N/A | No | G | | |
| Tetraethylenepentamine | TTP | 7 | 0 | Ε | 111 | Α | Yes | 1 | .55-1(c) | G | | |
| Tetrahydrofuran | THF | 41 | 0 | С | III | Α | Yes | 1 | .50-70(b) | G | | |
| Toluenediamine | TDA | 9 | 0 | E | II | Α | No | N/A | .50-73, .56-1(a), (b), (c), (g) | G | | |
| 1,2,4-Trichlorobenzene | TCB | 36 | 0 | E | III | Α | Yes | 1 | No | G | | |
| 1,1,2-Trichloroethane | ТСМ | 36 | 0 | NA | 111 | Α | Yes | 1 | .50-73, .56-1(a) | G | | |
| Trichloroethylene | TCL | 36 ² | 0 | NA | İII | Α | Yes | 1 | No | G | | |
| 1,2,3-Trichloropropane | TCN | 36 | 0 | E | - 11 | Α | Yes | 3 | .50-73, .56-1(a) | G | | |
| Triethanolamine | TEA | 8 ² | 0 | E | III | A | Yes | 1 | .55-1(b) | G | | |
| Triethylamine | TEN | 7 | 0 | С | II | A | Yes | 3 | .55-1(e) | G | | |
| Triethylenetetramine | TET | 7 2 | 0 | E | III | A | Yes | 1 | .55-1(b) | G | | |
| Triphenylborane (10% or less), caustic soda solution | TPB | 5 | 0 | NA | 111 | A | No | N/A | .56-1(a), (b), (c) | G | | |
| Trisodium phosphate solution | TSP | 5 | 0 | NA | III | A | No | N/A | .50-73, .56-1(a), (c). | G | | |
| Urea, Ammonium nitrate solution (containing more than 2% NH3) | UAS | 6 | 0 | NA | 111 | A | No | N/A | .56-1(b) | | | |
| | VBL | 5 | 0 | NA | 111 | A | No | N/A | .50-73, .56-1(a), (c), (g) | G | | |
| Vanillin black liquor (free alkali content, 3% or more). | | | | C | 111 | A A | Yes | 2 | .50-70(a), .50-81(a), (b) | | | |
| Vinyl acetate | VAM | 13 | | | | | | | .50-70(a), .50-81(a), (b) | | | |
| Vinyl neodecanate | VND | 13 | 0 | E | - 111 | A | No | N/A | | | | |
| Vinyltoluene | VNT | 13 | 0 | D | 111 | Α | Yes | 2 | .50-70(a), .50-81, .56-1(a), (b), (c), (| | | |



C2-0603177 07-Nov-06

Certificate of Inspection Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 4 of 8

Shipyard: JEFFBOAT

| Cargo Identification | | | | | | Conditions of Carriage | | | | | | |
|---|--------------|--------------------|----------------|-------|--------------|------------------------|-------------------|-----------------|---|-----------------|--|--|
| | | | | | | | | Recovery | | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | |
| Subchapter D Cargoes Authorized for Vapor Contro | ol | | | | | P 65 | | | | | | |
| Acetone | ACT | 18 ² | D | С | - 1,37 | Α | Yes | 1 | | | | |
| Acetophenone | ACP | 18 | D | E | | Α | Yes | 1 | | | | |
| Alcohol(C12-C16) poly(1-6)ethoxylates | APU | 20 | D | E | | Α | Yes | 1 | | | | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates | AEB | 20 | D | E | | Α | Yes | 1 | | | | |
| Amyl acetate (all isomers) | AEC | 34 | D | D | | Α | Yes | 1 | | | | |
| Amyl alcohol (iso-, n-, sec-, primary) | AAI | 20 | D | D | | Α | Yes | 1 | | | | |
| Benzyl alcohol | BAL | 21 | D | E | | Α | Yes | 1 | | | | |
| Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) | BFX | 20 | D | E | | Α | Yes | 1 | | | | |
| Butyl acetate (all isomers) | BAX | 34 | D | D | | Α | Yes | 11 | | | | |
| Butyl alcohol (iso-) | IAL | 20 ² | D | D | | Α | Yes | 11 | | | | |
| Butyl alcohol (n-) | BAN | | D | D | | Α | Yes | 1 | | | | |
| Butyl alcohol (sec-) | BAS | | D | С | | Α | Yes | 1 | | | | |
| Butyl alcohol (tert-) | BAT | | D | С | | A | Yes | 1 | | | | |
| Butyl benzyl phthalate | BPH | 34 | D | E | | Α | Yes | 1 | | | | |
| Butyl toluene | BUE | 32 | D | D | | Α | Yes | 1 | | | | |
| Caprolactam solutions | CLS | 22 | D | E | | Α | Yes | 1 | | | | |
| Cyclohexane | CHX | 31 | D | С | | Α | Yes | 1 | | | | |
| Cyclohexanol | CHN | 20 | D | E | | Α | Yes | 1 | | | | |
| 1,3-Cyclopentadiene dimer (molten) | CPD | 30 | D | D/E | | Α | Yes | 2 | | | | |
| p-Cymene | CMP | 32 | D | D | | Α | Yes | 1 | < | | | |
| iso-Decaldehyde | IDA | 19 | D | E | | Α | Yes | 1 | | | | |
| n-Decaldehyde | DAL | 19 | D | E | * | Α | Yes | 1 | | | | |
| Decene | DCE | 30 | D | D | (Sec | Α | Yes | . 1 | | 1 1 10 | | |
| Decyl alcohol (all isomers) | DAX | 20 ² | D | E | | Α | Yes | 1 | 1 | | | |
| n-Decylbenzene, see Alkyl(C9+)benzenes | DBZ | 32 | D | E | | Α | Yes | 1 | | | | |
| Diacetone alcohol | DAA | 20 ² | D | D | | Α | Yes | 1 | | | | |
| ortho-Dibutyl phthalate | DPA | 34 | D | E | | Α | Yes | 1 | | | | |
| Diethylbenzene | DEB | 32 | D | D | | Α | Yes | 1 | | 500 | | |
| Diethylene glycol | DEG | 40 ² | D | E | | Α | Yes | 1 | | | | |
| | DBL | 30 | D | С | | Α | Yes | 1 | | | | |
| Diisobutylene Diisobutylene | DIK | 18 | D | D | , | Α | Yes | 1 | | 11 | | |
| Diisobutyl ketone | DIX | 32 | D | E | | Α | Yes | 1 | | | | |
| Diisopropylbenzene (all isomers) | DTL | 34 | D | Е | 2 | Α | Yes | 1 | | | | |
| Dimethyl phthalate | DOP | 34 | D | E | | Α | Yes | 1 | | | | |
| Dioctyl phthalate | DPN | 30 | D | D | | Α | Yes | 1 | | | | |
| Dipentene | DIL | 32 | D | D/E | | Α | Yes | 1 | | | | |
| Diphenyl Bishard other mixtures | DDO | | D | E | | Α | Yes | 1 | | | | |
| Diphenyl, Diphenyl ether mixtures | DPE | | D | {E} | | Α | Yes | 1 | | | | |
| Diphenyl ether | DPG | | D | E | | Α | Yes | 1 | | | | |
| Dipropylene glycol | DFF | 33 | D | E | | Α | Yes | 1 | | | | |
| Distillates: Flashed feed stocks | DSR | | D | E | | Α. | Yes | 1 | | | | |
| Distillates: Straight run | DOZ | | D | D | | Α | Yes | 1 | | | | |
| Dodecene (all isomers) | DDB | | | E | | Α | Yes | 1 | | | | |
| Dodecylbenzene, see Alkyl(C9+)benzenes | EEA | | | D | | A | Yes | | | | | |
| a = 0 | | | | E | | A | Yes | | | | | |
| 2-Ethoxyethyl acetate | FTG | 40 | | | | | | | | | | |
| Ethoxy triglycol (crude) | ETG | | | | | | Yes | | | | | |
| | ETA EAA | 34 | D D | C | | A | | 1 | | | | |

Department of Homeland Security **United States Coast Guard**



Serial #: C2-0603177 Dated: 07-Nov-06

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Methyl isobutyl ketone

Methyl naphthalene (molten)

Page 5 of 8

Shipyard: JEFFBOAT Hull #: 05-2529

Cargo Identification Conditions of Carriage Vapor Recovery VCS Special Requirements in 46 CFR Compat Tank Insp. Period Categon Code Group No Chapter Grade (Y or N) 151 General and Mat'ls of Ethylbenzene ETB C 32 D Yes A EBT 20 D D Ethyl butanol Α Yes Ethyl tert-butyl ether EBE 41 D C A Yes Ethyl butyrate **EBR** 34 D D Α Yes 31 D D Α Yes Ethyl cyclohexane Ethylene glycol EGL D Ė Yes **EMA** Ethylene glycol butyl ether acetate D Ε EGY 34 D E Ethylene glycol diacetate Ethylene glycol phenyl ether FPF 40 D F Yes Ethyl-3-ethoxypropionate FFP D D A Yes 2-Ethylhexanol EHX 20 D E A Yes EPR 34 D C Α 1 Ethyl propionate Yes ETE 32 D D Α Yes 1 Ethyl toluene D 1 FAM 10 Е Α Yes Formamide FAL 20 2 D E A Yes 1 Furfuryl alcohol GAK 33 D A/C A Yes Gasoline blending stocks: Alkylates Gasoline blending stocks: Reformates GRF 33 A/C A Yes D С Gasolines: Automotive (containing not over 4.23 grams lead per GAT 33 A Yes Gasolines: Aviation (containing not over 4.86 grams of lead per GAV 33 D C Α Yes gallon) Gasolines: Casinghead (natural) GCS 33 D A/C A Yes D A/C Gasolines: Polymer GPL 33 A Yes GSR 33 D A/C Yes Gasolines: Straight run A GCR 20 2 D F Glycerine A Yes HMX 31 D С Α Yes Heptane (all isomers), see Alkanes (C6-C9) (all isomers) HEP 4 D Ε Α Yes Heptanoic acid HTX 20 D D/E Yes Heptanol (all isomers) D Heptene (all isomers) D E Heptyl acetate Hexane (all isomers), see Alkanes (C6-C9) HXS 31 2 D B/C HXO D E Hexanoic acid HXN 20 D D Α Yes Hexanol C A Yes 2 Hexene (all isomers) HEX 30 D HXG 20 D E Α Yes Hexylene glycol 18 2 D IPH E A Yes JPF 33 D F A Yes Jet fuel: JP-4 33 D D Α Yes Jet fuel: JP-5 (kerosene, heavy) D D Α Kerosene MTT D D Α Yes Methyl acetate MAL D C Α Yes Methyl alcohol MAC Α 1 Methylamyl acetate 34 D D Yes MAA 20 D D Α Yes Methylamyl alcohol MAK D D Α Yes 18 Methyl amyl ketone MBE D С Α Methyl tert-butyl ether MBK 18 D Methyl butyl ketone MBU D C Α Yes Methyl butyrate MEK 18 2 D C Α Yes Methyl ethyl ketone MHK 18 D D Α Yes Methyl heptyl ketone 18 ² С MIK D Α Yes

D

F

Α

Yes

MNA

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection.



C2-0603177 07-Nov-06

Certificate of Inspection Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 6 of 8

Shipyard: JEFFBOAT

| Cargo Identificat | ion | | | | | Conditions of Carriage | | | | | | |
|---|--------------|--------------------|----------------|-------|--------------|------------------------|-------------------|-----------------|---|-----------------|--|--|
| | | | | | | Vapor Recovery | | | | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | |
| Mineral spirits | MNS | 33 | D | D | | Α | Yes | 1 | | | | |
| Myrcene | MRE | 30 | D | D | | Α | Yes | 1 | | | | |
| Naphtha: Heavy | NAG | 33 | D | # | | Α | Yes | 1 | | | | |
| Naphtha: Petroleum | PTN | 33 | D | # | | Α | Yes | 11 | | | | |
| Naphtha: Solvent | NSV | 33 | D | D | | Α | Yes | 1 | | | | |
| Naphtha: Stoddard solvent | NSS | 33 | D | D | | Α | Yes | 1 | | | | |
| Naphtha: Varnish makers and painters (75%) | NVM | 33 | D | С | | Α | Yes | 1 | | | | |
| Nonane (all isomers), see Alkanes (C6-C9) | NAX | 31 | D | D | | Α | Yes | 1 | | | | |
| Nonene (all isomers) | NON | 30 | D | D | | Α | Yes | 2 | | | | |
| Nonyl alcohol (all isomers) | NNS | 20 ² | D | E | | Α | Yes | 1 | | | | |
| Nonyl phenol | NNP | 21 | D | E | | Α | Yes | 1 | | | | |
| Nonyl phenol poly(4+)ethoxylates | NPE | 40 | D | E | | Α | Yes | 1 | | | | |
| Octane (all isomers), see Alkanes (C6-C9) | OAX | 31 | D | С | | A | Yes | 1 | | | | |
| Octanoic acid (all isomers) | OAY | 4 | D | E | | Α | Yes | 1 | | | | |
| Octanol (all isomers) | OCX | 20 ² | D | E | | Α | Yes | 1 | | | | |
| Octene (all isomers) | OTX | 30 | D | С | | Α | Yes | 2 | | | | |
| Oil, fuel: No. 2 | OTW | 33 | D | D/E | | Α | Yes | 1 | | | | |
| Oil, fuel: No. 2-D | OTD | 33 | D | D | | Α | Yes | 1 | | | | |
| Oil, fuel: No. 4 | OFR | 33 | D | D/E | | Α | Yes | 1 | | | | |
| Oil, fuel: No. 5 | OFV | 33 | D | D/E | | Α | Yes | 1 | | | | |
| Oil, fuel: No. 6 | OSX | 33 | D | E | | Α | Yes | 1 | | | | |
| Oil, misc: Crude | OIL | 33 | D | C/D | | Α | Yes | 1 | | | | |
| Oil, misc: Diesel | ODS | 33 | D | D/E | | Α | Yes | 1 | | | | |
| Oil, misc: Lubricating | OLB | 33 | D | E | | Α | Yes | 1 | | | | |
| Oil, misc: Residual | ORL | 33 | D | E | | Α | Yes | 1 | | | | |
| Oil, misc: Turbine | ОТВ | 33 | D | E | | Α | Yes | 1 | | | | |
| | PIO | 30 | D | D | | Α | Yes | 1 | | | | |
| alpha-Pinene | PIP | 30 | D | D | | Α | Yes | 1 | | | | |
| beta-Pinene Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether | PAG | 40 | D | Е | | Α | Yes | 1 | | | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate | PAF | 34 | D | E | | Α | Yes | 1 | | | | |
| | PLB | 30 | D | E | | Α | Yes | 1 | | | | |
| Polybutene | PGC | 40 | D | E | | Α | Yes | 1 | | | | |
| Polypropylene glycol | IAC | 34 | D | С | | Α | Yes | 1 | | | | |
| iso-Propyl acetate | PAT | 34 | | c | | Α | Yes | 1 | | | | |
| n-Propyl acetate | IPA | 20 ² | | C | | Α | Yes | 1 | | | | |
| iso-Propyl alcohol | PAL | 20 ² | | C | | Α | Yes | 1 | | | | |
| n-Propyl alcohol | PBY | 32 | D | | | A | Yes | 1 | | | | |
| Propylbenzene (all isomers) | IPX | 31 | | | | A | Yes | 1 | | 2 | | |
| iso-Propylcyclohexane | PPG | | | E | | A | Yes | | | | | |
| Propylene glycol | PGN | | | | | A | Yes | | | | | |
| Propylene glycol methyl ether acetate | PTT | 30 | D | D | | A | Yes | | | | | |
| Propylene tetramer | SFL | 39 | D | E | | A | Yes | | | | | |
| Sulfolane | TTG | | D | E | | A | Yes | | | | | |
| Tetraethylene glycol | THN | | D | E | | A | Yes | | | | | |
| Tetrahydronaphthalene | | 32 | D | C | | A | Yes | | | | | |
| Toluene | TOL | | D | E | | | Yes | | | | | |
| Tricresyl phosphate (less than 1% of the ortho isomer) | TCP | | D | E | | | Yes | | | | | |
| Triethylbenzene | TEB | | D | E | | | Yes | | | | | |
| Triethylene glycol | TEG | | | E | | | Yes | | | | | |
| Triethyl phosphate | TPS | | D D | {D} | | | Yes | | | | | |
| Trimethylbenzene (all isomers) | TRE | 32 | ע | {D} | | | 100 | - | | | | |



Serial #: C2-0603177

07-Nov-06



Certificate of Inspection Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 7 of 8

Shipyard: JEFFBOAT

| Cargo Ident | Cargo Identification | | | | | | | | | |
|--------------------------------|----------------------|--------------------|----------------|-------|--------------|---------------|-------------------|-----------------|---|-----------------|
| | | | | · · | 100 | | Vapor Recovery | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Trixylenyl phosphate | TRP | 34 | D | E | | Α | Yes | 1 | | |
| Undecene | UDC | 30 | D | D/E | | Α | Yes | 1 | | |
| 1-Undecyl alcohol | UND | 20 | D | E | 6. | Α | Yes | 1 | | |
| Xylenes (ortho-, meta-, para-) | XLX | 32 | D | D | | Α | Yes | 1 | | |



Serial #: C2-0603177

Dated: 07-Nov-06



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 2806 Page 8 of 8 Official #: 1194446

Shipyard: JEFFBOAT

Hull #: 05-2529

Explanation of terms & symbols used in the Table:

Cargo Identification Name

Chem Code

Compatability Group No.

Note 1

Note 2

Subchanter Subchapter D

Subchapter O

Grade

A, B, C

Note 4

NA

Hull Type

Conditions of Carriage Tank Group

> Vapor Recove Approved (Y or N)

Conditions of Carriage Tank Group

Vapor Recover Approved (Y or N) VCS Category:

> Category 1 Category 2

Category 3 Category 4

Category 5

Category 6

Category 7

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (2003) 372-1425

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.22.

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammablity/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Not applicable to barges certificated under Subchapter D.

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

(Polymerizas) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.