

Versel Name

MMI 2806

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 09 Oct 2020 Expiration Date: 09 Oct 2021

Senice

Tank Barge

Temporary Certificate of Inspection

For their or international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

IMO Number

Cal Sign

This Temporary Constitute of Inspection is issued under the provision of Title 46 United States Code. Section 399, in lieu of the regular perificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after the year from the date of inspection.

Official Number

1194446

Haling Port													
HOUSTON, TX		Mu	fi Material	Hen	орожег	Prop _a lsion							
		S	teel										
UNITED STATES													
Place B./It		Delive	ry Date	Keel Laid Date	Grass Tons	Net Tocs	DWT	Length					
JEFFERSONVILLE, I	IN	20F	eb2007	13Dec2006	R-1619	R-1619		R-297 5					
UNITED STATES		201	002001	.0000000	F	1		1-0					
West .				Operat									
HIGMAN BARGE LIN 55 Waugh Drive, Suite						E LINES INC							
Houston, TX 77007	6 1000				Vaugh Drive, ston, TX 770								
UNITED STATES					TED STATE								
This vessel must be m							hich there n	nust be					
O Certified Lifeboatme O Masters	0 Licens			Engmeers		llers							
0 Chief Mates		lass Pilots		Assistant Engine	No. 100 100 100 100 100 100 100 100 100 10	iieis							
0 Second Mates	0 Radio			nd Assistant Eng									
0 Third Mates	0 Able S	eamen		Assistant Engine									
0 Master First Class Pil	lot 0 Ordina	ry Seamen	0 Licen	sed Engineers									
0 Mate First Class Pilot	ts 0 Deckh	ands	0 Quali	fied Member Eng	neer								
In addition, this vessel	I may carry 0	Passengers	, 0 Other	r Persons in ci	rew, 0 Perso	ns in addition to	crew, and	no Others. Total					
Persons allowed: 0													
Route Permitted Ar	nd Conditions	Of Operat	ion:										
				d Coastwis	e								
Route Permitted Ar	and Soun	ds plus L	imited) miles from	shore bec	veen St. Marks /					
Route Permitted ArLakes, Bays, Also, in fair weath Corrabulte, Floride This vessel has bee (2). If this vessel inspected using sal	and Sound ner only, line en granted a L is operated It water into	fresh wated in salt yervals per	imited twise, n er servi rater mo 46 CFR	cs examinations than the case of the case	on interval	in accordant	re with 46	CFR 31.10-21(a)					
Route Permitted Ar Lakes, Bays, Also, in fair weath Corrabelle, Florida This vessel has bee (2), If this vessel	and Sound ner only, line en granted a L is operated It water into	fresh wated in salt yervals per	imited twise, n er servi rater mo 46 CFR	cs examinations than the case of the case	on interval	in accordant	re with 46	CFR 31.10-21(a)					
Route Permitted ArLakes, Bays, Also, in fair weath Corrabulte, Floride This vessel has bee (2). If this vessel inspected using sal	and Sound ner only, line en granted a L is operated It water into	fresh wated in salt yervals per	imited twise, n er servi rater mo 46 CFR	cs examinations than the case of the case	on interval	in accordant	re with 46	CFR 31.10-21(a)					
Route Permitted ArLakes, Bays, Also, in fair weath Corrabelle, Floride This vessel has bee (2). If this vessel inspected using sal	and Sound mer only, liminated and its operated it water into this change	ds plus L mited coast fresh wate d in salt v ervals per in status	imited twise, n ed servi vater mo 46 CFR occurs.	ce examinati re than 6 mg 31.10-21(a)(on interval enths in any (1) and the	in accordant 12 month per cognizant OC	re with 46	CFR 31.10-21(a)					
Route Permitted ArLakes, Bays, Aisc. in fair weath Corrabelle, Florida This vessel has bee (2). If this vessel inspected using sal writing as soon as ***SEE NEXT PAG With this Inspection for	and Sounder only, lines. en granted a lis operated it water into this change. BE FOR ADD or Certification	ds plus L nited coast fresh wate d in salt n ervals per in status	imited	cs examinations than 6 mg 31.10-21(a) (on interval boths in any (1) and the	in accordant 12 month percognizant OCC	the Officer in	CFR 31.10-21(a) ressel must be notified in					
Route Permitted ArLakes, Bays, Aisc. in fair weath Corrabelle, Florida This wessel has bee (2). If this vessel inspected using sal writing as soon as ***SEE NEXT PAG With this Inspection for Inspection, Houston-C	and Sounder only, lines. en granted at 13 operated it water into this change. BE FOR ADD or Certification Galveston certification	fresh water in salt nervals per in status TIONAL Containing beer iffied the vesting the status	imited course, n cou	cs examinations than 6 mg 31.10-21(a) (on interval boths in any (1) and the	in accordant 12 month percognizant OCC	the Officer in	CFR 31.10-21(a) ressel must be notified in					
Route Permitted ArLakes, Bays, Aisc. in fair weath Corrabelle, Florida This wessel has bee (2). If this vessel inspected using sal writing as soon as ***SEE NEXT PAG With this Inspection for Inspection, Houston- the rules and regulation	and Sounder only, lines. en granted at 13 operated it water into this change. BE FOR ADD or Certification Galveston certification	fresh water in salt nervals per in status TIONAL Containing beet iffied the vest in thereunder	imited course, n cou	cs examinations than 6 mg 31.10-21(a) (CATE INFOReted at Freepoil respects, is in	on interval boths in any (1) and the	in accordant 12 month per cognizant OCI	the Officer in	CFR 31.10-21(a) ressel must be notified in					
Route Permitted Ar Lakes, Bays, Also, in fair weath Correbalte, Floride This vessel has bee (2). If this vessel inspected using sal writing as soon as ***SEE NEXT PAG With this Inspection for Inspection, Houston-O the rules and regulation	and Sounder only, lines. an granted a lis operated it water into this change. BE FOR ADD or Certification Galveston certions prescribed and/Periodic/R	fresh water in salt nervals per in status TIONAL Containing beet iffied the vest in thereunder	imited course, n cou	cs examinations than 6 mg 31.10-21(a) (CATE INFORmeted at Freepold respects, is in	on interval enths in any (1) and the MATION*** ort, TX, UNIT ort, TX, UNIT	in accordant 12 month per cognizant OCI	te with 46 riod, the visit must be the Officer in able vessel i	cer 31.10-21(a) ressel must be notified in Charge, Marine nspection laws ar					
Route Permitted Ar Lakes, Bays, Also, in fair weath Correbalte, Floride This wessel has bee (2). If this vessel inspected using sal writing as soon as ***SEE NEXT PAG With this Inspection for Inspection, Houston-O the rules and regulation	and Sounder only, lines only, lines only, lines on granted at lis operated the water into this change. SE FOR ADD or Certification Galiveston certification only prescribed in all/Periodic/R	fresh water in salt yervals per in status ITIONAL Conhaving bee ified the vest it thereunder.	imited wise, n conservation and 46 CFR occurs. ERTIFIC on complissel, in all r.	ce examination than 6 mo 31.10-21(a) (CATE INFORmeted at Freepon II respects, is in the same of the sa	on interval enths in any (1) and the MATION*** ort, TX, UNIT ort, TX, UNIT	in accordant 12 month per cognizant OCI ED STATES, with the applicate issued by: Jason	the Officer in	cer 31.10-21(a) ressel must be notified in Charge, Marine nspection laws ar					
Route Permitted Ar Lakes, Bays, Also, in fair weath Correbalte, Floride This wessel has bee (2). If this vessel inspected using sal writing as soon as ***SEE NEXT PAG With this Inspection for Inspection, Houston-O the rules and regulation	and Sounder only, lines only, lines only, lines on granted at lis operated the water into this change. SE FOR ADD or Certification Galiveston certification only prescribed in all/Periodic/R	fresh water in salt yervals per in status ITIONAL Conhaving bee ified the vest it thereunder.	imited wise, n conservation and 46 CFR occurs. ERTIFIC on complissel, in all r.	ce examination than 6 mg 31.10-21(a)(an interval inths in any (1) and the MATION*** ort, TX, UNIT in conformity	ED STATES, with the application in specific in accordance on the configuration of the configuration in the configu	te with 46 riod, the visit must be the Officer in able vessel i	cer 31.10-21(a) ressel must be notified in Charge, Marine nspection laws ar					



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 09 Oct 2020 **Expiration Date:** 09 Oct 2021

Temporary Certificate of Inspection

Vessel Name: MMI 2808

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

02Sep2025

02Sep2015

20Feb2007

Internal Structure

30Sep2025

09Oct2020

02Sep2015

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Grade A and lower and specified hazardous cargoes

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

27736

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1 P/S

730

13.6

2 P/S

854

13.6

3 P/S

Hull Type

802

13.6

Loading Constraints - Stability

4545

Maximum Load

(short tons)

Maximum Draft (ft/in)

11ft 6in

Max Density (lbs/gal)

Route Description

3677

9ft 9in

13.58

13.58

R, LBS, LC R. LBS. LC

III 4545 11 3677 11ft 6in 13.58 9ft 9in 13.58

Rivers

Rivers

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C2-0603177 dated November 7, 2006, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR part 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.745 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2)the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

In accordance with 46 CFR part 39.1017 and 39.5001(e) this vessel's Vapor Control System (VCS) has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Vapor Control Authorization

Dent Of Home Sec 115CG - CG-854 (Rev DA.DA)



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 09 Oct 2020 Expiration Date: 09 Oct 2021

Temporary Certificate of Inspection

Vessel Name: MMI 2808

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's VCS has been inspected to the plans approved by MSC Letter C2-0603177 dated November 7, 2006, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS has been approved with a pressure side of 1.5 psig P/V valve with Coast Guard Approval 162.017/144. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.4 psig.

--- Inspection Status ---

Cargo Tanks

		Internal Exam	1		External Ex	am	
ĺ	Tank Id	Previous	Last	Next	Previous	Last	Next
l	1 P/S	20Feb2007	02Sep2015	02Sep2025	-		-
l	2 P/S	20Feb2007	02Sep2015	02Sep2025			
l	3 P/S	20Feb2007	02Sep2015	02Sep2025		-	
				Hydro Test			
	Tank Id	Safety Valve	S	Previous	Last	Next	
1	1 P/S	-		-		-	
1	2 P/S	- 1					
l	3 P/S	-		-	-	-	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

B-II

END





Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 2806

Official #: 1194446

Shipyard: JEFFBOAT

Serial #: C2-0603177

07-Nov-06

Hull #: 05-2529

46 CFR 151 Tank	Group (Chara	cteris	tics						le la							
Tank Group Information	Cargo I	Identificat	ion		Cargo		Tanks	anks		jo sfer	Environmental Control		Fire	Special Requirements			
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Seq		Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec	Temp Cont
A #1P/S, #2P/S, #3P/S	13.6	Atmos.	Amb.	11	1ii 2ii	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50- 81(a), .50-81(b),	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identificatio	Conditions of Carriage									
医乳头 有物的现在分词 编一学的	Chem	Compat	Sub		Hull	Tank	Vapor Ri		Consid Book down to be 655	
Name	Code	Group No	Chapter	Grade	Туре	Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes										
Acetonitrile	ATN	37	0	С	III	Α	Yes	3	No	G
Acrylonitrile	ACN	15 ²	0	С	II	Α	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	ADN	37	0	E	- 11	Α	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	III	Α	No	N/A	.50-81, .50-86	G
Aminoethylethanolamine	AEE	8	0	E	III	Α	Yes	1	.55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	- 111	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	АНО	33	0	NA	- 11	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	III	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	ВНВ	32 2	0	С	III	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	III	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	111	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	вмн	14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	III	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	СРО	18	0	D	11	Α	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	III	Α	No	N/A	No	G
Caustic potash solution	CPS	5 2	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G
Caustic soda solution	CSS	5 2	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G
Chemical Oil (refined, containing phenolics)	COD	21	0	E	II	Α	No	N/A	.50-73	G
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	III	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	III	Α	Yes	1	.50-73	G
Creosote	ccw	21 2	0	E	III	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	E	III	Α	Yes	1	No	G
Cresylate spent caustic	CSC	5	0	NA	III	Α	No	N/A	.50-73, .55-1(b)	G
Cresylic acid tar	CRX		0	E	III	Α	Yes	1	.55-1(f)	G
Crotonaldehyde	СТА	19 ²	0	С	11	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	III	Α	No	N/A	No	G
Cyclohexanone	ССН	18	0	D	III	Α	Yes	1	.56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	III	Α	Yes	1	.56-1 (b)	G
Cyclohexylamine	CHA	7	0	D	III	Α	Yes	1	.56-1(a), (b), (c), (g)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	III	Α	Yes	1	.50-60, .56-1(b)	G



Serial # C2-0603177 07-Nov-06

Certificate of Inspection Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 2 of 8

Shipyard: JEFFBOAT

Cargo Identificatio	Conditions of Carriage									
							Vapor R	ecovery		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
iso-Decyl acrylate	IAI	14	0	E	111	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G
Dichlorobenzene (all isomers)	DBX	36	0	E	111	Α	Yes	3	.56-1(a), (b)	G
1,1-Dichloroethane	DCH	36	0	С	III	Α	Yes	1	No	G
2,2'-Dichloroethyl ether	DEE	41	0	D	- 11	Α	Yes	1	.55-1(f)	G
Dichloromethane	DCM	36	0	NA	111	Α	No	N/A	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	0	Α	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	Е	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	DPB	36	0	С	111	Α	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	III	Α	Yes	3	No	G
1,3-Dichloropropane	DPC	36	0	С	111	Α	Yes	3	No	G
1,3-Dichloropropene	DPU	15	0	D	- 11	Α	Yes	4	No	G
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	- 11	Α	Yes	1	No	G
Diethanolamine	DEA	8	0	E	111	Α	Yes	1	.55-1(c)	G
Diethylamine	DEN	7	0	С	III	Α	Yes	3	.55-1(c)	G
Diethylenetriamine	DET	7 2	0	Е	111	Α	Yes	1	.55-1(c)	G
Diisobutylamine	DBU	7	0	D	111	Α	Yes	3	.55-1(c)	G
	DIP	8	0	E	III	A	Yes	1	.55-1(c)	G
Diisopropanolamine	DIA	7	0	С	II	A	Yes	3	.55-1(c)	G
Diisopropylamine	DAC	10	0	E	111	A	Yes	3	.56-1(b)	G
N,N-Dimethylacetamide	DMB		0	D	111	A	Yes	1	.56-1(b), (c)	G
Dimethylethanolamine	DMF	10	0	D	111	A	Yes	1	.55-1(e)	G
Dimethylformamide	DNA		0	C	11	A	Yes	3	.55-1(c)	G
Di-n-propylamine	DOT	7	0	E	111	A	No	N/A	.56-1(b)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture			0	#	11	A	No	N/A		G
Dodecyl diphenyl ether disulfonate solution	DOS			# E	111	A	Yes	1	.55-1(c)	G
Ethanolamine	MEA		0	C		A	Yes		.50-70(a), .50-81(a), (b)	G
Ethyl acrylate	EAC	14	0		III		Yes		.55-1(b)	G
Ethylamine solution (72% or less)	EAN		0	A	- 11	A			.55-1(b)	G
N-Ethylbutylamine	EBA		0	D	III	A	Yes		.55-1(b)	G
N-Ethylcyclohexylamine	ECC		0	D	111	A	Yes		No No	G
Ethylene cyanohydrin	ETC	20	0	E	111	Α	Yes		.55-1(c)	G
Ethylenediamine	EDA			D	111	Α	Yes		No	G
Ethylene dichloride	EDC	36 ²	0	С	111	Α	Yes			G
Ethylene glycol hexyl ether	EGH	40	0	E	111	Α	No	N/A		G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	111	Α	Yes		No	
Ethylene glycol propyl ether	EGP	40	0	E	III	Α	Yes		No	G
2-Ethylhexyl acrylate	EAI	14	0	E	111	Α	Yes		.50-70(a), .50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E	III	Α	Yes	-	.50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 2	0	E	111	A	Yes	1	No	G
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	III	Α	Yes		.55-1(h)	G
Furfural	FFA	19	0	D	III	Α	Yes	1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	III	Α	No	N/		G
Hexamethylenediamine solution	НМС	7	0	E	111	Α	Yes	1	.55-1(c)	G
Hexamethyleneimine	НМІ	7	0	С	11	Α	Yes	1	.56-1(b), (c)	G
Hydrocarbon 5-9	HFN	l	0	С	III	Α	Yes	1	.50-70(a), .50-81(a), (b)	G
Isoprene	IPR	30	0	Α	111	Α	No	N/	A .50-70(a), .50-81(a), (b)	G
Isoprene, Pentadiene mixture	IPN		0	В	III	Α	No	N/	A .50-70(a), .55-1(c)	G



Serial #: C2-0603177

07-Nov-06

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 3 of 8

Shipyard: JEFFBOAT Hull #: 05-2529

Cargo Identification	Conditions of Carriage									
								Recovery		
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G
Mesityl oxide	MSO	18 ²	0	D	III	Α	Yes	1	No	G
Methyl acrylate	MAM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	С	III	Α	Yes	1	No	G
Methyl diethanolamine	MDE	8	0	Е	III	Α	Yes	1	.56-1(b), (c)	G
2-Methyl-5-ethylpyridine	MEP	9	0	E	III	Α	Yes	1	.55-1(e)	G
Methyl methacrylate	MMM	14	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Methylpyridine	MPR	9	0	D	III	Α	Yes	3	.55-1(c)	G
alpha-Methylstyrene	MSR	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Morpholine	MPL	72	0	D	III	Α	Yes	1	.55-1(c)	G
1- or 2-Nitropropane	NPM	42	0	D	III	Α	Yes	1	.50-81	G
1,3-Pentadiene	PDE	30	0	Α	III	Α	Yes	7	.50-70(a), .50-81	G
Perchloroethylene	PER	36	0	NA	III	Α	No	N/A	No	G
Polyethylene polyamines	PEB	72	0	E	111	Α	Yes	1	.55-1(e)	G
iso-Propanolamine	MPA	8	0	E	III	Α	Yes	1	.55-1(c)	G
Propanolamine (iso-, n-)	PAX	8	0	E	III	Α	Yes	1	.56-1(b), (c)	G
iso-Propylamine	IPP	7	0	Α	11	Α	No	N/A	.55-1(c)	G
Pyridine	PRD	9	0	C	III	A	Yes	1	.55-1(e)	G
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		0		III	Α	No	N/A	.50-73, .55-1(j)	G
Sodium aluminate solution (45% or less)	SAU	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	III	Α	No	N/A	.50-73	G
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2	0	NA	III	Α	Yes	1	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2	0	NA	III	Α	No	N/A	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	11	Α	No	N/A	.50-73, .55-1(b)	G
Styrene (crude)	STX		0	D	III	Α	Yes	2	No	G
Styrene monomer	STY	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	III	Α	No	N/A	No	G
Tetraethylenepentamine	TTP	7	0	E	111	Α	Yes	1	.55-1(c)	G
Tetrahydrofuran	THF	41	0	С	III	Α	Yes	1	.50-70(b)	G
Toluenediamine	TDA	9	0	E	11	Α	No	N/A	.50-73, .56-1(a), (b), (c), (g)	G
1,2,4-Trichlorobenzene	TCB	36	0	E	III	Α	Yes	1	No	G
1,1,2-Trichloroethane	TCM	36	0	NA	III	Α	Yes	1	.50-73, .56-1(a)	G
Trichloroethylene	TCL	36 ²	0	NA	III	Α	Yes	1	No	G
1,2,3-Trichloropropane	TCN	36	0	E	11	Α	Yes	3	.50-73, .56-1(a)	G
Triethanolamine	TEA	8 2	0	E	III	Α	Yes	1	.55-1(b)	G
Triethylamine	TEN	7	0	С	11	Α	Yes	3	.55-1(e)	G
Triethylenetetramine	TET	7 2	0	E	III	Α	Yes	1	.55-1(b)	G
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	III	Α	No	N/A	.56-1(a), (b), (c)	G
Trisodium phosphate solution	TSP	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (c).	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	III	Α	No	N/A	.56-1(b)	G
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G
Vinyl acetate	VAM	13	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Vinyl neodecanate	VND	13	0	E	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G
Vinyltoluene	VNT	13	0	D	III	Α	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (G



C2-0603177

07-Nov-06

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 4 of 8

Shipyard: JEFFBOAT

Cargo Identification	1							Condi	tions of Carriage	
							Vapor I	Recovery	8 7 7 7 7 7	1
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Subchapter D Cargoes Authorized for Vapor Contro	ol									
Acetone	ACT	18 ²	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	E		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		1 74 77
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Benzyl alcohol	BAL	21	D	Е		Α	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1		19
Butyl alcohol (n-)	BAN		D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS		D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1		
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1	Carlo Anna Carlo	
Caprolactam solutions	CLS	22	D	E		Α	Yes	1		
Cyclohexane	CHX	31	D	С		Α	Yes	1		
Cyclohexanol	CHN	20	D	E		Α	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		
p-Cymene	CMP	32	D	D		Α	Yes	1		10.00
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1		
n-Decaldehyde	DAL	19	D	E		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20 ²	D	E		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		
Diacetone alcohol	DAA	20 ²	D	D		Α	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		140
Diethylene glycol	DEG	40 2	D	E		Α	Yes	1		
Diisobutylene	DBL	30	D	С		Α	Yes	1		4
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1		
Diisopropylbenzene (all isomers)	DIX	32	D	E		Α	Yes	1		
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1		
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1		
Dipentene	DPN	30	D	D		Α	Yes	1		
Diphenyl	DIL	32	D	D/E		Α	Yes	1		
Diphenyl, Diphenyl ether mixtures	DDO		D	E		Α	Yes	1	A 1995	
Diphenyl ether	DPE		D	{E}		Α	Yes	1		
Dipropylene glycol	DPG		D	E		Α	Yes	1		No.
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1		
Distillates: Straight run	DSR		D	E		Α	Yes	1		
Dodecene (all isomers)	DOZ		D	D		Α	Yes	1		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB		D	E		Α	Yes	1		
	EEA		D	D	A THE REAL PROPERTY.	Α	Yes	1		
2-Ethoxy triplycol (crude)	ETG		D	E		Α	Yes	1		
Ethoxy triglycol (crude)	ETA		D	С		A	Yes	1		
Ethyl acetasetate	EAA		D	E		Α	Yes	1		
Ethyl acetoacetate	EAL		D	С		Α	Yes	1		



erial #: C2-0603177 Dated: 07-Nov-06

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 5 of 8

Shipyard: JEFFBOAT Hull #: 05-2529

Cargo Identification							Conditions of Carriage				
							-	Recovery	cione of Garriage		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Ethylbenzene	ETB	32	D	С		Α	Yes	1			
Ethyl butanol	EBT	20	D	D		Α	Yes	1			
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	1			
Ethyl butyrate	EBR	34	D	D		Α	Yes	1			
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1			
Ethylene glycol	EGL	20 2	D	E	3. F	Α	Yes	1			
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1			
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1			
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1	No. of the second second	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1			
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1			
Ethyl propionate	EPR	34	D	С		Α	Yes	1			
Ethyl toluene	ETE	32	D	D		Α	Yes	1			
Formamide	FAM	10	D	E		Α	Yes	1			
Furfuryl alcohol	FAL	20 2	D	E		Α	Yes	1			
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1			
Gasoline blending stocks: Reformates	GRF	33	D	A/C	6	Α	Yes	1			
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1			
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1			
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1			
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1			
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1			
Glycerine	GCR	20 2	D	E		Α	Yes	1			
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1			
Heptanoic acid	HEP	4	D	E		Α	Yes	1	44.	11.5	
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1			
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2			
Heptyl acetate	HPE	34	D	E		Α	Yes	1			
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C		Α	Yes	1			
Hexanoic acid	НХО	4	D	E		Α	Yes	1			
Hexanol	HXN	20	D	D		Α	Yes	1			
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2			
Hexylene glycol	HXG	20	D	E		Α	Yes	1			
Isophorone	IPH	18 ²	D	E		Α	Yes	1			
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1			
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1			
Kerosene	KRS	33	D	D		Α	Yes	1			
Methyl acetate	MTT	34	D	D		Α	Yes	1			
Methyl alcohol	MAL	20 ²	D	С		Α	Yes	1			
Methylamyl acetate	MAC	34	D	D		Α	Yes	1			
Methylamyl alcohol	MAA	20	D	D	May 1	Α	Yes	1			
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1			
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1			
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1			
Methyl butyrate	MBU	34	D	С		Α	Yes	1			
Methyl ethyl ketone	MEK	18 2	D	С		Α	Yes	1			
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1			
Methyl isobutyl ketone	MIK	18 ²	D	С		Α	Yes	1			
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1			



C2-0603177 07-Nov-06


Certificate of Inspection Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 6 of 8

Shipyard: JEFFBOAT

Cargo Identificat	ion							Condi	tions of Carriage	
090		T					-	Recovery	9	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Mineral spirits	MNS	33	D	D		Α	Yes	1		
Myrcene	MRE	30	D	D		Α	Yes	1		
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1		
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1		
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1		
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1		
Nonene (all isomers)	NON	30	D	D		Α	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 2	D	E		A	Yes	1		
Nonyl phenol	NNP	21	D	E		Α	Yes	1		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		A	Yes	1		
Octanoic acid (all isomers)	OAY	4	D	E		A	Yes	1		
Octanol (all isomers)	OCX	20 2	D	E		Α	Yes	1		
Octene (all isomers)	OTX	30	D	С		A	Yes	2		
Oil, fuel: No. 2	OTW		D	D/E		Α	Yes	1	<u> </u>	
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1		
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1		.(84)
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1	100	
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	1		
Oil, misc: Crude	OIL	33	D	C/D		Α	Yes	1		
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	1		
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1		
Oil, misc: Residual	ORL	33	D	E		Α	Yes	1		
Oil, misc: Turbine	ОТВ	33	D	E		Α	Yes	1		
alpha-Pinene	PIO	30	D	D		Α	Yes	1		
beta-Pinene	PIP	30	D	D		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1		
Polybutene	PLB	30	D	E		Α	Yes	1		
Polypropylene glycol	PGC	40	D	E		Α	Yes	1		
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1		
n-Propyl acetate	PAT	34	D	С		Α	Yes	1		
iso-Propyl alcohol	IPA	20 2	D	С		Α	Yes	1		Ber Stranger
n-Propyl alcohol	PAL	20 2	D	С		Α	Yes	1		
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1		
Propylene glycol	PPG	20 2	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes			
Sulfolane	SFL	39	D	E	The second	Α	Yes			
Tetraethylene glycol	TTG	40	D	E		Α	Yes			
Tetrahydronaphthalene	THN	32	D	E		Α	Yes			
Toluene	TOL	32	D	С		Α	Yes			
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes			
Triethylbenzene	TEB	32	D	E		Α	Yes			
Triethylene glycol	TEG	40	D	E		Α	Yes			
Triethyl phosphate	TPS	34	D	E		A	Yes			
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
					The state of the s					





Dated:

C2-0603177 07-Nov-06


Certificate of Inspection Cargo Authority Attachment

Vessel Name: MMI 2806 Official #: 1194446

Page 7 of 8

Shipyard: JEFFBOAT

Cargo Identifi	Conditions of Carriage									
	Chem	Compat	Sub		Hull	Tank	Vapor F App'd	Recovery	Special Requirements in 46 CFR	Insp.
Name		Group No		Grade					151 General and Mat'ls of	Period
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Serial #: C2-0603177 Dated:

07-Nov-06

Certificate of Inspection

Cargo Authority Attachment

Shipyard: JEFFBOAT Page 8 of 8

Hull #: 05-2529

Explanation of terms & symbols used in the Table:

Cargo Identification

Vessel Name: MMI 2806

Official #: 1194446

Name

Chem Code

Compatability Group No

Note 1

Note 2

Subchapter D

Subchapter O Note 3

Subchapter

A, B, C

Note 4 NA

Hull Type

Conditions of Carriage

Tank Group Vapor Recove

Vapor Recover

Approved (Y or N)

Conditions of Carriage Tank Group

> VCS Category Category 1

Approved (Y or N)

Category 2

Category 4 Category 5

Category 3

Category 6

Category 7

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual Certain mixtures of cargoes may not have a CHRIS Code assigned

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility lart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified

Those flazardous cargoes listed in 46 CFR Table 30.25-1.
Those hazardous cargoes listed in 46 CFR Table 30.25-1.
Those cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.
Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4)

Not applicable to barges certificated under Subchapter D.

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No. The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo. The specified cargo's provisional classification for vapor control systems

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

(Polymerizas) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5 (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems



Commander . Sector Houston-Galveston United States Coast Guard 13411 Hillard Dr. Houston, TX 77034 Staff Symbol: S Phone: (281) 464-4758 Email: reid.a.deleon@uscq.mil

16711

Kirby Inland Marine, LP Attn: Mr. Robert Jones 18350 Market Street Channelview, Texas 77530

Subj: APPROVAL LETTER FOR ACCEPTANCE OF NEW KIRBY BARGES TO THE TANK BARGE STREAMLINED INSPECTION PROGRAM (TBSIP).

Dear Mr. Jones:

This is in response to your letter dated August 21, 2018, wherein you intend to add 170 newly acquired barges to your fleet to be inspected under the TBSIP guidelines. Each new barge shall be covered within the Company Action Plan (CAP) as well as a Tank Barge Action Plan (TAP). This letter will serve as acceptance of the barges into the program. Please place a copy of this letter on each barge.

Thank you for your commitment to a continuing partnership with the Coast Guard. If you have any questions, please contact your U.S. Coast Guard TBSIP Advisor, LT Reid DeLeon, at (281) 464-4758 or Reid.A.Deleon@uscg.mil.

Sincerely,

N. D. Rodriguez

Commander, U.S. Coast Guard

By Direction,

Officer in Charge, Marine Inspection

List of Barges to be added to the Kirby Inland Marine LP TAIP Program

LIST OF Barges to be added to	the Kirby illiand Marine LP
VESSEL NAME	OFFICIAL NUMBER
AL 2300	1286269
AL 2301	1286364
ARROWHEAD 262	977169
ARROWHEAD 266	977170
CHEROKEE	535335
CHEYENNE	635390
CHICKASAW	536944
CHOCTAW	535943
COMANCHE	D969429
CREEK	536945
DBL 702	1240873
DBL 703	1244626
EBL 2971	1261952
EBL 2972	1261953
EBL 2973	1258912
EBL 2974	1258911
EBL 2975	1258780
EBL 2976	1258779
EBL 2977	1255180
EBL 2978	1255179
EBL 2979	1255177
EBL 2980	1255174
EBL 2981	1248377
EBL 2982	1248376
EBL 2983	1244573
EBL 2984	1244572
EBL 2985	1236562
EBL 2989	1218820
EBL 2990	1218818
EBL 2994	1186685
EBL 2995	1167598
EBL 2997	1144783
EBL 2998	1140286
EBL 2999	1136277
EBL 3000	1106933
HFL 220SS	1252111
HFL 222SS	1255588
HTCO 3005	1256614
HTCO 3006	1250652
HTCO 3007	1252793
HTCO 3008	1252794
HTCO 3011	1251102
HTCO 3012	1251103

VESSEL NAME	OFFICIAL NUMBER
HTCO 3013	1041544
HTCO 3062	1210360
HTCO 3063	1210362
HTCO 3064	1210363
HTCO 3065	1210364
HTCO 3066	1218830
HTCO 3067	1218831
HTCO 3068	1218832
HTCO 3069	1218833
HTCO 3070	1218291
HTCO 3071	1218292
HTCO 3072	1218821
HTCO 3073	1222725
HTCO 3074	1222727
HTCO 3075	1223977
HTCO 3078	1230383
HTCO 3079	1230382
HTCO 3080	1236583
HTCO 3082	1236585
HTCO 3083	1236586
HTCO 3084	1236587
HTCO 3085	1236588
HTCO 3087	1238214
HTCO 3088	1238215
HTCO 3089	1238216
HTCO 3090	1242664
HTCO 3091	1242665
HTCO 3094	1244557
HTCO 3095	1244558
HTCO 3096	1244559
HTCO 3097	1244560
HTCO 3098	1246720
HTCO 3099	1246723
HTCO 3100	1246724
HTCO 3101	1246725
HTCO 3103	1246727
HTCO 3104	1246728
HTCO 3106	1248379
HTCO 3107	1248380
HTCO 3108	1248381
HTCO 3109	1248382
HTCO 3111	1248384
HTCO 3112	1250050
HTCO 3114	1251351
HTCO 3115	1250053
HTCO 3116	1250054

VESSEL NAME	OFFICIAL NUMBER
HTCO 3117	1250055
HTCO 3117	1250056
HTCO 3119	1250057
HTCO 3119	1251259
HTCO 3121	1251255
HTCO 3122	1251256
HTCO 3123	1251260
HTCO 3124	1250052
HTCO 3125	1251284
HTCO 3126	1251254
HTCO 3127	1251257
HTCO 3128	1251258
HTCO 3129	1251261
HTCO 3130	1251262
HTCO 3131	1251263
HTCO 3132	1255175
HTCO 3133	1255176
HTCO 3134	1257305
HTCO 3135	1257306
HTCO 3136	1257307
HTCO 3137	1258784
HTCO 3138	1258785
HTCO 3139	1258786
HTCO 3140	1258787
HTCO 3141	1258788
HTCO 3142	1257308
HTCO 3143	1257309
HTCO 3144	1257044
HTCO 3144	1257044
MATERIA MATERIA DE LA COMPANION DE LA COMPANIO	
HTCO 3146	1262108
HTCO 3147	1262109
HTCO 3148	1262110
HTCO 3149	1262111
HTCO 3150	1266569
HTCO 3151	1266614
KARANKAWA	1235320
MMI 2801	1164478
MMI 2802	1164481
MMI 2803	1167643
MMI 2804	1167652
MMI 2805	1194445
MMI 2806	1194446
MMI 2807	1194447
MMI 2808	1194448
MMI 3020	1095685
MMI 3022	1095687

VESSEL NAME	OFFICIAL NUMBER
MMI 3023	1095688
MMI 3024	1098867
MMI 3025	1098868
MMI 3030	1139044
MMI 3031	1139045
MMI 3032	1139046
MMI 3033	1139047
MMI 3034	1142280
MMI 3036	1142282
MMI 3037	1142283
MMI 3038	1145643
MMI 3039	1145625
MMI 3040	1145647
MMI 3041	1145645
MMI 3042	1152841
MMI 3043	1152842
MMI 3044	1152843
MMI 3045	1152844
MMI 3046	1166417
MMI 3047	1166419
MMI 3048	1167599
MMI 3049	1167656
MMI 3050	1182123
MMI 3051	1182124
MMI 3052	1182125
MMI 3053	1182126
MMI 3054	1184127
MMI 3055	1184128
MMI 3056	1186712
MMI 3057	1186714
OSAGE	635391
SHAWNEE	1235319
SHOSHONE	1252591
SIOUX	917774
UTE	1252595