



# BARGE "MMI 3039"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
1 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2	00-3/4	- 00-3/4
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2	00-3/4	- 00-3/4
3 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

**EXAMPLE FOR ABOVE TRIM CORRECTIONS:**

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/4"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

November 20, 2023

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>













BARGE "MMI 3039"

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-03 1/4"

Table with columns for gauge height (IN) and capacity (FT) from 10 FT to 19 FT. Each height has three rows for 1/4, 1/2, and 3/4 full. Capacity values are in barrels of 42 U.S. gallons.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/16/2003 INSP.
RECALCULATED: 12/10/2018
VERIFIED: 11/20/2023 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

Signature of Precision Measurement & Analysis, Inc.

















# BARGE "MMI 3039"

## AFT SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	451	0	903	0	1,354	0	1,805	0		0		0		0		0	
1/4	9	1/4	461	1/4	912	1/4	1,363	1/4	1,815	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	470	1/2	921	1/2	1,373	1/2	1,824	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	480	3/4	931	3/4	1,382	3/4	1,834	3/4		3/4		3/4		3/4		3/4	
1	38	1	489	1	940	1	1,392	1	1,843	1		1		1		1		1	
1/4	47	1/4	498	1/4	950	1/4	1,401	1/4	1,852	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	508	1/2	959	1/2	1,410	1/2	1,862	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	517	3/4	968	3/4	1,420	3/4	1,871	3/4		3/4		3/4		3/4		3/4	
2	75	2	527	2	978	2	1,429	2	1,881	2		2		2		2		2	
1/4	85	1/4	536	1/4	987	1/4	1,439	1/4	1,890	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	545	1/2	997	1/2	1,448	1/2	1,899	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	555	3/4	1,006	3/4	1,457	3/4	1,909	3/4		3/4		3/4		3/4		3/4	
3	113	3	564	3	1,015	3	1,467	3	1,918	3		3		3		3		3	
1/4	122	1/4	574	1/4	1,025	1/4	1,476	1/4	1,928	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	583	1/2	1,034	1/2	1,486	1/2	1,937	1/2		1/2		1/2		1/2		1/2	
3/4	141	3/4	592	3/4	1,044	3/4	1,495	3/4	1,946	3/4		3/4		3/4		3/4		3/4	
4	150	4	602	4	1,053	4	1,504	4	1,956	4		4		4		4		4	
1/4	160	1/4	611	1/4	1,062	1/4	1,514	1/4	1,965	1/4		1/4		1/4		1/4		1/4	
1/2	169	1/2	621	1/2	1,072	1/2	1,523	1/2	1,975	1/2		1/2		1/2		1/2		1/2	
3/4	179	3/4	630	3/4	1,081	3/4	1,533	3/4	1,984	3/4		3/4		3/4		3/4		3/4	
5	188	5	639	5	1,091	5	1,542	5	1,993	5		5		5		5		5	
1/4	197	1/4	649	1/4	1,100	1/4	1,551	1/4	2,003	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	658	1/2	1,110	1/2	1,561	1/2	2,012	1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	668	3/4	1,119	3/4	1,570	3/4	2,022	3/4		3/4		3/4		3/4		3/4	
6	226	6	677	6	1,128	6	1,580	6	2,031	6		6		6		6		6	
1/4	235	1/4	686	1/4	1,138	1/4	1,589	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	244	1/2	696	1/2	1,147	1/2	1,598	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	254	3/4	705	3/4	1,157	3/4	1,608	3/4		3/4		3/4		3/4		3/4		3/4	
7	263	7	715	7	1,166	7	1,617	7		7		7		7		7		7	
1/4	273	1/4	724	1/4	1,175	1/4	1,627	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	282	1/2	733	1/2	1,185	1/2	1,636	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	291	3/4	743	3/4	1,194	3/4	1,645	3/4		3/4		3/4		3/4		3/4		3/4	
8	301	8	752	8	1,204	8	1,655	8		8		8		8		8		8	
1/4	310	1/4	762	1/4	1,213	1/4	1,664	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	320	1/2	771	1/2	1,222	1/2	1,674	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	780	3/4	1,232	3/4	1,683	3/4		3/4		3/4		3/4		3/4		3/4	
9	338	9	790	9	1,241	9	1,692	9		9		9		9		9		9	
1/4	348	1/4	799	1/4	1,251	1/4	1,702	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	357	1/2	809	1/2	1,260	1/2	1,711	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	367	3/4	818	3/4	1,269	3/4	1,721	3/4		3/4		3/4		3/4		3/4		3/4	
10	376	10	827	10	1,279	10	1,730	10		10		10		10		10		10	
1/4	386	1/4	837	1/4	1,288	1/4	1,739	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	395	1/2	846	1/2	1,298	1/2	1,749	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	404	3/4	856	3/4	1,307	3/4	1,758	3/4		3/4		3/4		3/4		3/4		3/4	
11	414	11	865	11	1,316	11	1,768	11		11		11		11		11		11	
1/4	423	1/4	874	1/4	1,326	1/4	1,777	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	884	1/2	1,335	1/2	1,786	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	442	3/4	893	3/4	1,345	3/4	1,796	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

STRAPPED: 11/20/2023 JS  
 CALCULATED: 11/28/2023 CL  
 PRINTED: 11/28/2023 CL

CANCELS AND SUPERCEDES  
 ALL PRIOR TO 11/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "MMI 3039"

## FWD SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	451	0	903	0	1,354	0	1,805	0		0		0		0		0	
1/4	9	1/4	461	1/4	912	1/4	1,363	1/4	1,815	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	470	1/2	921	1/2	1,373	1/2	1,824	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	480	3/4	931	3/4	1,382	3/4	1,834	3/4		3/4		3/4		3/4		3/4	
1	38	1	489	1	940	1	1,392	1	1,843	1		1		1		1		1	
1/4	47	1/4	498	1/4	950	1/4	1,401	1/4	1,852	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	508	1/2	959	1/2	1,410	1/2	1,862	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	517	3/4	968	3/4	1,420	3/4	1,871	3/4		3/4		3/4		3/4		3/4	
2	75	2	527	2	978	2	1,429	2	1,881	2		2		2		2		2	
1/4	85	1/4	536	1/4	987	1/4	1,439	1/4	1,890	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	545	1/2	997	1/2	1,448	1/2	1,899	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	555	3/4	1,006	3/4	1,457	3/4	1,909	3/4		3/4		3/4		3/4		3/4	
3	113	3	564	3	1,015	3	1,467	3	1,918	3		3		3		3		3	
1/4	122	1/4	574	1/4	1,025	1/4	1,476	1/4	1,928	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	583	1/2	1,034	1/2	1,486	1/2	1,937	1/2		1/2		1/2		1/2		1/2	
3/4	141	3/4	592	3/4	1,044	3/4	1,495	3/4	1,946	3/4		3/4		3/4		3/4		3/4	
4	150	4	602	4	1,053	4	1,504	4	1,956	4		4		4		4		4	
1/4	160	1/4	611	1/4	1,062	1/4	1,514	1/4	1,965	1/4		1/4		1/4		1/4		1/4	
1/2	169	1/2	621	1/2	1,072	1/2	1,523	1/2	1,975	1/2		1/2		1/2		1/2		1/2	
3/4	179	3/4	630	3/4	1,081	3/4	1,533	3/4	1,984	3/4		3/4		3/4		3/4		3/4	
5	188	5	639	5	1,091	5	1,542	5	1,993	5		5		5		5		5	
1/4	197	1/4	649	1/4	1,100	1/4	1,551	1/4	2,003	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	658	1/2	1,110	1/2	1,561	1/2	2,012	1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	668	3/4	1,119	3/4	1,570	3/4	2,022	3/4		3/4		3/4		3/4		3/4	
6	226	6	677	6	1,128	6	1,580	6	2,031	6		6		6		6		6	
1/4	235	1/4	686	1/4	1,138	1/4	1,589	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	244	1/2	696	1/2	1,147	1/2	1,598	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	254	3/4	705	3/4	1,157	3/4	1,608	3/4		3/4		3/4		3/4		3/4		3/4	
7	263	7	715	7	1,166	7	1,617	7		7		7		7		7		7	
1/4	273	1/4	724	1/4	1,175	1/4	1,627	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	282	1/2	733	1/2	1,185	1/2	1,636	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	291	3/4	743	3/4	1,194	3/4	1,645	3/4		3/4		3/4		3/4		3/4		3/4	
8	301	8	752	8	1,204	8	1,655	8		8		8		8		8		8	
1/4	310	1/4	762	1/4	1,213	1/4	1,664	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	320	1/2	771	1/2	1,222	1/2	1,674	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	780	3/4	1,232	3/4	1,683	3/4		3/4		3/4		3/4		3/4		3/4	
9	338	9	790	9	1,241	9	1,692	9		9		9		9		9		9	
1/4	348	1/4	799	1/4	1,251	1/4	1,702	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	357	1/2	809	1/2	1,260	1/2	1,711	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	367	3/4	818	3/4	1,269	3/4	1,721	3/4		3/4		3/4		3/4		3/4		3/4	
10	376	10	827	10	1,279	10	1,730	10		10		10		10		10		10	
1/4	386	1/4	837	1/4	1,288	1/4	1,739	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	395	1/2	846	1/2	1,298	1/2	1,749	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	404	3/4	856	3/4	1,307	3/4	1,758	3/4		3/4		3/4		3/4		3/4		3/4	
11	414	11	865	11	1,316	11	1,768	11		11		11		11		11		11	
1/4	423	1/4	874	1/4	1,326	1/4	1,777	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	884	1/2	1,335	1/2	1,786	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	442	3/4	893	3/4	1,345	3/4	1,796	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.  
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

STRAPPED: 11/20/2023 JS  
CALCULATED: 11/28/2023 CL  
PRINTED: 11/28/2023 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 11/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>