

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 03 May 2023 Expiration Date: 03 May 2024

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name		I	Official Number	IMO Numi	рег	Call Sign	Service	
MMI 3055			1184128				Tank B	arge
								-
Hailing Port	T./		Hull Material	Horse	power	Propulsion		
HOUSTON,	IX		Steel					
UNITED STA	ATEQ							
ONTED	AILO							
Place Built								
MADISONV	HIEIA		Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
MADISONV	ILLE, LA		10Jul2006	19May2006	R-1619	R-1619		R-297.5
UNITED STA	ATES				1-	l-		1-0
Owner				Operato	<u> </u>			
HIGMAN BA	RGE LINES INC	;		•		MARINE, LP		
	rive, Suite 1000				0 MARKET			
Houston, TX UNITED STA					NNELVIEW ED STATE	/, TX 77530		
ONITED STA	AILS			OINII	LUSIAIL	.5		
This vessel m	nust be manned	with the foll	lowing licensed	and unlicensed	Personne	I. Included in w	hich there m	ust be
	feboatmen, 0 Ce							
0 Masters	0	Licensed Ma	tes 0 Chief	Engineers	0 C	ilers		
0 Chief Mate	es 0	First Class P	ilots 0 First	Assistant Enginee	'S			
0 Second Ma	ates 0	Radio Office	rs 0 Secon	nd Assistant Engir	eers			
0 Third Mate	es 0	Able Seamer	n 0 Third	Assistant Enginee	ers			
0 Master Firs	st Class Pilot 0	Ordinary Sea	men 0 Licen	sed Engineers				
0 Mate First		Deckhands		fied Member Engir				
In addition, th Persons allov	nis vessel may ca wed: 0	irry 0 Pass	engers, 0 Other	r Persons in cre	ew, 0 Perso	ons in addition to	crew, and r	no Others. Total
Route Perm	nitted And Cond	itions Of C	Operation:					
Lakes,	Bays, and S	ounds p	lus Limited	d Coastwise)			
·	- /	•						
Limited Coa Also, in fai Florida.	astwise ir weather only	, not mor	e than twelve	(12) miles f	rom shore	between St. M	larks and Ca	arrabelle,
Fresh Wate	r Service							
This vessel	has been grant							
	perated in salt intervals per 4							inspected using on as this
	tatus occurs.			J.			,	
SEE NEX	XT PAGE FOR	ADDITION	NAL CERTIFIC	CATE INFORM	1ATION			
								in Charge, Marine
	arine Safety Unit rules and regulat				pects, is in	conformity with	the applicab	le vessel inspection
iaws and the	Annual/Perio				nis certificat	e issued by	1111	
Date	Zone	A/P/R	Signatu			A. Hantal, CDR	USCG BY	direction
Date	20110	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Jigilata			arine Inspection	., 5555, by	
					S,largs, IVI	Marine Safety	/ Unit Port Ar	thur
				Ins	pection Zone			
	<u> </u>						· · · · · · · · · · · · · · · · · · ·	



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 03 May 2023

Expiration Date: 03 May 2024

Temporary Certificate of Inspection

Vessel Name: MMI 3055

TBSTP

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Sep2026

29Mar2018

28Sep2006

Internal Structure

31May2028

03May2023

29Mar2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29500

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	836	13.6
2 P/S	842	13.6
3 P/S	819	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	3885	10ft 0in	13.6	
III	4756	11ft 9in	13.6	

Conditions Of Carriage

Cargo Authorization

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial # C1-1800855, dated 08 Mar 2018, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated

Compatibility

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

Benzene Program

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Vapor Control Authorization

Per 46 CFR 39, excluding Part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial # C1-1800855, dated 08 Mar 2018, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Tandem Loading

Per 46 CFR 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 03 May 2023 Expiration Date: 03 May 2024

Temporary Certificate of Inspection

Vessel Name: MMI 3055

with other vessels specifically approved to tandem load with this vessel.

Stability and Trim

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum design density of cargo which may be filled to the tank top is 8.7 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exam	I	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	28Sep2006	29Mar2018	30Sep2026	-	-	-
2 P/S	28Sep2006	29Aug2018	30Sep2026	-	-	-
3 P/S	28Sep2006	29Aug2018	30Sep2026	-	-	-
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1 P/S	-		-	-	-	
2 P/S	-		-	-	-	
3 P/S	_		_	_	-	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable


Quantity

Class Type

2

40-B

END



Dated

Serial # C1-1800855

08-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name. MMI 3055

Shipyard. TRINITY MARINE GROUP MADISONVILLE, LA

Hull #: 2151-2

Official #: 1184128

Tank Group Information	Cargo I	dentifica	tion		Caro	0	Tanks		Carg		Control	mental	Fire	Special Require	ments		1
Trik Grp Tanks in Group	Density	Press	Temp	Hull Typ	Seg Tank		Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction		Temp
A #1P/S #2P/S #3P/S	136	Atmos	Amb		1# 2H	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	50-60. 50-70(a). 50-70(b). 50-73. 50-81(a). 50- 81(b).	55-1(c), (e), (h), 56- 1(b), (c), (d), (e), (f), (g),	NR	No

- Notes 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks
 - 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
 - 3 Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location

List of Authorized Cargoes

Cargo Identificatio	n							Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS Category	Special Requirements in 46 CFR 151 General and Marts of	Insp Pence
Authorized Subchapter O Cargoes						H				
Sodium acetate solution	SAN	34	D/Q 3	#		Α	No	N/A		
Acetonitrile	ATN	37	0	С	III	Α	Yes	3	Na	G
Acrylonitrile	ACN	15 2	0	С	tl	A	Yes	4	50-70(a), 55-1(e)	G
Adiponitrile	ADN	37	0	E	B	Α	Yes	1	No	G
Alkyl (C7-C9) nitrates	AKN	34 2	0	NA	101	Α	No	N/A	50-81 50-86	G
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	II	A	No	N/A	No	G
Benzene	BNZ	32	0	C	111	A	Yes	1	50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	С	01	Α	Yes	1	50-80	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 2	0	С	101	A	Yes	1	50-60, 58-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	ВТХ	32	0	B/C	III	Α	Yes	1	50-80	G
Butyl acrylate (all isomers)	BAR	14	0	D	81	A	Yes	2	50-70(a), 50-81(a), (b)	G
Butyl methacrylate	вмн	14	0	D	III	A	Yes	2	50-70(a), 50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	111	A	Yes	1	55-1(h)	G
Camphor oil (light)	CPO	18	0	D	П	A	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	111	A	No	N/A	No	G
Chemical Oil (refined, containing phenolics)	COD	21	0	E	16	A	No	N/A	50.73	G
Chlorobenzene	CRB	36	0	D	111	A	Yes	1	No	G
Chloroform	CRF	36	0	NA	III	A	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	HI	A	Yes	1	50-73	G
Creosote	CCW		0	E	DI	A	Yes	1	Na	G
Cresols (all isomers)	CRS	21	0	E	101	A	Yes	1	No	G
Crotonaldehyde	CTA	19 2	0	C	11	A	Yes	4	55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	192	0	С	fII	A	Yes	1	No	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 2	0	E	100	Α	Yes	- 1	56-1 (b)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	103	A	Yes	1	50-80 56-1(b)	G
iso-Decyl acrylate	IAI	14	0	E	118	Ä	Yes	2	50-70(a): 50-81(a); (b); 55-1(c)	G
1,1-Dichloroethane	DCH	36	0	C	111	A	Yes	1	No	G
Dichloromethane	DCM	36	0	NA	111	A	Yes	5	No	G
1,1-Dichloropropane	DPB	36	0	C	111	A	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	C	101	A	Yes	3	No	G

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Cargo Authority Attachment

Vessel Name: MMI 3055

Shipyard TRINITY MARINE GROUP. MADISONVILLE, LA

Hull # 2151-2

Official #: 1184128

Page 2 of 8

Cargo Identific	ation						E	Condi	itions of Carriage	
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd	VC5	Special Requirements in 46 CFR	Insp
					Про	Gioup	(FOFN)	Category	Construction	Period
1,3-Dichloropropana										
1.3-Dichloropropene	DPC	36	0	С	UI.	Α	Yes	3	No	G
Oichloropropene, Dichloropropane mixtures	OPU	15	0	D	l)	Α	Yes	4	No	G
Diethanolamine	DMX	15	0	C	- 11	Α	Yes	1	No	G
Diethytamine	DEA	8	0	E	111	A	Yes	1	55-1(c)	G
Diethylenetriamine	DEN	7	0	C	III	Α	Yes	3	55-1(c)	G
Disobutylamine	DET	72	0	E	m	Α	Yes	1	55-1(c)	G
Diisopropanolamine	DBU	7	0	D	Ш	Α	Yes	3	55-1(e)	G
Diisopropylamine	DIP	8	0	E	H	Α	Yes	1	55-1(c)	G
	DIA	7	0	C	H	Α	Yes	3	55-1(c)	G
N.N-Dimethylacetamide	DAC	10	0	E	III	Α	Yes	3	56-1(b)	G
Dimethylethanolamine	DMB	8	0	D	III.	Α	Yes	1	56-1(b), (c)	G
Dimethylformamide	DMF	10	0	D	H II	A	Yes	1	55-1(a)	G
Di-n-propylamine	DNA	7	0	C	11	Α	Yes	3	55-1(c)	G
Dodecyldimethylamine. Tetradecyldimethylamine mixture	DOT	7	0	E	101	Α	No	N/A	56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	Α	No	N/A	No	G
EE Glycol Ether Mixture	EEG	40	0	D	101	A	No	N/A	No	G
Ethanolamine	MEA	8	0	E	111	A	Yes	1	\$5-1(c)	G
Ethyl acrylate	EAC	14	0	С	101	Α	Yes	2	50-70(a) 50-81(a) (b)	G
Ethylene cyanohydrin	ETC	20	0	E	III	A	Yes	1	No No	G
Ethylenediamine	EDA	72	0	D	III	A	Yes	1	5\$-1(c)	
Ethylene dichloride	EDC	36 7	0	C	tii	A	Yes	1	No	G
Ethylene glycol hexyl ether	EGH	40	0	E	III	A	No		No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	th th	A	Yes	N/A	No	G
Ethylene glycol propyl ether	EGP	40	0	E	111	A	Yes	1	No	G
2-Ethylhexyl acrylate	EAI	14	0	E	100	A	Yes	1	-	G
Ethyl methacrylate	ETM	14	0	D/E	101	A		2	50-70(a), 50-81(a), (b)	G
2-Ethyl-3-propylacrolein	EPA	19 2	0	E	(I)		Yes	2	50-70(a)	G
Formaldehyde solution (37% to 50%)	FMS	192	0	D/E	III	A	Yes	1	No	G
Furfural	FFA	19	0	D	(8	A	Yes	1	55-1(h)	G
Glutaraldehyde solutions (50% or less)	GTA	19	0	NA		A	Yes	1	55-5(h)	G
Hexamethylenediamine solution	HMC	7	0	E	III	A	No	N/A	No	G
Hexamethyleneimine	HMI	7		_	111	A	Yes	1	55-1(c)	G
Hydrocarbon 5-9	HFN	31		C	11	A	Yes	1	56-1(b) (c)	G
soprene	IPR	30		C	111	A	Yes	1	50-70(a), 50-81(a), (b)	G
soprene, Pentadiene mixture	IPN	30		A	(I)	A	Yes	7	50-70(a) 50-81(a), (b)	G
Mesityf oxide	MSO	1B 2		8	III	A	No	N/A	50-70(a) 55-1(c)	G
Wethyl acrylate				D	111	Α	Yes	1	No	G
Methylcyclopentadiene dimer	MAM	14			#11	A	Yes	2	50-70(a), 50-81(a), (b)	G
Methyl diethanolamine	MCK	30	-	C	III	A	Yes	1	No	G
!-Methyl-5-ethyl pyridine	MDE	8		E	OI .	A	Yes	1	56-1(b), (c)	G
Methyl methacrylate	MEP	9			III	A	Yes	1	55-1(e)	G
-Methylpyridine	MMM	14			(0)	Α	Yes	2	50-70(a), 50-81(a) (b)	G
ipha-Methylstyrene	MPR	9			Ш	A	Yes	3	\$5-1(c)	G
forpholine	MSR	30		D	(8)	Α	Yes	2	50-70(a), 50-81(a) (b)	G
litroethane	MPL	72	0 1	D	M	Α	Yes	1	55-1(c)	G
77 GP W/M (40 9 MM) 2 MM	NTE	42	0 1	D	IF	A	No	N/A	50-81, 56-1(b)	G

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection.



C1-1800855 08-Mar-18

Cargo Authority Attachment

Vessel Name: MMI 3055

Shipyard: TRINITY MARINE GROUP, MADISONVILLE, LA

Hull #: 2151-2

Official #: 1184128

Page 3 of 8

Cargo Identification	1		Van de			Conditions of Carriage						
		Compat	10		100			Recovery	Special Requirements in 48 CFR	1		
Name	Chem Code	Group	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Calegory	151 General and Mat'ls of Construction	Penod		
- or 2-Nitropropane	NPM	42	0	D	III	A	Yes		50-81	G		
,3-Pentadiene	PDE	30	0	Α	101	Α	Yes		50-70(a) 50-81	G		
Perchloroethylene	PER	36	0	NA	til	A	No	N/A	No	G		
Polyethylene polyamines	PEB	72	0	E	111	Α	Yes		55-1(a)	G		
so-Propanolamine	MPA	8	0	E	III	A	Yes		55-1(c)	G		
Propanolamine (iso-, n-)	PAX	8	0	E	10	A	Yes		56-1(b), (c)	G		
sopropylamine	IPP	7	0	A	B	A	Yes		55-1(c)	G		
Pyridine Pyridine	PRD	9	0	C	())	A	Yes		55-1(e) 50-73	G		
Sodium chlorate solution (50% or less)	SDD	0 1	_	NA	III	A	No	N/A	No No	G		
Styrene (crude)	STX	30	0	D	111	A	Yes		50-70(a) 50-81(a) (b)	G		
Styrene monomer	STY	30	0	D	111	A	Yes			G		
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	10	A	No	N/A	55-1(c)	G		
Tetraethylene pentamine	TTP	7	0	E	111	A	Yes		50-70(b)	G		
Fetrahydrofuran	THE	41	0	С	111	A	Yes		No	G		
1.2,4-Trichlorobenzene	ТСВ	36	0	E	III	A	Yes		No	G		
Trichloroethylene	TCL	36 2	0	NA	111	A	Yes		55-1(e)	G		
Triethylamine	TEN	7	0	C		A	Yes			0		
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	111	A	No	N/A	50-70(a), 50-81(a), (b)	G		
Vinyl acetate	VAM	13	0	С	101	A	Ye:	N/A		G		
Vinyl neodecanoate	VND	13	0	E	161	Α	140	1417				
Subchapter D Cargoes Authorized for Vapor Contr	01											
Acetone Cargoes Authorized for Vapor Cond	ACT	18 2	D	С	-	A	Yes	1				
			2000	E			Yes		(A-2/4)			
Acetophenone	ACP	18	D			A						
Alcohol (C6-C17) (secondary) poly(3-6) ethoxylates	AEA	20	Đ	E		A	Yes	1				
Alcohol (C6-C17) (secondary) poly(7-12) ethoxylates	AEB	20	D	E		Α	Yes	1				
Amyi acetate (all isomers)	AEC	34	D	D		Α	Yes	1				
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		А	Yes	1				
Benzyl acetate	BZE	34	D	E		Α	Ye:	s 1				
			D	E		A	Ye					
Benzyl alcohol	BAL	21			_			W-100		-		
	BFY	20	D	E		Α	Ye	5 1				
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)							10					
glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and	BAX	34	D	D		A	Ye	s 1				
glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) Butyl acetate (all isomers)	BAX 8PH		D D	D E		A	Ye Ye					
glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)		34		_			Ye	s 1				
glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) Butyl acetate (all isomers) Butyl benzyl phthalate	ВРН	34	D	E		A	Ye Ye	s 1				
glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) Butyl acetate (all isomers) Butyl benzyl phthalate Butyl toluene Caprolactam solutions	8PH BUE	34 32 22	D D	E D		A	Ye Ye Ye	s 1 s 1				
glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) Butyl acetate (all isomers) Butyl benzyl phthalate Butyl toluene	BPH BUE CLS	34 32 22 31	D D	E D E		A A	Ye Ye Ye Ye	s 1 s 1 s 1				
glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) Butyl acetate (all isomers) Butyl benzyl phthalate Butyl toluene Caprolactam solutions Cycloheptane Cyclohexane	BPH BUE CLS CYE	34 32 22 23 31 31	D D D	E D E C		A A A	Ye Ye Ye Ye	s 1 s 1 s 1 s 1				
glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) Butyl acetate (all isomers) Butyl benzyl phthalate Butyl toluene Caprolactam solutions Cycloheptane	BPH BUE CLS CYE	34 32 22 31 31 4 20	D D D	E D E C		A A A A	Ye Ye Ye Ye Ye	s 1 s 1 s 1 s 1 s 1				



Cargo Authority Attachment

Vessel Name: MMI 3055

Shipyard: TRINITY MARINE

GROUP,

MADISONVILLE, LA Hull # 2151-2

Official #: 1184128

Page 4 of 8

Cargo Identi	ncation							Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS	Special Requirements in 46 CFR 151 General and Maris of Construction	Insp Panod				
Cyclopentane	CYP	31	D	В		A	Yes	1						
p-Cymene	CMP	32	D	D		A	Yes	1						
iso-Decaldehyde	IDA	19	D	E		A	Yes	1	THE PERSON NAMED IN COLUMN 1					
n-Decaldehyde	DAL	19	D	E		A	Yes	1						
Decanoic acid	DCO		D	#		A	Yes	1						
Decene	DCE	30	D	D		A	Yes	1						
Decyl alcohol (all isomers)	DAX	20 2	-	E		A	Yes	1		-				
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1						
Diacetone alcohot	DAA	20 2	D	D		A	Yes	1						
Dibutyl phthalate	DPA	34	D	E		A	Yes	1						
Diethylbenzene	DEB	32	D	D		A	Yes	1						
Diethylene glycol	DEG	40 2	D	E		А	Yes	1						
Diisobutylene	DBL	30	D	С		Α	Yes	1						
Diisobutyl ketone	DIK	18	D	D		A	Yes	1						
Disopropylbenzene (all isomers)	DIX	32	D	E		А	Yes	1						
Dimethyl phthalate	DTL	34	D	E		А	Yes	1						
Dioctyl phthalate	DOP	34	D	E		А	Yes	1						
Dipentene	DPN	30	D	D		А	Yes	1						
Diphenyl	DIL	32	D	D/E		A	Yes	1						
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		A	Yes	1						
Diphenyl ether	DPE	41	D	(E)		A	Yes	1						
Dipropylene glycol	DPG	40	D	E		A	Yes	1						
Distillates: Flashed feed stocks	DFF	33	D	E		А	Yes	1						
Distillates: Straight run	DSR	33	Đ	E		А	Yes	1						
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1						
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		А	Yes	1						
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1						
Ethoxy triglycal (crude)	ETG	40	D	Е		Α	Yes	1	THE RESERVE THE					
Ethyl acetate	ETA	34	D	С		Α	Yes	1						
Ethyl acetoacetale	EAA	34	D	E		А	Yes	1						
Ethyl alcohol	EAL	20 2	D	С		Α	Yes	1						
Ethylbenzene	ETB	32	D	C		Α	Yes	1						
Ethyl butanol	EBT	20	D	D		Α	Yes	1						
Ethyl tert-butyl ether	EBE	41	D	С		A	Yes	1						
Ethyl butyrate	EBR	34	D	D		A	Yes	1						
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1		To be some				
Ethylene glycol	EGL	20 2	D	E		A	Yes	1	The second					
Ethylene glycol butyl ether acetate	EMA	34	D	E		A	Yes	1						

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***





Cargo Authority Attachment

Vessel Name: MMI 3055

Shipyard: TRINITY MARINE GROUP. MADISONVILLE, LA

Hull # 2151-2

Official #: 1184128

Page 5 of 8

Cargo Identification		Į.	U.	- 1				Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App d	VCS Category	Special Requirements in 45 CFR 151 General and Mat'ls of Construction	insp Penod
Ethylene glycol diacetate	EGY	34	D	E		A	Yes	1		
Ethylene glycol phenyl ether	EPE	40	D	E		A	Yes	1		
Ethyl-3-ethoxypropionate	EEP	34	D	D		A	Yes	1	THE WILLIAM TO THE TANK	-
2-Ethylhexanol	EHX	20	D	Е		A	Yes	1		
Ethyl propionate	EPR	34	D	С		А	Yes	1		
Ethyl toksene	ETE	32	D	D		A	Yes	1		
Formamide	FAM	10	O	E		A	Yes	1		
Furfuryl alcohol	FAL	20 2	D	E		A	Yes	1		
Gasoline blending stocks Alkylates	GAK	33	D	A/C		A	Yes	1		
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A	Yes	1		
Gasolines Automotive (containing not over 4.23 grams lead per	GAT	33	D	С		A	Yes	1		
Gasolines Aviation (containing not over 4.86 grams of lead per gallon	GAV	33	O	С		Α	Yes	1		- Charles
Gasolines Casinghead (natural)	GCS	33	D	A/C		А	Yes	1		
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		А	Yes	1		
Glycerine	GCR	20 2	D	Ε		Α	Yes	1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ	31	D	С		A	Yes	1		
n-Heptanoic acid	HEN	4	D	Ε		A	Yes	1		
Heptanol (all isomers)	нтх	20	D	D/E		A	Yes	1		
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2	AND DESCRIPTION OF THE PARTY OF	
Heptyl acetale	HPE	34	Đ	E		Α	Yes	1		
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C		Α	Yes	1		
Hexanoic acid	нхо	4	D	E		Α	Yes	- 1		
Hexanol	HXN	20	D	Ð		А	Yes	1		
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2		
Hexylene glycol	HXG	20	D	E		Α	Yes	1		
Isophorone	IPH	18 2	D	E		Α	Yes	1		
Jet fuel JP-4	JPF	33	D	E		Α	Yes	1		
Jet fuel. JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1		
Kerosene	KRS	33	D	D		Α	Yes	1		
Methyl acetate	MTT	34	D	D		Α	Yes	1		
Methyl alcohol	MAL	20 2	D	С		A	Yes	1		
Methylamyi acetate	MAC	34	D	D		Α	Yes	1		
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1	THE THEFT	
Methyl amyl ketone	MAK	18	D	D		Α	Yes	-1		
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1	Carried to the second	- ercs
Methyl butyl ketone	MBK	18	D	С		А	Yes	1	Emil To Carlo	1
Methyl butyrate	MBU	34	D	С		Α	Yes	1		

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Cargo Authority Attachment

Vessel Name MMI 3055

Shipyard: TRINITY MARINE GROUP, MADISONVILLE, LA

Hull #: 2151-2

Official #: 1184128

Page 6 of 8

Cargo Identifica	111011				Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Huff Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Marts of Construction	insp Penod	
Methyl ethyl ketone	MEK	18 4	0	С		А	Yes	1			
Methyl heptyl ketone	мнк	18	D	D		A	Yes	1			
Methyl isobutyl ketone	MIK	18 2	D	С		А	Yes	1		-	
Methyl naphthalene (molten)	MNA	32	D	E		A	Yes	1			
Mineral spirits	MNS	33	D	D		A	Yes	1			
Myrcene	MRE	30	D	D		А	Yes	1			
Naphtha: Heavy	NAG	33	D	#		A	Yes	1		-	
Naphtha: Petroleum	PTN	33	D	#		A	Yes	1			
Naphtha: Solvent	NSV	33	Đ	D		A	Yes	1			
Naphtha Stoddard solvent	NSS	33	D	D		A	Yes	1			
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		A	Yes	1			
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	0	D		A	Yes	1		_	
Nonene (all isomers)	NON	30	D	D		A	Yes	2			
Nonyl alcohol (all isomers)	NNS	20 2		E		A	Yes	1		-	
Nonyl phenol	NNP	21	D	E	-	A	Yes	t		-	
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A	Yes	1			
Octane (all isomers), see Alkanes (C6-C9)	QAX	31	D	С		A	Yes	1			
Octanoic acid (all isomers)	OAY	4	D	Ε		A	Yes	1		-	
Octanol (all isomers)	OCX	20 2	D	Е		A	Yes	1		-	
Octene (all isomers)	ОТХ	30	D	С		A	Yes	2			
Dil fuel No. 2	otw	33	D	D/E		A	Yes	1			
Dil, fuel Na 2-D	OTD	33	D	D		A	Yes	1		-	
Dil, fuet: No. 4	OFR	33	D	D/E		A	Yes	1			
Dil, fuel: No. 5	OFV	33	D	D/E		A	Yes	1			
Dil, fuel: No. 6	OSX	33	D	E		A	Yes	1		-	
Dil, misc. Crude	OIL	33	D	A/D		A	Yes	1			
Dil. misc: Diesel	ODS	33	D	D/E		A	Yes	1			
Dil, misc: Gas, high pour	OGP	33	0	E		A	Yes	1			
Dil, misc. Lubricating	OLB	33	D	E		A	Yes	1		_	
Pil, misc: Residual	ORL	33	D	E		A	Yes	1			
Dil, misc: Turbine	ОТВ	33	D	Ε		A	Yes				
rentane (all Isomers)	PTY	31	D	A	0.25	A	Yes	5			
entene (all isomers)	PTX	30	D	A		A	Yes	5			
-Pentyl propionate	PPE	34	D	D		A	Yes	1			
lpha-Pinene	PIO	30	D	D		A	Yes	1			
eta-Pinene	PIP	30	D	D		A	Yes	1		110	
oly(2-8)alkylene glycol monoalkyl (C1-C6) ether	PAG	40	D	E		A	Yes	1		-	
oly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	PAF	34	0	E		A	Yes	1			

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***





Cargo Authority Attachment

Vessel Name MMI 3055

Shipyard TRINITY MARINE GROUP, MADISONVILLE, LA

Hull #: 2151-2

Official #: 1184128

Page 7 of 8

Cargo Identificat	ion		Jte					Condi	tions of Carriage	
Name	Chem	Compat Group No	Sub Chapter	Grade	Hue Type	Tank Group	App'd	VCS Category	Special Requirements in 46 CFR 151 General and Matts of Construction	Insp Penod
Polybutene	PLB	30	D	E		A	Yes	1		
Polypropylene glycol	PGC	40	D	E		A	Yes	1		
Isopropyl acetate	IAC	34	D	С		Α	Yes	1		
n-Propyl acetate	PAT	34	D	С		Α	Yes	1		
Isopropyl alcohol	IPA	20 2	3 D	С		А	Yes	1		
n-Propyl alcohol	PAL	20 2	D	С		Α	Yes	1		
Propylbenzene (all isomers)	PBY	32	D	D	WANTE !	A	Yes	1		
Isopropylcyclohexane	IPX	31	D	Ð		Α	Yes	1		
Propylene glycol	PPG	20 2	D	E		A	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	Đ		A	Yes	1	INCHES OF BURNET CORNE	
Propylene tetramer	PTT	30	D	D		A	Yes	1		
Sulfolane	SFL	39	D	E		A	Yes	1		
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	E		A	Yes	1		
Toluene	TOL	32	0	С		A	Yes	1		
Tricresyl phosphate (containing less than 1% ortho isomer)	TCP	34	D	E		A	Yes	1		
Triethylbenzene	TEB	32	D	E		A	Yes	1		
Tnethylene glycol	TEG	40	D	Е		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	Ð	(D)		Α	Yes	1		
Trixylyl phosphate	TRP	34	Ð	E		A	Yes	1		
1-Undecene	UDC	30	Ð	D/E		А	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		A	Yes	1		



Serial #: C1-1800855 Dated

08-Mar-18



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MMI 3055 Official #: 1184128

Page 8 of 8

Shipyard TRINITY MARI

Hull # 2151-2

Explanation of terms & symbols used in the Table:

Cargo Identification

Name Chem Code

The propper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151 05, and 46 CFR Part 153 Table 2 The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150 130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 48 CFR 150 in conjunction with the assigned reactive group number. Because of the very high reactivity or unusual conditions of carmage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility arternation, contact Commandant (CG-3PSO-3), U.S. Coast Guard. 2100 Second. Street, SW. Washington, DC. 20593-0001. Telephone

Note 1 Note 2

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

Subchapter Subchapter D Subchapter O Note 3

The subchapter in Title 48 Code of Federal Regulations under which the cargo has been classified
Those flammable and combustible liquids listed in 46 CFR Table 30 25-1
Those hazardous cargoes listed in 46 CFR Table 151 05 and 48 CFR Part 153 Table 2
Those cargoes listed in 45 CFR Part 153 Table 2 are non-regulated cargoes when camed in bulk on non-oceangoing barges

The cargo classification assigned to each flammable or combusable liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for camage of

A.B.C Note 4 lammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for camage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid. No Sammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available

Hull Type

NA

NA

The required barge full classification for camage of the specified Subchapter O hazardous material cargo, see 46 CFR 151 10-1

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151 10-1(b)(1)

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151 10-1(b)(1)

Designed to carry products of sufficient hazard to require a moderate degree of control. See 48 CFR 151 10-1(b)(4)

Not preventionally the hazard cardinal and a sufficient product of sufficient products of sufficient hazard to require a moderate degree of control. See 48 CFR 151 10-1(b)(4)

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for camage of the named cargo

Yes. The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No. The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Yes. The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No. The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category Category 1

The specified cargo's provisional classification for vapor control systems

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155 750, 33 CFR 156 120, 33 CFR 156 170, 46 CFR 35 35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39 20-11) and the pressure drop calculations (46 CFR 39 30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymenzes) Polymenzation and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurzation. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge Manne inspection. This is in addition to the requirements of Category 1. Prease note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannol use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39 20-9 This requirement is in addition to the requirements of Category 1

Category 4

(Polymenzes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 page at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Manne Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5 (High vapor pressure and polymenzes) Must comply with requirements of Categories 1, 2 and 5

The cargo has not been evaluated/classified for use in vapor control systems