



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 09 Feb 2021
Expiration Date: 09 Feb 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, Regulation V/14, for a SAFE MARINE DOCUMENT.

Vessel Name	Official Number	IMO Number	Ord Sign	Service
PBL 2402	850390			Tank Barge

Home Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tonn	Net Tonn	DWT	Length
NEVILLE ISLAND, PA	15Dec1974		8-1710	8-1710		8-097.8
UNITED STATES						10

Owner	Operator
INVESTORS BANK 89 WOOD AVE SOUTH ISELIN, NJ 08930 UNITED STATES	KIRBY INLAND MARINE LP 18380 Market Street Channelview, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankmen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mate	0 Chief Engineers	0 Others
0 Chief Mate	0 First Class Pilot	0 First Assistant Engineers	
0 Second Mate	0 Radio Officer	0 Second Assistant Engineers	
0 Third Mate	0 Able Seaman	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seaman	0 Licensed Engineers	
0 Mate First Class Pilot	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
Lakes, Bays, and Sounds

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Capraille, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21 (b); if this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCM notified in writing as soon as this change in status occurs.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-inspection				This certificate issued by M.N. ARCHER, COMMANDER, by direction Officer in Charge, Marine Inspection Sector, New Orleans Inspection Zone
Date	Zone	A/P/R	Signature	
1-19-2022	NO LA	R	DANNING ARCHER	
11-08-2020	NO LA	R	DANNING ARCHER	
12-14-2023	NO LA	P	DANNING ARCHER	



Certificate of Inspection

Vessel Name: PBL 2402

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Oct2028	11Oct2018	29Jan2009
Internal Structure	30Jun2027	09Jun2022	11Oct2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "D" AND LOWER

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
27024	Barrels	D	No	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 THRU 7		

Conditions Of Carriage

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

The vessel is inspected and approved for the carriage of grade "E" combustible liquids when transported in molten form at elevated temperatures. Thermal fluid heater and generator set may only be operated when carrying grade "E" cargoes.

Vapor Control Authorization

In accordance with 46 CFR 39, excluding 46 CFR 39.40, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial C1-0902516 dated 14SEP09 and the list of authorized cargoes on the Vapor Collection System List of Cargoes dated 14SEP09, and found acceptable for collection of bulk liquid cargo vapors.

In accordance with 46 CFR Part 39.1017 and 39.5001(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1 THRU 7	11Oct2018	09Jun2022	30Jun2032	-	-	-
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1 THRU 7	-		-	-	-	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---



Certificate of Inspection

Vessel Name: PBL 2402

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
3	B-II

---Certificate Amendments---

Amending Unit	Amendment Date	Amendment Remark
Sector New Orleans	09Jun2022	Completed Cargo Tank Internal Examination and Internal Structural Examination.

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **PBL 2402**
Official #: 558338

Shipyard: **DRAVO**
Hull #: 6326

Tank Group Characteristics

Tnk Grp	Tanks in Group	Density	Flammability Grade	Fire Protection	Comments
A	#1, #2, #3, #4, #5, #6, #7	8.7	A	Portable	None

This vessel is approved to collect vapors of the following 46 CFR Subchapter D flammable and/or combustible liquid cargoes using the approved onboard vapor control system.

Subchapter D Cargoes Authorized for Vapor Control

Cargo Identification					Conditions of Carriage		
Name	Chem Code	Compat Group No	IMO Pollution Category	Grade	Tank Group	Vapor Recovery	
						App'd (Y or N)	VCS Category
Acetone	ACT	18 ²	III	C	A	Yes	1
Acetophenone	ACP	18	@D	E	A	Yes	1
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	A	E	A	Yes	1
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	B	E	A	Yes	1
Amyl acetate (all isomers)	AEC	34	C	D	A	Yes	1
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D	A	Yes	1
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E	A	Yes	1
Butyl acetate (all isomers)	BAX	34	C	D	A	Yes	1
Butyl alcohol (iso-)	IAL	20 ²	III	D	A	Yes	1
Butyl alcohol (n-)	BAN	20 ²	III	D	A	Yes	1
Butyl alcohol (sec-)	BAS	20 ²	III	C	A	Yes	1
Butyl alcohol (tert-)	BAT		III	C	A	Yes	1
Butyl toluene	BUE	32	@A	D	A	Yes	1
Cyclohexane	CHX	31	C	C	A	Yes	1
Cyclohexanol	CHN	20	D	E	A	Yes	1
1,3-Cyclopentadiene dimer (molten)	CPD	30	B	D/E	A	Yes	2
p-Cymene	CMP	32	C	D	A	Yes	1
iso-Decaldehyde	IDA	19	@C	E	A	Yes	1
n-Decaldehyde	DAL	19	@B	E	A	Yes	1
Decene	DCE	30	B	D	A	Yes	1
Decyl alcohol (all isomers)	DAX	20 ²	B	E	A	Yes	1
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	III	E	A	Yes	1
Diacetone alcohol	DAA	20 ²	D	D	A	Yes	1
Diethylbenzene	DEB	32	A	D	A	Yes	1
Diisobutylene	DBL	30	B	C	A	Yes	1
Diisobutyl ketone	DIK	18	D	D	A	Yes	1
Diisopropylbenzene (all isomers)	DIX	32	A	E	A	Yes	1
Diocetyl phthalate	DOP	34	III	E	A	Yes	1
Dipentene	DPN	30	C	D	A	Yes	1
Diphenyl	DIL	32	A	D/E	A	Yes	1
Dipropylene glycol	DPG	40	III	E	A	Yes	1
Distillates: Flashed feed stocks	DFF	33	I	E	A	Yes	1
Distillates: Straight run	DSR	33	I	E	A	Yes	1
Dodecene (all isomers)	DOZ	30	B	D	A	Yes	1
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	III	E	A	Yes	1
2-Ethoxyethyl acetate	EEA	34	C	D	A	Yes	1

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **PBL 2402**
 Official #: 558338

Shipyard: DRAVO
 Hull #: 6326

Name	Cargo Identification					Conditions of Carriage		
	Chem Code	Compat Group No	IMO Pollution Category	Grade	Tank Group	Vapor Recovery		
						App'd (Y or N)	VCS Category	
Ethoxy triglycol (crude)	ETG	40	D	E	A	Yes	1	
Ethyl acetate	ETA	34	D	C	A	Yes	1	
Ethyl alcohol	EAL	20 ²	III	C	A	Yes	1	
Ethylbenzene	ETB	32	B	C	A	Yes	1	
Ethyl butanol	EBT	20	@D	D	A	Yes	1	
Ethyl tert-butyl ether	EBE	41	C	C	A	Yes	1	
Ethyl butyrate	EBR	34	C	D	A	Yes	1	
Ethyl cyclohexane	ECY	31	C	D	A	Yes	1	
Ethylene glycol butyl ether acetate	EMA	34	C	E	A	Yes	1	
Ethylene glycol phenyl ether	EPE	40	D	E	A	Yes	1	
Ethyl-3-ethoxypropionate	EEP	34	C	D	A	Yes	1	
2-Ethylhexanol	EHX	20	@C	E	A	Yes	1	
Ethyl propionate	EPR	34	D	C	A	Yes	1	
Ethyl toluene	ETE	32	B	D	A	Yes	1	
Gasoline blending stocks: Alkylates	GAK	33	I	A/C	A	Yes	1	
Gasoline blending stocks: Reformates	GRF	33	I	A/C	A	Yes	1	
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	I	C	A	Yes	1	
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	I	C	A	Yes	1	
Gasolines: Casinghead (natural)	GCS	33	I	A/C	A	Yes	1	
Gasolines: Polymer	GPL	33	I	A/C	A	Yes	1	
Gasolines: Straight run	GSR	33	I	A/C	A	Yes	1	
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	C	C	A	Yes	1	
Heptanoic acid	HEP	4	D	E	A	Yes	1	
Heptanol (all isomers)	HTX	20	C	D/E	A	Yes	1	
Heptene (all isomers)	HPX	30	C	C	A	Yes	2	
Heptyl acetate	HPE	34	B	E	A	Yes	1	
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	C	B/C	A	Yes	1	
Hexanoic acid	HXO	4	D	E	A	Yes	1	
Hexanol	HXN	20	D	D	A	Yes	1	
Hexene (all isomers)	HEX	30	C	C	A	Yes	2	
Hexylene glycol	HXG	20	III	E	A	Yes	1	
Isophorone	IPH	18 ²	D	E	A	Yes	1	
Jet fuel: JP-4	JPF	33	I	E	A	Yes	1	
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	I	D	A	Yes	1	
Kerosene	KRS	33	I	D	A	Yes	1	
Methyl acetate	MTT	34	III	D	A	Yes	1	
Methyl alcohol	MAL	20 ²	D	C	A	Yes	1	
Methylamyl acetate	MAC	34	C	D	A	Yes	1	
Methylamyl alcohol	MAA	20	C	D	A	Yes	1	
Methyl amyl ketone	MAK	18	D	D	A	Yes	1	
Methyl tert-butyl ether	MBE	41 ²	D	C	A	Yes	1	
Methyl butyl ketone	MBK	18	D	C	A	Yes	1	
Methyl butyrate	MBU	34	C	C	A	Yes	1	
Methyl ethyl ketone	MEK	18 ²	III	C	A	Yes	1	
Methyl heptyl ketone	MHK	18	B	D	A	Yes	1	
Methyl isobutyl ketone	MIK	18 ²	D	C	A	Yes	1	
Methyl naphthalene (molten)	MNA	32	A	E	A	Yes	1	



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **PBL 2402**
 Official #: 558338

Page 3 of 5

Shipyard: DRAVO
 Hull #: 6326

Cargo Identification						Conditions of Carriage		
Name	Chem Code	Compat Group No	IMO Pollution Category	Grade	Tank Group	Vapor Recovery		
						App'd (Y or N)	VCS Category	
Mineral spirits	MNS	33	I	D	A	Yes	1	
Myrcene	MRE	30	D	D	A	Yes	1	
Naphtha: Heavy	NAG	33	@I	#	A	Yes	1	
Naphtha: Petroleum	PTN	33	I	#	A	Yes	1	
Naphtha: Solvent	NSV	33	@I	D	A	Yes	1	
Naphtha: Stoddard solvent	NSS	33	@I	D	A	Yes	1	
Naphtha: Varnish makers and painters (75%)	NVM	33	@I	C	A	Yes	1	
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	C	D	A	Yes	1	
Nonene (all isomers)	NON	30	B	D	A	Yes	2	
Nonyl alcohol (all isomers)	NNS	20 ²	C	E	A	Yes	1	
Nonyl phenol	NNP	21	A	E	A	Yes	1	
Nonyl phenol poly(4+)ethoxylates	NPE	40	B	E	A	Yes	1	
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	C	C	A	Yes	1	
Octanoic acid (all isomers)	OAY	4	D	E	A	Yes	1	
Octanol (all isomers)	OCX	20 ²	C	E	A	Yes	1	
Octene (all isomers)	OTX	30	B	C	A	Yes	2	
Oil, fuel: No. 2	OTW	33	I	D/E	A	Yes	1	
Oil, fuel: No. 2-D	OTD	33	I	D	A	Yes	1	
Oil, fuel: No. 4	OFR	33	I	D/E	A	Yes	1	
Oil, fuel: No. 5	OFV	33	I	D/E	A	Yes	1	
Oil, fuel: No. 6	OSX	33	I	E	A	Yes	1	
Oil, misc: Crude	OIL	33	I	C/D	A	Yes	1	
Oil, misc: Diesel	ODS	33	I	D/E	A	Yes	1	
Oil, misc: Gas, high pour	OGP	33	@I	E	A	Yes	1	
Oil, misc: Lubricating	OLB	33	I	E	A	Yes	1	
Oil, misc: Residual	ORL	33	I	E	A	Yes	1	
Oil, misc: Turbine	OTB	33	I	E	A	Yes	1	
Pentane (all isomers)	PTY	31	C	A	A	Yes	5	
Pentene (all isomers)	PTX	30	C	A	A	Yes	5	
alpha-Pinene	PIO	30	A	D	A	Yes	1	
beta-Pinene	PIP	30	B	D	A	Yes	1	
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E	A	Yes	1	
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E	A	Yes	1	
Polybutene	PLB	30	III	E	A	Yes	1	
Polypropylene glycol	PGC	40	D	E	A	Yes	1	
iso-Propyl acetate	IAC	34	III	C	A	Yes	1	
n-Propyl acetate	PAT	34	D	C	A	Yes	1	
iso-Propyl alcohol	IPA	20 ²	III	C	A	Yes	1	
n-Propyl alcohol	PAL	20 ²	III	C	A	Yes	1	
Propylbenzene (all isomers)	PBY	32	A	D	A	Yes	1	
iso-Propylcyclohexane	IPX	31	C	D	A	Yes	1	
Propylene glycol	PPG	20 ²	III	E	A	Yes	1	
Propylene glycol methyl ether acetate	PGN	34	D	D	A	Yes	1	
Propylene tetramer	PTT	30	B	D	A	Yes	1	
Sulfolane	SFL	39	D	E	A	Yes	1	
Tetrahydronaphthalene	THN	32	C	E	A	Yes	1	
Toluene	TOL	32	C	C	A	Yes	1	



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **PBL 2402**
Official #: 558338

Page 4 of 5

Shipyard: DRAVO
Hull #: 6326

Cargo Identification						Conditions of Carriage		
Name	Chem Code	Compat Group No	IMO Pollution Category	Grade	Tank Group	Vapor Recovery		
						App'd (Y or N)	VCS Category	
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	A	E	A	Yes	1	
Triethylbenzene	TEB	32	A	E	A	Yes	1	
Trimethylbenzene (all isomers)	TRE	32	A	{D}	A	Yes	1	
Trixylenyl phosphate	TRP	34	A	E	A	Yes	1	
Undecene	UDC	30	B	D/E	A	Yes	1	
1-Undecyl alcohol	UND	20	B	E	A	Yes	1	
Xylenes (ortho-, meta-, para-)	XLX	32	C	D	A	Yes	1	



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **PBL 2402**
Official #: 558338

Page 5 of 5

Shipyard: **DRAVO**
Hull #: 6326

Explanation of terms & symbols used in the Table:

Cargo Identification

Name	The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.
Chem Code	The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.
Compatibility Group No.	The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
Note 1	Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (G-MSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 267-1217.
Note 2	See Appendix I to 46 CFR Part 150 - exceptions to the compatibility chart.
Subchapter	The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.
Subchapter D	Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Subchapter O	Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.
Note 3	Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.
Grade	The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
A, B, C	Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
D, E	Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
Note 4	The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
NA	Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
#	No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
Hull Type	The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
I	Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
II	Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
III	Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).
NA	Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group	The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.
Vapor Recovery	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo.
Approved (Y or N)	No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.
VCS Category:	The specified cargo's provisional classification for vapor control systems.
Category 1	(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.
Category 2	(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.
Category 3	(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.
Category 4	(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.
Category 5	(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.
Category 6	(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5.
Category 7	(High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.
none	The cargo has not been evaluated/classified for use in vapor control systems.

U.S. Department of
Homeland Security

United States
Coast Guard



Commander
Sector Houston-Galveston
United States Coast Guard

13411 Hillard Dr.
Houston, TX 77034
Staff Symbol: s
Phone: (281) 464-4758
Email: reid.a.deleon@uscg.mil

16711

Kirby Inland Marine, LP
Attn: Mr. Robert Jones
18350 Market Street
Channelview, Texas 77530

Subj: APPROVAL LETTER FOR ACCEPTANCE OF NEW KIRBY BARGES TO THE
TANK BARGE STREAMLINED INSPECTION PROGRAM (TBSIP).

Dear Mr. Jones:

This is in response to your letter dated March 31, 2020, wherein you intend to add 89 newly acquired barges to your fleet to be inspected under the TBSIP guidelines. Each new barge shall be covered within the Company Action Plan (CAP) as well as a Tank Barge Action Plan (TAP). This letter will serve as acceptance of the barges into the program. Please place a copy of this letter on each barge.

Thank you for your commitment to a continuing partnership with the Coast Guard. If you have any questions, please contact your U.S. Coast Guard TBSIP Advisor, LT Reid DeLeon, at (281) 464-4758 or Reid.A.Deleon@uscg.mil.

Sincerely,

A handwritten signature in blue ink, appearing to read "N. D. Rodriguez".

N. D. Rodriguez
Commander, U.S. Coast Guard
By Direction,
Officer in Charge, Marine Inspection



**KIRBY INLAND MARINE MAINTENANCE DIV.
18350 MARKET STREET
CHANNELVIEW, TX 77530**

March 31, 2020

U.S.C.G.
Commanding Officer
Marine Safety Office
13411 Hilliard St.
Houston, TX 77034

RE: Kirby Barges Requesting Entry into TBSIP Program

To Whom It May Concern:

We respectfully request approval to enroll the newly acquired barges to our fleet to be inspected under the TBSIP guidelines. Each new barge shall be covered within the Company Action Plan (CAP) as well as a Tank Barge Action Plan (TAP). Please see the list below:

CBR 2014 (1237668)	SMS 111 (1291702)	SMS 30025 (1234348)	SMS 30048 (1247205)
HFL 401 (1206173)	SMS 112 (1291703)	SMS 30026 (1234349)	SMS 30049 (1247206)
HFL 403 (1206174)	SMS 113 (1291704)	SMS 30027 (1234351)	SMS 30050 (1247207)
HFL 409 (1237480)	SMS 114 (1291705)	SMS 30028 (1234352)	SMS 30051 (1248993)
HFL 411 (1237481)	SMS 213 (1074634)	SMS 30029 (1234354)	SMS 30052 (1248992)
HFL 433 (1262987)	SMS 214 (1074635)	SMS 30030 (1234355)	SMS 30053 (1249447)
HFL 435 (1236563)	SMS 216 (1074637)	SMS 30031 (1234356)	SMS 30054 (1249745)
PBL 1101 (531063)	SMS 217 (1074638)	SMS 30032 (1239856)	SMS 30055 (1249746)
PBL 2401 (566651)	SMS 30007 (1216337)	SMS 30033 (1239857)	SMS 30056 (1252007)
PBL 2402 (558338)	SMS 30010 (1216338)	SMS 30034 (1239887)	SMS 30057 (1252008)
PBL 3001 (1130237)	SMS 30011 (1216339)	SMS 30035 (1239858)	SMS 30058 (1252009)
PBL 3002 (1188127)	SMS 30012 (1216340)	SMS 30036 (1239859)	SMS 30059 (1252010)
PBL 3010 (1230450)	SMS 30014 (1222699)	SMS 30037 (1239888)	SMS 30060 (1252012)
PBL 3011 (1266446)	SMS 30015 (1222689)	SMS 30038 (1239860)	SMS 30061 (1252013)
PBL 3026 (D1117727)	SMS 30016 (1225135)	SMS 30039 (1239861)	SMS 30062 (1251933)
PBL 3027 (D1117728)	SMS 30017 (1229236)	SMS 30040 (1239889)	SMS 30063 (1251934)
PBL 3421 (1241415)	SMS 30018 (1229235)	SMS 30041 (1239862)	SMS 30064 (1251935)
PBL 3422 (D1241414)	SMS 30019 (1231348)	SMS 30042 (1239863)	SMS 30065 (1250651)
PBL 3423 (D1244005)	SMS 30020 (1231349)	SMS 30043 (1239890)	SMS 30203 (1020952)
SBK 1601 (538190)	SMS 30021 (1231350)	SMS 30044 (1242956)	SMS 30206 (1020937)
SBK 2410 (553435)	SMS 30022 (1231351)	SMS 30045 (1246170)	
SMS 10000 (1192462)	SMS 30023 (1234345)	SMS 30046 (1243723)	
SMS 10001 (1255567)	SMS 30024 (1234347)	SMS 30047 (1247204)	

If you need any further information regarding this matter, please feel free to contact me at 713-435-1710.

Sincerely,

Robert Jones
Barge Maintenance Manager