



BARGE "PBL 3026"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
1 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
2 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2
2 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2
3 PORT	- 01-1/8	01-1/8	- 02-1/4	02-1/4	- 03-3/8	03-3/8	- 04-1/2	04-1/2	- 05-3/4	05-3/4	- 06-7/8	06-7/8
3 STBD	- 01-1/8	01-1/8	- 02-1/4	02-1/4	- 03-3/8	03-3/8	- 04-1/2	04-1/2	- 05-3/4	05-3/4	- 06-7/8	06-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

November 17, 2021

**PRECISION MEASUREMENT
 & ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "PBL 3026"

1 STBD
INNAGE TABLE
HERMETIC
GAUGE HEIGHT 15'-03 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,703.22	0	4,077.50	0	4,451.79	0	4,817.65	0	5,167.27	0		0		0		0		0	
1/4	3,711.02	1/4	4,085.30	1/4	4,459.57	1/4	4,825.10	1/4	5,173.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,718.82	1/2	4,093.10	1/2	4,467.34	1/2	4,832.54	1/2	5,179.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,726.61	3/4	4,100.89	3/4	4,475.12	3/4	4,839.99	3/4	5,185.60	3/4		3/4		3/4		3/4		3/4	
1	3,734.41	1	4,108.69	1	4,482.89	1	4,847.43	1	5,191.71	1		1		1		1		1	
1/4	3,742.21	1/4	4,116.49	1/4	4,490.63	1/4	4,854.84	1/4	5,196.62	1/4		1/4		1/4		1/4		1/4	
1/2	3,750.01	1/2	4,124.29	1/2	4,498.37	1/2	4,862.25	1/2	5,201.53	1/2		1/2		1/2		1/2		1/2	
3/4	3,757.80	3/4	4,132.08	3/4	4,506.10	3/4	4,869.65	3/4	5,206.43	3/4		3/4		3/4		3/4		3/4	
2	3,765.60	2	4,139.88	2	4,513.84	2	4,877.06	2	5,211.34	2		2		2		2		2	
1/4	3,773.40	1/4	4,147.68	1/4	4,521.56	1/4	4,884.47	1/4	5,215.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,781.20	1/2	4,155.48	1/2	4,529.28	1/2	4,891.88	1/2	5,218.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,788.99	3/4	4,163.27	3/4	4,537.00	3/4	4,899.28	3/4		3/4		3/4		3/4		3/4		3/4	
3	3,796.79	3	4,171.07	3	4,544.72	3	4,906.69	3		3		3		3		3		3	
1/4	3,804.59	1/4	4,178.87	1/4	4,552.41	1/4	4,914.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,812.39	1/2	4,186.67	1/2	4,560.11	1/2	4,921.43	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,820.18	3/4	4,194.46	3/4	4,567.80	3/4	4,928.80	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,827.98	4	4,202.26	4	4,575.49	4	4,936.17	4		4		4		4		4		4	
1/4	3,835.78	1/4	4,210.06	1/4	4,583.14	1/4	4,943.50	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,843.58	1/2	4,217.86	1/2	4,590.80	1/2	4,950.83	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,851.37	3/4	4,225.65	3/4	4,598.45	3/4	4,958.16	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,859.17	5	4,233.45	5	4,606.10	5	4,965.49	5		5		5		5		5		5	
1/4	3,866.97	1/4	4,241.25	1/4	4,613.74	1/4	4,972.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,874.77	1/2	4,249.05	1/2	4,621.39	1/2	4,980.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,882.56	3/4	4,256.85	3/4	4,629.03	3/4	4,987.48	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,890.36	6	4,264.65	6	4,636.67	6	4,994.81	6		6		6		6		6		6	
1/4	3,898.16	1/4	4,272.45	1/4	4,644.28	1/4	5,002.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,905.96	1/2	4,280.25	1/2	4,651.89	1/2	5,009.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,913.75	3/4	4,288.04	3/4	4,659.50	3/4	5,016.68	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,921.55	7	4,295.84	7	4,667.11	7	5,023.97	7		7		7		7		7		7	
1/4	3,929.35	1/4	4,303.64	1/4	4,674.68	1/4	5,031.22	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,937.15	1/2	4,311.44	1/2	4,682.25	1/2	5,038.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,944.94	3/4	4,319.23	3/4	4,689.82	3/4	5,045.73	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,952.74	8	4,327.03	8	4,697.39	8	5,052.98	8		8		8		8		8		8	
1/4	3,960.54	1/4	4,334.83	1/4	4,704.95	1/4	5,060.23	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,968.34	1/2	4,342.63	1/2	4,712.52	1/2	5,067.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,976.13	3/4	4,350.42	3/4	4,720.08	3/4	5,074.73	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,983.93	9	4,358.22	9	4,727.64	9	5,081.98	9		9		9		9		9		9	
1/4	3,991.73	1/4	4,366.02	1/4	4,735.17	1/4	5,089.19	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,999.53	1/2	4,373.82	1/2	4,742.70	1/2	5,096.41	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,007.32	3/4	4,381.61	3/4	4,750.22	3/4	5,103.62	3/4		3/4		3/4		3/4		3/4		3/4	
10	4,015.12	10	4,389.41	10	4,757.75	10	5,110.83	10		10		10		10		10		10	
1/4	4,022.92	1/4	4,397.21	1/4	4,765.24	1/4	5,118.01	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,030.72	1/2	4,405.01	1/2	4,772.73	1/2	5,125.18	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,038.51	3/4	4,412.80	3/4	4,780.21	3/4	5,132.36	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,046.31	11	4,420.60	11	4,787.70	11	5,139.53	11		11		11		11		11		11	
1/4	4,054.11	1/4	4,428.40	1/4	4,795.19	1/4	5,146.47	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,061.91	1/2	4,436.20	1/2	4,802.68	1/2	5,153.40	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,069.70	3/4	4,443.99	3/4	4,810.16	3/4	5,160.34	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/20/2017 SI
 RECALCULATED: 11/19/2021 PMA
 REPRINTED: 11/19/2021 PMA

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
 ALL PRIOR TO 11/2021





BARGE "PBL 3026"

2 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 15'-04"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,603.01	0	3,963.86	0	4,324.70	0	4,677.72	0	5,015.55	0		0		0		0		0	
1/4	3,610.53	1/4	3,971.38	1/4	4,332.21	1/4	4,684.92	1/4	5,021.72	1/4		1/4		1/4		1/4		1/4	
1/2	3,618.04	1/2	3,978.89	1/2	4,339.71	1/2	4,692.11	1/2	5,027.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,625.56	3/4	3,986.41	3/4	4,347.22	3/4	4,699.31	3/4	5,034.07	3/4		3/4		3/4		3/4		3/4	
1	3,633.08	1	3,993.93	1	4,354.73	1	4,706.51	1	5,040.24	1		1		1		1		1	
1/4	3,640.60	1/4	4,001.45	1/4	4,362.20	1/4	4,713.65	1/4	5,045.27	1/4		1/4		1/4		1/4		1/4	
1/2	3,648.11	1/2	4,008.96	1/2	4,369.66	1/2	4,720.79	1/2	5,050.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,655.63	3/4	4,016.48	3/4	4,377.13	3/4	4,727.94	3/4	5,055.32	3/4		3/4		3/4		3/4		3/4	
2	3,663.15	2	4,024.00	2	4,384.60	2	4,735.08	2	5,060.35	2		2		2		2		2	
1/4	3,670.67	1/4	4,031.52	1/4	4,392.04	1/4	4,742.22	1/4	5,064.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,678.18	1/2	4,039.03	1/2	4,399.48	1/2	4,749.36	1/2	5,068.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,685.70	3/4	4,046.55	3/4	4,406.93	3/4	4,756.51	3/4	5,072.94	3/4		3/4		3/4		3/4		3/4	
3	3,693.22	3	4,054.07	3	4,414.37	3	4,763.65	3		3		3		3		3		3	
1/4	3,700.74	1/4	4,061.59	1/4	4,421.80	1/4	4,770.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,708.25	1/2	4,069.10	1/2	4,429.23	1/2	4,777.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,715.77	3/4	4,076.62	3/4	4,436.66	3/4	4,785.02	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,723.29	4	4,084.14	4	4,444.09	4	4,792.14	4		4		4		4		4		4	
1/4	3,730.81	1/4	4,091.66	1/4	4,451.47	1/4	4,799.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,738.32	1/2	4,099.17	1/2	4,458.85	1/2	4,806.27	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,745.84	3/4	4,106.69	3/4	4,466.24	3/4	4,813.33	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,753.36	5	4,114.21	5	4,473.62	5	4,820.40	5		5		5		5		5		5	
1/4	3,760.88	1/4	4,121.73	1/4	4,480.99	1/4	4,827.47	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,768.39	1/2	4,129.24	1/2	4,488.35	1/2	4,834.53	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,775.91	3/4	4,136.76	3/4	4,495.72	3/4	4,841.60	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,783.43	6	4,144.28	6	4,503.09	6	4,848.67	6		6		6		6		6		6	
1/4	3,790.95	1/4	4,151.80	1/4	4,510.44	1/4	4,855.72	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,798.46	1/2	4,159.31	1/2	4,517.79	1/2	4,862.76	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,805.98	3/4	4,166.83	3/4	4,525.15	3/4	4,869.81	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,813.50	7	4,174.35	7	4,532.50	7	4,876.86	7		7		7		7		7		7	
1/4	3,821.02	1/4	4,181.87	1/4	4,539.80	1/4	4,883.85	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,828.54	1/2	4,189.38	1/2	4,547.10	1/2	4,890.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,836.06	3/4	4,196.90	3/4	4,554.41	3/4	4,897.83	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,843.58	8	4,204.42	8	4,561.71	8	4,904.82	8		8		8		8		8		8	
1/4	3,851.10	1/4	4,211.94	1/4	4,569.00	1/4	4,911.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,858.61	1/2	4,219.45	1/2	4,576.29	1/2	4,918.80	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,866.13	3/4	4,226.97	3/4	4,583.59	3/4	4,925.80	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,873.65	9	4,234.49	9	4,590.88	9	4,932.79	9		9		9		9		9		9	
1/4	3,881.17	1/4	4,242.01	1/4	4,598.15	1/4	4,939.76	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,888.68	1/2	4,249.52	1/2	4,605.42	1/2	4,946.73	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,896.20	3/4	4,257.04	3/4	4,612.70	3/4	4,953.71	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,903.72	10	4,264.56	10	4,619.97	10	4,960.68	10		10		10		10		10		10	
1/4	3,911.24	1/4	4,272.08	1/4	4,627.19	1/4	4,967.59	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,918.75	1/2	4,279.59	1/2	4,634.41	1/2	4,974.51	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,926.27	3/4	4,287.11	3/4	4,641.63	3/4	4,981.42	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,933.79	11	4,294.63	11	4,648.85	11	4,988.34	11		11		11		11		11		11	
1/4	3,941.31	1/4	4,302.15	1/4	4,656.07	1/4	4,995.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,948.82	1/2	4,309.66	1/2	4,663.28	1/2	5,001.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,956.34	3/4	4,317.18	3/4	4,670.50	3/4	5,008.75	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/20/2017 SI
RECALCULATED: 11/19/2021 PMA
REPRINTED: 11/19/2021 PMA

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021





BARGE "PBL 3026"

3 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 15'-03"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,706.27	0	3,835.34	0	3,949.21	0	4,060.65	0	4,167.30	0		0		0		0		0	
1/4	3,710.85	1/4	3,837.71	1/4	3,951.58	1/4	4,062.92	1/4	4,169.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,715.42	1/2	3,840.08	1/2	3,953.95	1/2	4,065.19	1/2	4,171.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,720.00	3/4	3,842.46	3/4	3,956.32	3/4	4,067.47	3/4	4,173.15	3/4		3/4		3/4		3/4		3/4	
1	3,724.58	1	3,844.83	1	3,958.69	1	4,069.74	1	4,175.10	1		1		1		1		1	
1/4	3,728.18	1/4	3,847.20	1/4	3,961.05	1/4	4,071.99	1/4	4,176.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,731.78	1/2	3,849.57	1/2	3,963.40	1/2	4,074.25	1/2	4,178.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,735.38	3/4	3,851.95	3/4	3,965.76	3/4	4,076.50	3/4	4,179.86	3/4		3/4		3/4		3/4		3/4	
2	3,738.98	2	3,854.32	2	3,968.12	2	4,078.76	2	=====	2		2		2		2		2	
1/4	3,741.72	1/4	3,856.69	1/4	3,970.47	1/4	4,081.01	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,744.46	1/2	3,859.06	1/2	3,972.81	1/2	4,083.27	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,747.20	3/4	3,861.43	3/4	3,975.16	3/4	4,085.52	3/4		3/4		3/4		3/4		3/4		3/4	
3	3,749.94	3	3,863.80	3	3,977.51	3	4,087.78	3		3		3		3		3		3	
1/4	3,752.31	1/4	3,866.17	1/4	3,979.85	1/4	4,090.03	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,754.68	1/2	3,868.54	1/2	3,982.20	1/2	4,092.27	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,757.05	3/4	3,870.92	3/4	3,984.54	3/4	4,094.52	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,759.42	4	3,873.29	4	3,986.89	4	4,096.77	4		4		4		4		4		4	
1/4	3,761.79	1/4	3,875.66	1/4	3,989.22	1/4	4,099.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,764.16	1/2	3,878.03	1/2	3,991.55	1/2	4,101.23	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,766.54	3/4	3,880.41	3/4	3,993.89	3/4	4,103.46	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,768.91	5	3,882.78	5	3,996.22	5	4,105.69	5		5		5		5		5		5	
1/4	3,771.28	1/4	3,885.15	1/4	3,998.54	1/4	4,107.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,773.65	1/2	3,887.52	1/2	4,000.87	1/2	4,110.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,776.03	3/4	3,889.90	3/4	4,003.19	3/4	4,112.39	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,778.40	6	3,892.27	6	4,005.52	6	4,114.62	6		6		6		6		6		6	
1/4	3,780.77	1/4	3,894.64	1/4	4,007.84	1/4	4,116.84	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,783.14	1/2	3,897.01	1/2	4,010.16	1/2	4,119.07	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,785.52	3/4	3,899.39	3/4	4,012.49	3/4	4,121.29	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,787.89	7	3,901.76	7	4,014.81	7	4,123.52	7		7		7		7		7		7	
1/4	3,790.26	1/4	3,904.13	1/4	4,017.11	1/4	4,125.73	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,792.63	1/2	3,906.50	1/2	4,019.42	1/2	4,127.93	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,795.01	3/4	3,908.88	3/4	4,021.72	3/4	4,130.14	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,797.38	8	3,911.25	8	4,024.03	8	4,132.35	8		8		8		8		8		8	
1/4	3,799.75	1/4	3,913.62	1/4	4,026.33	1/4	4,134.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,802.12	1/2	3,915.99	1/2	4,028.63	1/2	4,136.76	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,804.50	3/4	3,918.37	3/4	4,030.94	3/4	4,138.96	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,806.87	9	3,920.74	9	4,033.24	9	4,141.17	9		9		9		9		9		9	
1/4	3,809.24	1/4	3,923.11	1/4	4,035.53	1/4	4,143.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,811.61	1/2	3,925.48	1/2	4,037.83	1/2	4,145.57	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,813.99	3/4	3,927.86	3/4	4,040.12	3/4	4,147.78	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,816.36	10	3,930.23	10	4,042.42	10	4,149.98	10		10		10		10		10		10	
1/4	3,818.73	1/4	3,932.60	1/4	4,044.70	1/4	4,152.16	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,821.10	1/2	3,934.97	1/2	4,046.98	1/2	4,154.34	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,823.48	3/4	3,937.35	3/4	4,049.26	3/4	4,156.53	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,825.85	11	3,939.72	11	4,051.54	11	4,158.71	11		11		11		11		11		11	
1/4	3,828.22	1/4	3,942.09	1/4	4,053.82	1/4	4,160.86	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,830.59	1/2	3,944.46	1/2	4,056.09	1/2	4,163.00	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,832.97	3/4	3,946.84	3/4	4,058.37	3/4	4,165.15	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/20/2017 SI
RECALCULATED: 11/19/2021 PMA
REPRINTED: 11/19/2021 PMA

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021



BARGE "PBL 3026"

**3 STBD
INNAGE TABLE
HERMETIC
GAUGE HEIGHT 15'-04"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,683.21	0	3,810.71	0	3,923.05	0	4,033.21	0	4,138.81	0		0		0		0		0	
1/4	3,687.75	1/4	3,813.05	1/4	3,925.39	1/4	4,035.46	1/4	4,140.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,692.29	1/2	3,815.39	1/2	3,927.73	1/2	4,037.70	1/2	4,142.67	1/2		1/2		1/2		1/2		1/2	
3/4	3,696.84	3/4	3,817.74	3/4	3,930.07	3/4	4,039.95	3/4	4,144.61	3/4		3/4		3/4		3/4		3/4	
1	3,701.38	1	3,820.08	1	3,932.41	1	4,042.20	1	4,146.54	1		1		1		1		1	
1/4	3,704.94	1/4	3,822.42	1/4	3,934.74	1/4	4,044.44	1/4	4,148.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,708.50	1/2	3,824.76	1/2	3,937.08	1/2	4,046.68	1/2	4,149.67	1/2		1/2		1/2		1/2		1/2	
3/4	3,712.07	3/4	3,827.10	3/4	3,939.41	3/4	4,048.92	3/4	4,151.23	3/4		3/4		3/4		3/4		3/4	
2	3,715.63	2	3,829.44	2	3,941.75	2	4,051.16	2	4,152.80	2		2		2		2		2	
1/4	3,718.34	1/4	3,831.78	1/4	3,944.07	1/4	4,053.38	1/4	4,154.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,721.04	1/2	3,834.12	1/2	3,946.38	1/2	4,055.60	1/2	4,155.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,723.75	3/4	3,836.46	3/4	3,948.70	3/4	4,057.83	3/4	4,156.40	3/4		3/4		3/4		3/4		3/4	
3	3,726.46	3	3,838.80	3	3,951.02	3	4,060.05	3		3		3		3		3		3	
1/4	3,728.80	1/4	3,841.14	1/4	3,953.34	1/4	4,062.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,731.14	1/2	3,843.48	1/2	3,955.65	1/2	4,064.49	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,733.48	3/4	3,845.82	3/4	3,957.97	3/4	4,066.72	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,735.82	4	3,848.16	4	3,960.29	4	4,068.94	4		4		4		4		4		4	
1/4	3,738.16	1/4	3,850.50	1/4	3,962.60	1/4	4,071.16	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,740.50	1/2	3,852.84	1/2	3,964.91	1/2	4,073.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,742.84	3/4	3,855.18	3/4	3,967.22	3/4	4,075.59	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,745.18	5	3,857.52	5	3,969.53	5	4,077.81	5		5		5		5		5		5	
1/4	3,747.52	1/4	3,859.86	1/4	3,971.82	1/4	4,080.01	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,749.86	1/2	3,862.20	1/2	3,974.11	1/2	4,082.21	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,752.20	3/4	3,864.54	3/4	3,976.41	3/4	4,084.42	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,754.54	6	3,866.88	6	3,978.70	6	4,086.62	6		6		6		6		6		6	
1/4	3,756.88	1/4	3,869.22	1/4	3,980.99	1/4	4,088.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,759.22	1/2	3,871.56	1/2	3,983.28	1/2	4,091.01	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,761.57	3/4	3,873.90	3/4	3,985.58	3/4	4,093.21	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,763.91	7	3,876.24	7	3,987.87	7	4,095.41	7		7		7		7		7		7	
1/4	3,766.25	1/4	3,878.58	1/4	3,990.16	1/4	4,097.60	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,768.59	1/2	3,880.92	1/2	3,992.44	1/2	4,099.80	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,770.93	3/4	3,883.27	3/4	3,994.73	3/4	4,101.99	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,773.27	8	3,885.61	8	3,997.02	8	4,104.19	8		8		8		8		8		8	
1/4	3,775.61	1/4	3,887.95	1/4	3,999.29	1/4	4,106.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,777.95	1/2	3,890.29	1/2	4,001.56	1/2	4,108.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,780.29	3/4	3,892.63	3/4	4,003.83	3/4	4,110.73	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,782.63	9	3,894.97	9	4,006.10	9	4,112.91	9		9		9		9		9		9	
1/4	3,784.97	1/4	3,897.31	1/4	4,008.37	1/4	4,115.08	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,787.31	1/2	3,899.65	1/2	4,010.64	1/2	4,117.26	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,789.65	3/4	3,901.99	3/4	4,012.91	3/4	4,119.43	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,791.99	10	3,904.33	10	4,015.18	10	4,121.61	10		10		10		10		10		10	
1/4	3,794.33	1/4	3,906.67	1/4	4,017.44	1/4	4,123.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,796.67	1/2	3,909.01	1/2	4,019.70	1/2	4,125.95	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,799.01	3/4	3,911.35	3/4	4,021.97	3/4	4,128.12	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,801.35	11	3,913.69	11	4,024.23	11	4,130.29	11		11		11		11		11		11	
1/4	3,803.69	1/4	3,916.03	1/4	4,026.47	1/4	4,132.42	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,806.03	1/2	3,918.37	1/2	4,028.72	1/2	4,134.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,808.37	3/4	3,920.71	3/4	4,030.96	3/4	4,136.68	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/20/2017 SI
RECALCULATED: 11/19/2021 PMA
REPRINTED: 11/19/2021 PMA

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021





BARGE "PBL 3026"

FWD FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 5'-04"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	451	0	903	0	1,354	0	1,805	0		0							
1/4	9	1/4	461	1/4	912	1/4	1,363	1/4	1,815	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	470	1/2	921	1/2	1,373	1/2	1,824	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	480	3/4	931	3/4	1,382	3/4	1,834	3/4		3/4		3/4		3/4		3/4	
1	38	1	489	1	940	1	1,392	1	1,843	1		1		1		1		1	
1/4	47	1/4	498	1/4	950	1/4	1,401	1/4	1,852	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	508	1/2	959	1/2	1,410	1/2	1,862	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	517	3/4	968	3/4	1,420	3/4	1,871	3/4		3/4		3/4		3/4		3/4	
2	75	2	527	2	978	2	1,429	2	1,881	2		2		2		2		2	
1/4	85	1/4	536	1/4	987	1/4	1,439	1/4	1,890	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	545	1/2	997	1/2	1,448	1/2	1,899	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	555	3/4	1,006	3/4	1,457	3/4	1,909	3/4		3/4		3/4		3/4		3/4	
3	113	3	564	3	1,015	3	1,467	3	1,918	3		3		3		3		3	
1/4	122	1/4	574	1/4	1,025	1/4	1,476	1/4	1,928	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	583	1/2	1,034	1/2	1,486	1/2	1,937	1/2		1/2		1/2		1/2		1/2	
3/4	141	3/4	592	3/4	1,044	3/4	1,495	3/4	1,946	3/4		3/4		3/4		3/4		3/4	
4	150	4	602	4	1,053	4	1,504	4	1,956	4		4		4		4		4	
1/4	160	1/4	611	1/4	1,062	1/4	1,514	1/4	1,965	1/4		1/4		1/4		1/4		1/4	
1/2	169	1/2	621	1/2	1,072	1/2	1,523	1/2	1,975	1/2		1/2		1/2		1/2		1/2	
3/4	179	3/4	630	3/4	1,081	3/4	1,533	3/4	1,984	3/4		3/4		3/4		3/4		3/4	
5	188	5	639	5	1,091	5	1,542	5	1,993	5		5		5		5		5	
1/4	197	1/4	649	1/4	1,100	1/4	1,551	1/4	2,003	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	658	1/2	1,110	1/2	1,561	1/2	2,012	1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	668	3/4	1,119	3/4	1,570	3/4	=====	3/4		3/4		3/4		3/4		3/4	
6	226	6	677	6	1,128	6	1,580	6	=====	6		6		6		6		6	
1/4	235	1/4	686	1/4	1,138	1/4	1,589	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	244	1/2	696	1/2	1,147	1/2	1,598	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	254	3/4	705	3/4	1,157	3/4	1,608	3/4	=====	3/4		3/4		3/4		3/4		3/4	
7	263	7	715	7	1,166	7	1,617	7	=====	7		7		7		7		7	
1/4	273	1/4	724	1/4	1,175	1/4	1,627	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	282	1/2	733	1/2	1,185	1/2	1,636	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	291	3/4	743	3/4	1,194	3/4	1,645	3/4	=====	3/4		3/4		3/4		3/4		3/4	
8	301	8	752	8	1,204	8	1,655	8	=====	8		8		8		8		8	
1/4	310	1/4	762	1/4	1,213	1/4	1,664	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	320	1/2	771	1/2	1,222	1/2	1,674	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	780	3/4	1,232	3/4	1,683	3/4	=====	3/4		3/4		3/4		3/4		3/4	
9	338	9	790	9	1,241	9	1,692	9	=====	9		9		9		9		9	
1/4	348	1/4	799	1/4	1,251	1/4	1,702	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	357	1/2	809	1/2	1,260	1/2	1,711	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	367	3/4	818	3/4	1,269	3/4	1,721	3/4	=====	3/4		3/4		3/4		3/4		3/4	
10	376	10	827	10	1,279	10	1,730	10	=====	10		10		10		10		10	
1/4	386	1/4	837	1/4	1,288	1/4	1,739	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	395	1/2	846	1/2	1,298	1/2	1,749	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	404	3/4	856	3/4	1,307	3/4	1,758	3/4	=====	3/4		3/4		3/4		3/4		3/4	
11	414	11	865	11	1,316	11	1,768	11	=====	11		11		11		11		11	
1/4	423	1/4	874	1/4	1,326	1/4	1,777	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	884	1/2	1,335	1/2	1,786	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	442	3/4	893	3/4	1,345	3/4	1,796	3/4	=====	3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

STRAPPED: 11/17/2021 JS
CALCULATED: 11/17/2021 CL
PRINTED: 11/17/2021 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PBL 3026"

AFT FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 5'-04"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	451	0	903	0	1,354	0	1,805	0		0							
1/4	9	1/4	461	1/4	912	1/4	1,363	1/4	1,815	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	470	1/2	921	1/2	1,373	1/2	1,824	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	480	3/4	931	3/4	1,382	3/4	1,834	3/4		3/4		3/4		3/4		3/4	
1	38	1	489	1	940	1	1,392	1	1,843	1		1		1		1		1	
1/4	47	1/4	498	1/4	950	1/4	1,401	1/4	1,852	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	508	1/2	959	1/2	1,410	1/2	1,862	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	517	3/4	968	3/4	1,420	3/4	1,871	3/4		3/4		3/4		3/4		3/4	
2	75	2	527	2	978	2	1,429	2	1,881	2		2		2		2		2	
1/4	85	1/4	536	1/4	987	1/4	1,439	1/4	1,890	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	545	1/2	997	1/2	1,448	1/2	1,899	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	555	3/4	1,006	3/4	1,457	3/4	1,909	3/4		3/4		3/4		3/4		3/4	
3	113	3	564	3	1,015	3	1,467	3	1,918	3		3		3		3		3	
1/4	122	1/4	574	1/4	1,025	1/4	1,476	1/4	1,928	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	583	1/2	1,034	1/2	1,486	1/2	1,937	1/2		1/2		1/2		1/2		1/2	
3/4	141	3/4	592	3/4	1,044	3/4	1,495	3/4	1,946	3/4		3/4		3/4		3/4		3/4	
4	150	4	602	4	1,053	4	1,504	4	1,956	4		4		4		4		4	
1/4	160	1/4	611	1/4	1,062	1/4	1,514	1/4	1,965	1/4		1/4		1/4		1/4		1/4	
1/2	169	1/2	621	1/2	1,072	1/2	1,523	1/2	1,975	1/2		1/2		1/2		1/2		1/2	
3/4	179	3/4	630	3/4	1,081	3/4	1,533	3/4	1,984	3/4		3/4		3/4		3/4		3/4	
5	188	5	639	5	1,091	5	1,542	5	1,993	5		5		5		5		5	
1/4	197	1/4	649	1/4	1,100	1/4	1,551	1/4	2,003	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	658	1/2	1,110	1/2	1,561	1/2	2,012	1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	668	3/4	1,119	3/4	1,570	3/4	=====	3/4		3/4		3/4		3/4		3/4	
6	226	6	677	6	1,128	6	1,580	6	=====	6		6		6		6		6	
1/4	235	1/4	686	1/4	1,138	1/4	1,589	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	244	1/2	696	1/2	1,147	1/2	1,598	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	254	3/4	705	3/4	1,157	3/4	1,608	3/4	=====	3/4		3/4		3/4		3/4		3/4	
7	263	7	715	7	1,166	7	1,617	7	=====	7		7		7		7		7	
1/4	273	1/4	724	1/4	1,175	1/4	1,627	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	282	1/2	733	1/2	1,185	1/2	1,636	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	291	3/4	743	3/4	1,194	3/4	1,645	3/4	=====	3/4		3/4		3/4		3/4		3/4	
8	301	8	752	8	1,204	8	1,655	8	=====	8		8		8		8		8	
1/4	310	1/4	762	1/4	1,213	1/4	1,664	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	320	1/2	771	1/2	1,222	1/2	1,674	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	780	3/4	1,232	3/4	1,683	3/4	=====	3/4		3/4		3/4		3/4		3/4	
9	338	9	790	9	1,241	9	1,692	9	=====	9		9		9		9		9	
1/4	348	1/4	799	1/4	1,251	1/4	1,702	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	357	1/2	809	1/2	1,260	1/2	1,711	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	367	3/4	818	3/4	1,269	3/4	1,721	3/4	=====	3/4		3/4		3/4		3/4		3/4	
10	376	10	827	10	1,279	10	1,730	10	=====	10		10		10		10		10	
1/4	386	1/4	837	1/4	1,288	1/4	1,739	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	395	1/2	846	1/2	1,298	1/2	1,749	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	404	3/4	856	3/4	1,307	3/4	1,758	3/4	=====	3/4		3/4		3/4		3/4		3/4	
11	414	11	865	11	1,316	11	1,768	11	=====	11		11		11		11		11	
1/4	423	1/4	874	1/4	1,326	1/4	1,777	1/4	=====	1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	884	1/2	1,335	1/2	1,786	1/2	=====	1/2		1/2		1/2		1/2		1/2	
3/4	442	3/4	893	3/4	1,345	3/4	1,796	3/4	=====	3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

STRAPPED: 11/17/2021 JS
 CALCULATED: 11/17/2021 CL
 PRINTED: 11/17/2021 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 11/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "PBL 3026"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 4'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	101	0	259	0	416	0	517	0		0		0		0		0	
1/4	1	1/4	104	1/4	262	1/4	419	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	107	1/2	265	1/2	422	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	110	3/4	269	3/4	425	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	113	1	272	1	428	1	1	1	1	1	1	1	1	1	1	1	1
1/4	4	1/4	116	1/4	276	1/4	430	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	119	1/2	279	1/2	433	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6	3/4	122	3/4	282	3/4	436	3/4		3/4		3/4		3/4		3/4		3/4	
2	7	2	125	2	286	2	439	2	2	2	2	2	2	2	2	2	2	2	2
1/4	9	1/4	129	1/4	289	1/4	442	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	10	1/2	132	1/2	293	1/2	444	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	12	3/4	135	3/4	296	3/4	447	3/4		3/4		3/4		3/4		3/4		3/4	
3	13	3	138	3	300	3	450	3	3	3	3	3	3	3	3	3	3	3	3
1/4	15	1/4	141	1/4	303	1/4	453	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	17	1/2	144	1/2	306	1/2	455	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	19	3/4	148	3/4	310	3/4	458	3/4		3/4		3/4		3/4		3/4		3/4	
4	21	4	151	4	313	4	460	4	4	4	4	4	4	4	4	4	4	4	4
1/4	23	1/4	154	1/4	316	1/4	463	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	25	1/2	157	1/2	320	1/2	465	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	27	3/4	161	3/4	323	3/4	468	3/4		3/4		3/4		3/4		3/4		3/4	
5	29	5	164	5	327	5	470	5	5	5	5	5	5	5	5	5	5	5	5
1/4	31	1/4	167	1/4	330	1/4	473	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	33	1/2	170	1/2	333	1/2	475	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	35	3/4	174	3/4	337	3/4	477	3/4		3/4		3/4		3/4		3/4		3/4	
6	37	6	177	6	340	6	480	6	6	6	6	6	6	6	6	6	6	6	6
1/4	40	1/4	180	1/4	343	1/4	482	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	184	1/2	347	1/2	484	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44	3/4	187	3/4	350	3/4	486	3/4		3/4		3/4		3/4		3/4		3/4	
7	47	7	190	7	353	7	488	7	7	7	7	7	7	7	7	7	7	7	7
1/4	49	1/4	194	1/4	356	1/4	490	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	52	1/2	197	1/2	360	1/2	492	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	54	3/4	201	3/4	363	3/4	494	3/4		3/4		3/4		3/4		3/4		3/4	
8	57	8	204	8	366	8	496	8	8	8	8	8	8	8	8	8	8	8	8
1/4	59	1/4	207	1/4	369	1/4	498	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	211	1/2	373	1/2	500	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	64	3/4	214	3/4	376	3/4	502	3/4		3/4		3/4		3/4		3/4		3/4	
9	67	9	217	9	379	9	504	9	9	9	9	9	9	9	9	9	9	9	9
1/4	70	1/4	221	1/4	382	1/4	505	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	73	1/2	224	1/2	385	1/2	507	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	75	3/4	228	3/4	388	3/4	508	3/4		3/4		3/4		3/4		3/4		3/4	
10	78	10	231	10	392	10	510	10	10	10	10	10	10	10	10	10	10	10	10
1/4	81	1/4	235	1/4	395	1/4	511	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	84	1/2	238	1/2	398	1/2	512	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	87	3/4	241	3/4	401	3/4	513	3/4		3/4		3/4		3/4		3/4		3/4	
11	89	11	245	11	404	11	514	11	11	11	11	11	11	11	11	11	11	11	11
1/4	92	1/4	248	1/4	407	1/4	515	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	95	1/2	252	1/2	410	1/2	516	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	98	3/4	255	3/4	413	3/4	516	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

STRAPPED: 11/17/2021 JS
 CALCULATED: 11/17/2021 CL
 PRINTED: 11/17/2021 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 11/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>