T.T. COATINGS, INC. NINE MILE POINT

2012 RIVER RD. WESTWEGO, LA. 70094 OFFICE: (504)436-3766 FAX: (504)346-3855

MARINE VESSELS VAPOR TIGHTNESS DOCUMENTATION

REQUIRED SUBPART BB-NATIONAL EMISSION STANDARDS FOR BENZENE EMISSIONS FROM TRANSFER OPERATIONS SECTION 61.00-61.306

,		p pro 1101/ 01'00-01'200
VESSEL: RCT12		OFFICIAL NUMBER: 1054048
TESTING LOCATION: 7.7.	BARGE, MILE 104	MAXIMUM LOADING RATE (BPH) #285
TANK(S) TESTED:A2	· _	PRESSURE INDICATOR: MANOMETER
VESSEL OWNER AND ADDRESS: RIVER CITY TOWING SERVICE INC. 26194 LA HWY 16 PO BOX 1300, DENHAM SPRINGS, LA. 70727		
TECT DECLIAND		
TEST DATE: 4-1-24		RESULTS
BEGINNING PRESSURE: ~8	"of H20	BEGINNING TIME: //30
ENDING PRESSURE:	of N20	ENDING TIME: /200
TOTAL PRESSURE LOSS:	O	ALLOWABLE PRESSURE LOSS: 5.4 OF HOO
NOTE: VESSEL IS CONSIDERED VAPOR TIGHT IF "TOTAL PRESSURE LOSS" IS LESS THAN "ALLOWABLE PRESSURE LOSS"		
THIS VESSEL HAS BEEN TESTED IN ACCORDANCE WITH SECTION 61.304F, AND IS		
		ED VAPOR TIGHT.
tester: <u>Shane Gu</u>	idry (PRINT)	WITNESS: CHARLES HASSELL (PRINT) WITNESS: Hassell (SIGN) T. T. COATINGS INC. AFFILIATION OF WITNESS
TESTER: Shane Su	dry (SIGN)	WITNESS: Kin Hamel (SIGN)
	U	T. T. COATINGS THE
		AFFILIATION OF WITNESS
CALCULATION OF ALLOWAB	LE PRESSURE LOSS:	
0.861 xx (4,285 / 10.	S67)= 5.43
0,861 xx ((L) (V	(APL)
TP = 14.7 PLUS THE BARGE TE	SCT PRECCUPE IN DCI /1	
L = MAXIMUM LOADING RA	TE IN BARRELS PER HO	psi – 16 ounces)
V = VOLUME OF TANK(S) IN E	BARRELS	
APL = ALLOWABLE PRESSURI	LOSS IN INCHES OF W	ATER
NOTES: 14.70psi = 406.8 inches of H2O		
1psi = 27.67 inches of H2O		
1 inch = 25.40 mm		
1inch = 2.54 cm		
1oz. = 1.729 inches OF H2O		