

#### **United States of America Department of Homeland Security United States Coast Guard**

Certification Date: 05 Apr 2023 **Expiration Date:** 05 Apr 2028

## Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Official Number Call Sign **IMO Number USL 138** 587916 **Tank Barge** Halling Port **Hull Material** Horsepower Propulsion **NEW YORK, NY** Steel **UNITED STATES** Place Built **Delivery Date Keel Laid Date Net Tons** DWT Length DECATUR, AL R-2008 R-2008 01Jan1977 HO UNITED STATES **ATEL LEASING CORPORATION** KIRBY INLAND MARINE, LP 505 MONTGOMERY ST 7TH FL 18350 MARKET ST. SAN FRANCISCO, CA 94111 CHANNELVIEW, TX 77530 **UNITED STATES** UNITED STATES This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be

O Certified Lifeboatmen, O Certified Tankermen, O HSC Type Rating, and O GMDSS Operators.

**O Masters O Licensed Mates 0 Chief Engineers** O Chief Mates **0 First Class Pilots 0 First Assistant Engineers 0 Second Mates 0 Radio Officers** 0 Second Assistant Engineers O Third Mates 0 Able Seamen O Third Assistant Engineers O Master First Class Pilot 0 Ordinary Seamen 0 Licensed Engineers **O Mate First Class Pilots** 0 Deckhands 0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

-Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

### \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Carlotte Carlotte	inis cert				
Date	Zone	A/P/R	Signature		
01-30-24	HOW/ GAL	A	DAWY E. MURRAY	Officer in Cha	
3.72400		6.00		Inspection Zo	

Annual/Periodic/Re-Inspection

tificate issued by

B. T. INAGAKI, GS-13 USCG, By direction

arge, Marine Inspection

Marine Safety Unit Port Arthur



#### **United States of America** Department of Homeland Security **United States Coast Guard**

Certification Date: 05 Apr 2023 **Expiration Date:** 05 Apr 2028

## Certificate of Inspection

Vessel Name: USL 138

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Apr2033

05Apr2023

18Jan2013

Internal Structure

30Apr2028

05Apr2023

16Feb2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

LIQUEFIED FLAMMABLE GASES AND SPECIFIED HAZARDOUS CARGO

**Total Capacity** 

Units

Highest Grade Type Part151 Regulated

Part153 Regulated

Part154 Regulated

14286

Barrels

**LFG** 

Yes

No

No

\*Hazardous Bulk Solids Authority\*

Not Authorized

\*Loading Constraints - Structural\*

Tank Location Description

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1 AND 2

1000

7.200

\*Loading Constraints - Stability\*

Hull Type

Maximum Load

Maximum Draft

Max Density

Route Description

(short tons)

(ft/in) 9ft 0in (lbs/gal) 7.20

LBS

11 11

1990 1990

9ft 0in

7.20

R

#### \*Conditions Of Carriage\*

Only the specified hazardous cargo named in the vessel's Cargo Athority Attachment (CAA), serial #VN80013280, dated 26-Jan-01, may be carried.

Inspected and approved for the carriage of liquefied flammable gases at a pressure not to exceed 90 psig and at a temperature not less than ambient.

#### --- Inspection Status ---

#### \*Cargo Tanks\*

Internal Exam

External Exam

Tank Id

Previous

Last

Next

**Previous** 

Next

1 AND 2

18Jan2013

30Apr2033

05Jan2021

30Apr2028

05Apr2023

05Apr2023

Hydro Test

Tank Id

Safety Valves

Previous

Last

Next

Last

1 AND 2 16Feb2023

01Jan1977

### --- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

#### --- Fire Fighting Equipment ---

#### \*Fire Extinguishers - Hand portable and semi-portable\*

Quantity

Class Type

40-B

Dept. of Home Sec., USCG, CG-841 (Rev 4-2000)(v2)

Page 2 of 3

OMB No. 2115-0517



# United States of America Department of Homeland Security United States Coast Guard

Certification Date: 05 Apr 2023 Expiration Date: 05 Apr 2028

## **Certificate of Inspection**

Vessel Name: USL 138

\*\*\*END\*\*\*

OMB No. 2115-0517



#### Department of Transportation **United States Coast Guard**

VN80013280 COI Ref: 26-Jan-01

# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: USL 138

Official #: D587916

Page 1 of 1

Shipyard: INGALLS IRON

Hul) #: 1905

List of Authorized Cargoes

Cargo Identification					Conditions of Carriage		
Name	Chem Code	Comp Group No		Grade	Hull Type	Note	Special Requirements in 46 CFR 15 General and Mat'ls of Construction
Authorized Subchapter O Cargoes							
Propylene oxide	POX	16	N	Δ	н		.50-10, .50-13

#### Explanation of terms & symbols used in the Table:

#### Cargo Identification

The proper shipping name as listed in 46 CFR Table 151.05.

Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.

Exceptions (Exc)

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A, B, C D, E

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

NA, NF

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

#### Conditions of Carriage

See Certificate of Inspection for explaination of symbols used in this column.