



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date: 30 Jun 2022
Expiration Date: 30 Jun 2027

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
USL 139	585593			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW YORK, NY	Steel		Unknown
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
DECATUR, AL		01Aug1977	R-2008	R-2008		R-184.0
UNITED STATES			+	+		+

Owner	Operator
LYONO TRUST DATED FEBRUARY 27, 2007 600 CALIFORNIA STREET, 6TH FLOOR SAN FRANCISCO, CA 94108 UNITED STATES	KIRBY INLAND MARINE LP 18350 Market Street Channelview, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---


This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This barge shall not be used as a lead unit or single tow when carrying cargoes regulated by 46 CFR Subchapter "O" that are required to be carried in a type II hull.

This tank barge is participating in the Eighth & Ninth Coast Guard District's Tank Barge Streamlined Inspection

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by  K. A. Hantal, CDR, USCG, By direction
Date	Zone	A/P/R	Signature	
6-19-23	Houston TX	K	Kandy Nelson	Officer in Charge, Marine Inspection Marine Safety Unit Port Arthur
4-1-24	Houston TX	P	Kandy Nelson	
				Inspection Zone



Certificate of Inspection

Vessel Name: USL 139

Program (TBSIP) pilot program. Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	30Apr2032	30Jun2022	14Apr2012
Internal Structure	31May2027	30Jun2022	11May2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: LIQUEFIED FLAMMABLE GASES AND SPECIFIED HAZARDOUS CARGO

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
14286	Barrels	LFG	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 (P/S) POX	1000	7.200

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	1990	9ft 0in	7.2	LAKES, BAYS AND SOUNDS
II	1990	9ft 0in	7.2	Rivers

Conditions Of Carriage

Only LFG's and the cargo named in the vessel's Cargo Authority Attachment (CAA), serial #VN81001059, dated 28Aug00, may be carried.

Inspected and approved for the carriage of liquefied flammable gases at a pressure not to exceed 90 psi, and at temperatures not less than ambient.

Stability and Trim

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1 (P/S) POX	14Apr2012	30Jun2022	30Apr2032	16Mar2021	30Jun2022	30Jun2027

Hydro Test

Tank Id	Safety Valves	Previous	Last	Next
1 (P/S) POX	01Apr2024	-	-	-

---Conditional Portable Fire Extinguisher Requirements---



Certificate of Inspection

Vessel Name: USL 139

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
1	40-B

---Certificate Amendments---

Amending Unit	Amendment Date	Amendment Remark
Sector Houston/Galveston	02Apr2024	Updated Inspection Date for SRV's.
Sector Houston/Galveston	02Apr2024	Updated Inspection Date for SRV's.

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **USL 139**
Official #: **D585593**

Page 1 of 1

Shipyard:
Hull #:

List of Authorized Cargoes

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
		Group No	Exc				
Propylene oxide	POX	16	N	A	II		.50-10, .50-13

Authorized Subchapter O Cargoes

Explanation of terms & symbols used in the Table:

Cargo Identification

- Name** The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code** The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatability Group No.** The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc)** Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade** The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
- A, B, C** Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
- D, E** Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
- NA, NF** Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
- #** No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type** The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
- I** Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
- II** Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
- III** Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

- Note** See Certificate of Inspection for explanation of symbols used in this column.